
anuary-February, 1958

Workbench

BUILD
A PLANTER
FROM
"WOODEN" BRICK

35¢



PHOW To:

- FLOAT LIGHT OVER YOUR WORKBENCH
- . MODERNIZE AN OLD BED
- CONVERT A PORTABLE SAW INTO A TABLE SAW
- SERVICE YOUR ELECTRIC TOASTER

Let 10 EXPERTS Help You Start a Fabulous



MAIL ORDER BUSINESS

10 Mail Order authorities who will help you every month to start an exciting Mail Order Business and to make MONEY—From your own home if you wish!

AT A COST OF JUST 50c PER MONTH! It would cost you at least \$10,000 to hire these Mail Order men to show you every facet of Mail

Order! Now—for just 50c a month—you can have the full benefit of their counsel and advice every month. Some of these authorities charge up to \$100.00 for a single letter—Yet you can get the

benefit of their knowledge, their experience, their ideas EVERY MONTH for 50c! Now—for the FIRST TIME you have a chance to start a Mail Order Business—and make it pay—through the

THIS BIG 81/2" x 11" MAGAZINE CRAMMED FULL WITH THESE FEATURES

EVERY MONTH!

- News Stories
- Illus, Features
- Questions & Answers
- New Products
- Foreign Products
- Direct Mail
- · Legal Dept.
- Sources of Supply
- Business Barometer
- New Ideas
- · Adv. Clinic
- Type, Ink & Paper
- · M.O. 50 Years Ago
- Free Sales Aids
- Post Office Bulletins
- Mail Order Plans
- Mail Order Lists

"... By far the biggest and finest Mail Order Publication ever published! Worth its weight in gold." D. P., N. Y.

THIS IS WHAT ONE SUBSCRIBER SAID WHEN HE GOT HIS FIRST ISSUE!

Don't take our word for it! See for yourself. Othercomplimentary letters coming in daily. help of a sensational NEW Publication-one of the most EXTRAORDINARY, the most unusual EVER PUBLISHED! Exclusively for the MAIL ORDER BUSINESS.

THE MOST COMPREHENSIVE MAIL TRADE JOURNAL IN THE WORLD!
That's what you'll say when you see this big 32 to 48 page publication, bursting from COVER DIVEY with illus, features, ideas, news, features, depts., all about one thing—the MAIL ORDER BUSI-NESS. We're willing to return your money if you don't agree that it is the most comprehensive M.O. Magazine in the world!

READ THE MAGAZINE THE BIG EXECUTIVES READ!

These Mail Order Executives KNOW the value of a good publication. They know the NECESSITY of such a magazine. YOU TOO, NEED "Mail Order Business" whether you are already in the business, just getting into it or merely thinking about going into Mail Order.

LIKE NO OTHER MAIL ORDER PUBLICATION! "Mail Order Business" is like NO other M. O. publication in existence! It's available ONLY by mail on a money back guarantee! Please don't confuse this magazine with any other publication.

IDEAS, IDEAS, AND MORE IDEAS! Someone said an idea may be worth a million. "Mail Order Business" is chockful of ideas; new ones, old ones, unusual ideas on all aspects of this business. Ideas on what to sell, how to sell it! You need just one idea to justify a subscription.

"M.O.B. WILL TEACH YOU MAIL ORDER!" No OTHER SOURCE can give you the HELP, ADVICE, and INSPIRATION as well and as effectively as a good magazine like "Mail Order Business" can. WE GUARANTEE a year's careful study of this magazine will give you a good working knowledge of how the Mail Order Business operates! IT'S LOW IN PRICE, TOO! Good Mail Order courses cost up to \$50.00. A subscription to M.O.B. is just \$6.00 per year!

MATERIAL PUBLISHED EQUIVALENT TO SEVERAL BOOKS OR COURSES

"Mail Order Business" gives you over a year's period the equivalent in material to at least several books or mail order courses. And remember M.O.B. is publishing a new mail order course that cost the publisher over \$1000 to obtain!

"Mail Order Business" roving photo reporter each month visits a big mail order concern and gives a photo story of what goes on behind the scenes! SEE how big M.O. firms function!

JUST \$6.00 FOR A FULL
Hardly more than 12c a week! (\$3.50 for 6 months). A full 12 months of valuable news, advice, features by 10 authorities. Remember! Special "Question and Answer" departments are

A Complete NEW Mail Order Course!
Now being published a chapter a month
—By a foremost Mail Order counselor.
Never before published anywhere! Don't
miss a single chapter of this TREMENDOUS course! Available to you for the
price of a subscription, Cost us over
\$1000!

Have THOUSANDS of DOLLARS worth of Help behind you — at a cost of just PEANUTS! If you want to succeed in Mail Order—if you REALLY want to get into this fabulous business you will need every bit of the help, the inspiration, and ideas of "Mail Order Business".

WHAT'S LEGAL? An attorney with 25 years M.O. legal experience runs this special department every month. Tells you what is legal and what is not legal in mail order. Answers subscriber's legal questions about Mail Order. Think . . how much such a service ordinarily costs you?

Your money back in full if you don't get at least \$100 worth of ideas and information from your first issue!

YOU be the judge of the first issue. Look it over and decide for yourself if it isn't MORE than we said it to be. If not, we'll gladly return your money in FULL without a quibble, too. What have you to lose?

NEW PRODUCTS. Dozens and dozens of selected products with Mail Order potential. Helps you to answer the question "What Shall I Sell?" Tells you the price and the manufacturer, Every month a new selection. Any one of these can turn out to be a bombshell

FOREIGN PRODUCTS. Lists glamorous new products from all over the world for M.O. selling. Gives addresses where to get them. Also valuable information on how to import these items for tremendous profits! Example: Accessory Kits that sell for \$50.00 — cost you \$7.00. Scores and scores of products that can spell BIG PROFITS for you.

WHERE TO BUY IT. Need to locate the source of supply for a new item? Let "Sources of Supply" help you lo-cate it! Available to subscribers only.

FANTASTIC **FORTUNES POSSIBLE**

IN MAIL ORDER!

R. of California started a W. R. of California started a business in his living room. Now he has 12 workers turning out \$100,000 worth of merchandise a year. D. M. of N. J. started with a coat hanger—now does 3 million a year. E. R. of Mass. decided to try selling squabs by mail. In 26 days, he made \$3,800 on one deal! C. B. of Conn. made \$100,000 during the first year of mail order operation. Dozens of other actual success stories in existence that will surprise you. surprise you.

A Complete Ready to Operate Mail Order **Business Plan Fully** Described for You!

Mink of it! A ready to operate M.O. Business complete in every detail—step by step—what to sell—how to start—how and where to buy goods—already written ads and where to place them fully described in one issuel Each plan easily worth them fully described in one issue! Each plan easily worth \$100.001 A M.O.B. exclusive! NEVER BEFORE PRESENTED ANY-WHERE! Several of these valuable business plans—each different — will be offered from time to time. YOUR COST? Just the price of a single subscription! (This is just one feature of many.)

Mail	Order	Business,	Box	591-AT	, L	ynn,	Mass.

He	re's	my	\$6.00	(\$3.50	for	6	moi	nths).	Rush	me	my	first	
			l Orde										

Name

Address

City____State_
Remember! You MUST be satisfied with M.O.B. or your money back!

MAIL ORDER BUSINESS, BOX 591-AT, LYNN, MASS.

Over and over again-It's the same old story...

== Finally a formula that really works ==



"I was ashamed to always be so tired!"

I ALWAYS felt simply "run down." People were thinking of me as a "spoil-sport." I didn't know why until my doctor put me wise. He told me that I acted like a man much older than myself . . and explained why I felt "tired" . . . why my youthful vigor was slipping away . . . why my wife and family were beginning to think of me as a worn-

out man.

He told me how a vitamin-mineral deficiency in my diet could bring on these symptoms—rob me of the joys of living . . . and suggested that I supplement my diet with pep-building vitamins and minerals. Thousands of others had found new energy, new youth, new happiness by adding these essential factors to their diet.

Well, I put off doing anything about my condi-

tion—until one day I read the Vitasafe ad in a magazine, offering a 30-day FREE supply of high-potency Vitasafe C.F. Capsules! I figured I had nothing to lose, so I mailed the coupon. When my free supply arrived, I began taking one Capsule a day. In a short time, I began to feel like a new man! My pep and vigor came back, I continued with the Vitasafe Plan—and I felt stronger—younger—more energetic! energetic!

energetici
Today, no one thinks of me as a "worn-out old man." I've got pep and energy to burn, and I have fine like a fellow half my agel And you may too!
Why don't you take advantage of this sensational free offer to see for yourself whether you too can feel peppy and full of life! Accept this no risk offer as I did.

"Thirty days ago I turned back the hands of time!"

IF anybody told me that a little capsule could make me feel 10 years younger in just 30 days... full of pep, energy and happy well-being, I would have thought he was joking. I felt like so many people around me, just all tired out by the day-to-day pressure of modern life. I could hardly keep up with my work. Everything seemed an effort. My friends and family said I acted like an old lady.

Then one day I came across a Vitasafe ad. It explained that many people nowadays may be wellfed and yet be under-nourished because of the lack or destruction of certain vital elements in their food due to storage, processing, freezing, cooking, etc.

It told how thousands of folks who have lost their full vitality because of this very common lack of balance in their diet now enjoy full, rich, happy

Well, since they offered a 30-day free trial supply of this high-potency nutritional supplement, I thought I might as well see whether it could help me. I sent in the coupon. Believe me, that was the smartest thing I ever did.

Now I have the pep and healthy glow I last had

smartest thing I ever did.

Now, I have the pep and healthy glow I last had years ago. And I enjoy my work, my family and friends more than I can ever remember.

If you just don't feel 100% up-to-par, you may also be suffering from this common nutritional deficiency. YOU would be smart to see how much younger and peppier you may feel by taking safe, pure Vitasafe capsules. So why not send for a free 30-day supply, right now!



TRY THESE HIGH-POTENCY CAPSULES YOURSELF 30 DAYS FREE

You pay only 25¢ to help cover postage and shipping expenses

Safe, Nutritional Formula Containing 27 Proven Ingredients: Glutamic Acid, Choline, Inositol, Methionine, Citrus Bioflavonoid, 11 Vitamins (Including Blood-Building B-12 and Folic Acid) Plus 11 Minerals

To prove to you the remarkable advantages of the Vitasafe Plan . . . we will send you, without charge, a 30-day free supply of high-potency VITASAFE C. F. CAP-SULES SO YOU CAN discover for yourself how much healthier, happier and peppier you may feel after a few days' trial. Just one of these capsules each day supplies your body with over twice the minimum adult daily requirement of Vitamins A, C and D — fice times the minimum adult daily requirement of Vitamin B-1 and the full concentration recommended by the National Research Council for the other four important vitamins! Each capsule also contains the amazing Vitamin B-12, one of the most remarkably potent nutrients shown to science.

Vitasafe Capsules also convalues and control and control and Clutamic Acid, a natural substance derived from wheat gluten and thought by many doctors to help nourish the brain cells for more power of concentration and increased mental alertness. And now, to top off this exclusive for-mula each capsule also brings you an important dosage of

Citrus Bioflavonoid — the anti-cold factor that has been so widely acclaimed. This formula is so complete it is available nowhere else at any price!

WHY WE WANT YOU TO TRY A 30-DAY SUPPLY-FREE!

We offer you this 30-day free trial of valuable VITASAFE C. F. CAPSULES for just one reason. So many people have written in telling us how much better they felt after

HOW THE VITASAFE PLAN OPERATES TO SAVE YOU MONEY

OPERATES TO SAVE YOU MONEY
When you receive your
free 30-day supply of vitamins, you are under no obligation to buy anything.
With your vitamins you will
also receive a handy postcard. If after taking your
free Vitassfe capsules for
three weeks you are not
satisfied in every way, simply return the postcard and
that will end the matter.
Otherwise, it's up to us-you
don't have to do a thingand we will see that you get
your monthly supplies of
vitamins on time for as long
as you wish, at the low,
money-saving price of only
\$2.78 per month.

only a short trial that we are absolutely convinced that you, too, may experience the same feeling of health and well-being after a similar trial. In fact, we're so convinced that we're willing to back up our convictions with our own money. You don't spend a penny for the vitamins! All the cost and all the risk are ours. risk are ours.

AMAZING NEW PLAN SLASHES VITAMIN PRICES ALMOST IN HALF!

With your free vitamins you will also receive complete details regarding the benefits of an amazing new plan that provides you regularly with all the vitamins and minerals you will need. This Plan actually enables you to receive a 30-day supply of vitamins every month regularly, safely and factory fresh for exactly \$2.78-or almost 50% lower than the usual retail price. BUT YOU DO NOT HAVE TO DE-BUT YOU DO NOT HAVE TO DE-CIDE NOW — you are under no obligation to buy anything from us whatsoever. To get your free 30-day supply and learn all about the benefits of this amazing new Plan, be sure to send the coupon now!

Yours FREE Retail Value \$500 EACH DAILY VITASAFE CAPSULE CONTAINS Vitamin B: 75 mg. Vitamin B: 7 VITASAFE SPECIAL FORMULA FOR WOMEN ALSO AVAILABLE. CHECK COUPON IF DESIRED.

4	
I	VITASAFE CORP. 43 West 61st Street, New York 23, N. Y. Yes, I accept your generous no-risk offer under the Vitasafe Plan as advertised in Workbench
	Send me my FREE 30-day supply of high-potency Vitasafe Capsules as checked below: Man's Formula Woman's Formula I ENCLOSE 254 PER PACKAGE for packing and postage.
i	Name
!	Address
-	City Zone State This offer is limited to those who have never before taken advantag of this generous trial. Only one trial supply per person. IN CANADA: 394 Symington Ave., Toronto 9, Ont. (Canadian Formula adjusted to local conditions)

VITASAFE CORPORATION, 43 West 61st St., New York 23, N. Y. IN CANADA: 394 Symington Ave., Toronto 9, Ontario

BENNETT

"DO-17-YOURSELF"

BOOKS

Making Things of Wood (1956) projects for the young homecraftsman. Several projects combine metal, electricity and plastic with wood. Each includes an easy-to-read drawing, bill of material, construction procedure and photographs. A special section covers important points about finishes. Material requirements are kept to a minimum. Procedures serve as a guide leaving small problems to the worker.

WOOD FINISHING-Jeffrey

ALL NEW! Here's the exciting new (1957) book on the finishing of wood that you've been waiting for. (No. 3 in coupon).......\$2.00

WOODSHOP TOOL MAINTENANCE—Cunningham Now you can learn to keep those tools in "tip-top" shape. (No. 4 in coupon)..........\$7.00

MAKING THINGS OF PLASTIC—Edwards
New hobby of thousands!
(No. 5 in coupon). \$3.75
THINGS TO MAKE AND HOW TO
MAKE THEM—Vol. I—Klenke \$5.95

ADVENTURES IN WEAVING—
Greer (No. 9 in coupon) \$12.00

FREE! SEND TODAY!!

Write today for BIG FREE lumber table. Complete Circular describing many crafts and hobby books.

Paste Handy Coupon on Postcard and Send Today!



Complete with IV attachments and steel decorating metal glass, and steel decorating metal glass, and steel decorating metal glass, livers 7200 strokes a minute. Comes to steel chest with 10 all-purpose accessories. At your dealer, Send for free catalogue.

Burgess Vibrocrafters, Inc., Dept. A-99, Grayslake, III.

MAKE RUBBER MOLDS

Start your own business at home. Cast plaques, novelites, figurines, ash trays, statuettes, book ends. Make your own flexible molds. Also make garden vases, bird baths, window boxes, sun dials, pottery, etc. Write today for free sample and derails.

H. Tooker, 1045-F Fairview Ave., Hamilton, Ohio

WORKBENCH volume 14 · number 1

Contents for January-February, 1958

ARTICLES	
Planters Built of Wooden "Brick"	.10
An Old Bed Goes Modern	.12
How To Make Two Useful Wood Joints Dale Morey	.17
Maintaining That New Look on Floors Harold K. Penninger	.18
Put Your Child On a Book End	.21
A Candelabrum in the Modern Manner Donald X. Fenten	.22
You Can Make A Table Saw From	
Your Portable	.24
Webster P. Taylor	
A Bird Feeder That Also Shelters	.28
For Several Uses Stapling Is Faster	.31
Ken Murray	
Brighten Your Kitchen With a New	
Countertop	.32
A Shelf To Display Bric-a-Brac	.35
John A. Comstock	
"Float" Light Over Your Workbench	.36

Jack Tillotson, Publisher
Theodore M. O'Leary, Editor
M. V. Greene, Classified Adv. Mgr.

The contents of WORKBENCH are indexed in The Reader's Guide to Periodical Literature, which is on file in all public libraries.

Fourteen Wool Felt Ideas for Your	
Home Shop	.38
Table Soccer-Fun to Build, Fun to Play	.40
Rubber Heats My Workshop	.44
Paul Corey	
Getting More Heat From Less Fuel	.52
Ted Morgan	
Screw Categories	.54
M. Robert Beasley	
Convert an Old Nail Key Into A	
Charcoal Hod	.55
R. M. Woodbury	
What About Spray Can Painting? Ted Morgan	.61
DEPARTMENTS	
Keeping Up With Craft and Home Products	
How We Solved A Household Problem	. 7
Mrs. Ailene Coleman	
The Craft and Home Bookshelf	. 8
Advice to Apply to Appliances	.46
J. J. Lighter	
Publications You Can Get From Uncle Sam	
This Might Help	
Cover Photograph, Courtesy of the Armstro	ong

ADVERTISING REPRESENTATIVES

Cork Company.

New York, N. Y., Murray Bernhard 118 East 40th, OXford 7-5420

Chicago, Illinois, John R. Cockerell 360 North Michigan, ANdover 3-6929

St. Louis, Mo.: John Cockerell, Inc. George Glover 915 Olive St., GArfield 1-0907

Pasadena, California, Murray Bothwell 234 East Colorado, RYan 1-9155

DeLand, Florida, R. W. Hunter Box 1280, DeLand 1417W

WORKBENCH is published bi-monthly by Modern Handcraft, Inc., 543 Westport Road, Kansas City 11, Missouri. Entered as second class matter at the Post Office at Kansas City, Missouri; additional entry at Chicago, Illinois. Thirty-five cents a copy. Annual subscriptions \$2 in the United States and its possessions; \$2.50 in Canada; Foreign subscriptions, \$2.50. Six weeks advance notice required for change of subscription address. Both old and new addresses must be given, and request marked for Circulation Department, WORKBENCH. Printed in the U. S. A., Copyright 1957, by Modern Handcraft, Inc.

Contributors should make a copy of all manuscripts submitted. Every effort will be made to return rejected manuscripts, photographs, and diagrams, if accompanied by sufficient first class postage, but WORKBENCH will not be responsible for any loss of such material.

Direct from Distributor to You!

CRAFTSMAN

DRILL SET



PRICES SLASHED 50% ON POLYETHYLENE PLASTIC ROLLS!

Use As STORM WINDOWS— Dust, Moisture-Proof Protection! TACK IT, STAPLE IT, HEAT SEAL IT, TAPE IT!

Protects from dust, dirt, moisture, rust, moths, heat, cold, etc. Transparent! Stains wipe off! Lightweight, strong, in-expensive!

For HOME—Cover auto seats, furniture, mattresses, lamps, rugs, appliances, luggare, silver to prevent tarnish, air conditioners. Use as shower curtains, storm windows. Keep paint off furniture, floors, etc. Wrap food, moth-proof wrap clothes.

OUTDOORS Cover boats, sports and fishing equip-t, tennis courts, cars. Make children's play tents. For GARDENS Protect outdoor furniture and equipment, shrubs, plants, newly seeded lawns. Build greenhouses.

For INDUSTRY-Cover equipment and machinery. Fumigation, oxygen tents. Painter's drop cloth. Ploor covers for car trunks, trucks, Chases moisture vapor from crawl spaces, etc. Curing concrete, Keep rain away from outdoor work areas.

36"	x	100	FT004	GAUGE-S	6.95
54"	x	100	FT004	GAUGE-	10.95
84"	x	100	FT004	GAUCE-	15.95
120"	x	100	FT.—.004	GAUGE-	22.95

EXTRA SPECIAL!

120" x 100 FT.—.006 GAUGE—\$29.95

Add 50c to all prices for pp. & hdig.



Also available with Turned Down Shanks to fit all 4" drills. In indi-vidual pocket roll.



60 Pc. Set Chrome Vanadium WIRE GAUGE DRILLS

Top quality German import high test Chrome Vanadium Drills designed for speed drilling through toughest steels, s, plastic, iron and aluminum. Precision ground lasting cutting edges. Guaranteed to give years at 1 stratefor. A full 60 pc, set. 1 thru 60. A \$14.95 Value. Now \$540 plus 35c pp. and hdig.

Same set above available with Huot Metal Index container only plus 35c pp. and hdig.

Also Available-20-PC. SET NOS. 61-80 WIRE GAUGE DRILLS

Finest steel! Tops for precision work in woods plastic, iron, aluminum, etc. Includes \$250 plastic kit with marked pocket for each drill only

PRECISION MICROMETERS

At Bargain Prices!

Chrome plated, adjustable, equipped with ratchet stop and lock nut. Adjustable for zero. Decimal equivalents of fractional sizes diesunk on frame. Recessed frame to allow readings sunk on frame. Recessed frame to allow readings in tight spots. Precision made for accurate readings, fully polished. In velvet lined case. \$5.95 ppd. 0-1", 1/1,000" Readings \$5.95 ppd.

1-2", 1/1,000" Readings with 1" test gauge,

\$7.95 ppd.



Surgical Steel Hand Ground

SET OF 12 Carving Knives

The sharpest, keenest ground, surgical \$2.00 atcel blades we have ever seen—sharp ppd.

12 different hape made have in two every job of two wood carving, model making, linoleum cutting, sculpting and whittling imaginable. Each blade has a 4½" long hardwood handle for easy gripping, heavy duty blade is firmly attached by means of a brass ferrule to ensure long, continued rugged use. Each surgical steel blade precision hand ground to easily and quickly notch and cut any shape you wish. A sensational all-purpose set, well worth \$5.95

OUR PRICE \$2.00 ppd.

BIGGER DRILLS AT LOW, LOW PRICES! 4 PC. HIGH CHROME SPEED SET

Reg. \$42.50

NOW \$9.95

plus 50c pp., hdlg.



Complete Power Tool Accessory Set Complete Power 100 PIECES

Designed for use in all 1/4" capacity Electric
Drills and Motor Chuck.

A complete power tool accessory set that can handle almost any job of grinding, sawing, cutting-off, polishing, buffing, reaming, sanding, drilling, cleaning, etching, etc. KIT CONTAINS:—Wire Wheel, Mounted Grinding Wheels, Rotary File, Abrasive Cartridge Rolls, Circular Saw Blade, Felt Bob and Wheels, Honing Stones, Jewelers Rouge, Buffing Wheels, Midget Steel Cutters, Bristle Brushes, Abrasive Sheets and sufficient Arbors to accommodate all the unmounted items. \$4.98 \$4.98

Over \$15 value, only

BOLT CUTTERS job intended. Made with black east alloy steel handles; drop forged exchangeable cutters. Compound leverage makes a lifffcult job easy.

12" size \$3.95 18" size \$5.75 24" size \$8.95 plus 25c pp & hdlg. plus 25c pp & hdlg. plus 35c pp & hdlg.

21/2 AMP. **HEAVY DUTY** 1/4" THOR SPEEDRILL with Geared Chuck and Key AC-DC 2400 RPM

Reg. \$39.95 . . . OUR PRICE . . . \$4

If your work calls for a "rugged" drill with POWER to SPARE, insist on a 50c 2½ amp, job and make sure it's pp. & hdlg. THOR! No finer drill made! Solid steel, heat-treated helical gears; thrust taken on bardened steel ball and plate; gears permanently packed and sealed in LIFE-TIME grease! Switch, trigger and lock assembly simplifies locking and releasing trigger. You'll be wise to buy 2 at this price, Supplies limited!

ONLY 75c EACH

for the FINEST QUALITY Imported PRECISION PLIERS

Flat Nose • Combination • Diagonal Cutter • End Cutting Nippers Round Nose • One Side Flat — One Side Round • Snipe

Side Round • Snipe
FOR JEWELERS, OPTICAL WORKERS,
HOBBYISTS, CRAPTSMEN OF ALL
KINDS! These superb European Instruments are of deep-forged, heat-treated
high quality tool steel, fabricated to most
exacting specifications. All-over ground
and polished to smooth hard surfaces.
Smooth working joints with just the right
tension. Jaws meet perfectly to safely
and securely hold even the most delicate
objects in the hard-to-reach corners and angles. Each
piler is 4" long and a veritable gem of precision and
strength.

75c each

all 7 for \$5.00

0X



PRICES SLASHED AGAIN! World Famous ROCKWELL Carbide Tipped Circular Saw Blades

At Fantastic Savings!

There's no finer name in saw blades than Rockwell!
Now, you can buy these blades, in original factory
packages, at amazingly low price. Will fit most radial
and portable saws. Carbide tip—and perfect balance
is your assurance of perfect cutting through all varieties of wood and wood laminates plus aluminum,
magnesium, formica, flexboard, plastics, gypsum board,
teak, bakelite, tileboard, masonite and similar materials.

6"	blade	with	10	teethS	6.50
7"	blade	with	8	teeth	6.50
7"	blade	with	14	teeth	7.50
				teeth	6.50
				teeth	8.50
				teeth	12.50
				us 50e for pp. & hdlg.	

14" and 56" round and 12" and 13/16" square pres to fit Skil, Thor, Mall and Cummins saws.



12-Pc. Needle and Warding FILE SET, \$249 plus 25c pp.

Made from best quality tool steel, fits exacting requirements of mechanics, watch, jewelry craftsmen, hobbyists. Kit contains the following 5½" long needle and warding files with high test cutting qualities; round, flat, knife, square, triangular, in all textures; fine, medium fine, medium, medium coarse, coarse. Comes with polished wood handle and new type steel grip chuck.

Gov't. Surplus WEBBED TOW CABLE





MECHANIC'S APRON

Our armed forces require the best and this is it tough resilient OD canvas to protect you against grime, arease, wear and tear. 12 handy, spacious pockets. A full 21" x 24", united quantities, Unused. plus 21c ppd. & hdlg.

Send check or money order. If C.O.D., fees extra. Money-back guarantee.

SCOTT-MITCHELL HOUSE, Inc., Dept. W-1, 611 B'way, N. Y. 12, N. Y.



keeping up with craft and home products

In communicating with companies whose products are described in this department, please mention WORKBENCH.

Combination File-Plane



MILLERS FALLS Company of Greenfield, Massachusetts, announces a unique new combination tool that makes it possible to plane, file, shape and smooth anything from soft wood to tough steel—all with a single tool, and at extremely low cost.

This new tool is named Plane-'R-File, and it's loaded with exclusive features. First of all, it has an ingenious, two-way handle. In just a few seconds, it can be converted from a plane to a file and back

Coupled with this dual-purpose design is a patented blade manufactured for Millers Falls by the Tresa File Company of England. The first blade of its kind ever developed, it's the big secret of the Plane-'R-File's extraordinary cutting power. Made of specially hardened steel, it has two rows of cutting teeth with edges almost glass hard. It cuts practically anything-wood, plastic, metals-and leaves a smooth, even surface no matter whether it's used with or across the grain. It's flexible and double-sided for double life-easily reversible to bring an entirely new cutting surface into action. It's replaceable, too, and inexpensive extra blades are available with either coarse or medium teeth. Body is diecast aluminum.

Complete with coarse-toothed blade, the Plane-'R-File sells for \$3.49 and is being distributed through hardware stores and retail lumber dealers. Replacement blades—coarse and medium—are priced at 98 cents.

Aluminum Protector

NORTHEAST LABORATORIES, Inc., Dorchester, Massachusetts, announces Aluma-Shield, a radically new development in coatings for aluminum products. A clear, water-white, longlife plastic coating, Aluma-Shield offers protection against weather extremes, salt spray, humidity, discoloration, corrosion, smudging, and abrasion.

Contained in a spray-top can, the new plastic coating sprays on smoothly and quickly—dries to a high gloss finish in ten to fifteen minutes. In marketing Aluma-Shield, Northeast Laboratories, Inc., guarantees its product against chipping, cracking or peeling.

Achieving quick acceptance with manufacturers of aluminum products, it is expected the new coating will find equal acceptance in the consumer market. Consumer applications include spray-coating Aluma-Shield on aluminum outdoor furniture, storm windows, doors, boats, airplanes, etc.

Postpaid price for Aluma-Shield in the 12-oz. can is \$1.98.

Multipurpose Tool



THERE WAS a time when electric power tools were considered stationary machines to be bolted to a workbench and then used only by the man of the house.

The Dremel Manufacturing Company of Racine, Wisconsin, has revolutionized this concept with the introduction of a new, multipurpose tool that's portable and so safe that the lady of the house and even the children can use it.


The new Dremel Model 57 Moto-Shop is a complete home workshop packed into one low cost, compact unit. It is powered by a ball bearing rotary motor embodying a unique power takeoff to which a number of attachments can be connected. From a 15" jig saw, it can quickly be converted into a disc sander, bench grinder, buffing wheel, and a flexible shaft machine.

These attachments have hundreds of home uses ranging from jig saw project work to disc sanding, sharpening knives, scissors, and other cutting tools, polishing silver, removing rust, etc. The flexible shaft is a complete machine shop in itself. It can be used for grinding, polishing, sharpening, routing, engraving. It is particularly handy for drilling holes up to 5/32" for inserting the saw blade when making inside cuts with the jig saw.

As a jig saw, the Moto-Shop cuts wood up to 134", 18-gauge copper, 1/16" steel, plastics, etc. Equipped with a 3-way blade holder, it can saw in any direction. Table raises and lowers, also tilts 45 degrees for angle and bevel cutting. A clever and virtually foolproof safety guard completely surrounds the blade, making it safe for even a six-year-old.

Weighing only 12 pounds, the Moto-Shop can be set up on a card table or kitchen counter—and then stored away in a closet when not in use. This portability feature solves the space problem for families living in apartments and basementless homes. The company also states that it operates as quietly as a sewing machine and will not interfere with radio or TV reception. Basic price \$33.95. De luxe Model complete with grinding wheel, cloth wheel, wire brush wheel, and flexible shaft with 12-piece accessory set, \$49.95.

Inexpensive Slide Rule



THIS 10-INCH slide rule is extra-handy for the student, handyman, housewife, mechanic, farmer, salesman, everybody. Calculates instantly, accurately. Solves multiplication, division, proportion problems. "High-vision" clearview slide. \$1, postpaid, complete with free 28-page Instruction Book. Larch, 118 East 28, Dept. 39-P, New York 16, New York.



BUILD YOUR OWN GUN CABINET!

It's EASY! With **Gunberth Plans & Kits** All details on Plans, Kits and Hardware are listed in big, fully illustrated . . .

"Handbook"-Catalog Finished cabinets in 82 different styles also available. Get your copy NOW!
Only \$1.00 ppd.
(Refundable first order!)
COLADONATO BROS.

Dept. G32, Hazleton, Pa.

ONE MILLION DOLLARS CASH

IN CONFEDERATE MONEY Yours only \$298

Be a deep south millionaire! Have money to burnt We'll send you exactly one million bucks in honest-to-goodness considered with the money of S2.98! You can do everything with this money but spend it. Amaze and amuse your cotton-pickin' Friends. Win bar bets by the barrel! Light your cigars and cigarettes with S10.00 bills! Live it up! all for only \$2.98. worth of laughs and fungalists one million burks is sufficient with S10.00 bills!

It's a million dollars worth of laughs and tun-all for only \$2.98.
You get one million bucks in \$10's, \$20's, \$50's, \$100's etc. denominations—enough to keep your friends laughing and happy for months—This offer is limited, only \$4 million dollars to a customer. Our supply of this loot is limited—so rule your order of the control of -----

TALENT GOING TO WASTE?

AUTHORS: If you are the talented author of an unpublished manuscript, let us help gain the recognition you deserve. We will publish your BOOK-we will edit, design, print, promote, advertise and sell it! Good royalties.

Write for FREE copy of How To Publish Your Book COMET PRESS BOOKS, Dept. PH-1 200 Varick St., N. Y. 14

GOOD MONEY IN WEAVING

Earn extra money at home weaving rugs, carpets, etc. from old rags or new yarns, for people in your community! No experience necessary. Thousands doing it with easy running \$89.50 Union Looms. Send for our free booklet today.

THE CARLCRAFT CO.

65 POST ST.

BOONVILLE, N. Y.

100x Area Projector



HOW TO BE A SKILLED

WOOD

WORKER

Enlarges Pictures,
 Printing and Objects!
 Full Color! Readable!

NEW! Electric Magna-Vue Opti-cal Instrument projects & enasi color, correctly & readable. Projects on wall, screen
or table. MAGNIFIES 100
AREAS. Enlarres any mateflat up to 31/4x4-in, to 32x40
homes, businesses. Also make
signs, sketches easy from any
copy. Enameled steel, 10x71/2*
high, Quality 2" focusing lens,
Standard 110 volt current.
Money back guarantee.
(2 for \$9.50)
Postpaid
D. 618

JOHNSON SMITH CO., Dept. 615, Detroit 7, Michigan

CABINETMAKING



Make money. Become a skilled woodworker. Interstate's new woodworking course tells and shows how to turn out hundreds of professionally constructed and faighed wood projects with shows how to turn out hundreds of professionally constructed and finished wood projects with hand and power tools. Twenty-two profusely illustrated manuals. Over 1,000 pages. Over 75 projects. Written by expert instructors. The only complete course available to-day! Get full information without collisions to day.

obligation ... today.

WRITE FOR FREE BOOKLET

INTERSTATE TRAINING SERVICE SCHOOL OF WOODWORKING DEPT. F-7, PORTLAND 13, OREGON

Compact Battery Warmer-Charger



PLUG THIS new battery charger into any home or garage 110-volt outlet. Clip the leads to the battery terminals. In the morning you'll have a fully charged, warm battery that will turn over the heaviest motor even in sub-zero weather, without the cost of a trip to the service station.

Featured in this new low-cost doit-yourself auto accessory, according to the makers, is the overnight charge that puts lasting power in batteries while preventing battery freeze-up.


Called the E-Z Battery Charger and Warmer, the device will serve either 6-volt or 12-volt batteries at the flick of the control button-giving E-Z double use, as most chargers now on the market will charge either 6 or 12 volt, but not both.

Hardly bigger than a couple of packs of cigarettes, E-Z boasts a red trouble light that flashes a warning if it is not properly connected.

The charging rate is at a low 34 amp., so that current cost is low, and there is little danger of blowing a household fuse. E-Z Battery Charger and Warmer is in a rugged steel-gray metal case, fully guaranteed.

Retails for \$8.95. Nationally distributed by Barfield & Company, 6552 N. Glenwood Ave., Chicago 26, Illinois.

Swivl-Clamp Magnifier



HOBBYISTS AND home craftsmen alike will welcome this new 4" diameter, +5 Diopter, 8" focal length magnifier, mounted in heavy metal frame, with precision built swivel for fast, one-hand operation. Big 4" diameter

OWN a Nationally **Advertised Business**



We'll show you how to earn \$8,750 PROFIT the first year on just 2 jobs a day.

Enjoy the prestige and financial independence of your OWN business. You will be locally trained to help you get quickly established. By employing others, you MULTI-PLY profits. You become an expert in the care of rugs and upholstery. Start part-time from home. We provide 25 regular benefits. National Advertishment of the promotional materials, and many others. Permanent staff work with you on any phase of your business.

many others. Permanent staff work with you on any phase of your business.

5 Ways to Make Money

A Duraclean Dealership qualifies you to offer 5 different services. Thus on many jobs you multiply profits.

I. Duraclean: Unique ABSORPTION process for cleaning rugs, carpets, upholstery. Recommended by leading stores and manufacturers. No scrubbing, soaking, shrinkage, Aerated foam aafely removes dirt, grease, unsightly spots. Dries so fast customers use furnishings in few hours. 2. Durashindeld: Soil-retarding treatment that KEEPS furnishings clean MONTHS longer. You may be the first in town to offer this type service. 3. Durapoof: Protects against damage by moths, carpet beetles, Only such treatment backed by an International 6-year Warranty! 4. Duraguard: Flame-proofing treatment which reduces fire damage by retarding tendency of fires to flame up. Theaters, restaurants, hotels, homes offer huge potential, 5. Spoteraft; Special chemical products enable you to handle most all spot or staining problems, Means extra business, greater customer satisfaction, and added prestige as professional craftsman. We furnish enough materials to return your TOTAL INVESTMENT. We help finance reliable men. Write for FREE booklets and full details while territory is available.

"OWN a Business" Coupon

DURACLEAN COMPANY 8-562 Duraclean Bldg., Deerfield, III. Please rush free booklets with full details of how I may own a nationally-advertised business.

City.....State....

THIS VALUABLE BOOK 8 MISTAKES PARENTS MAKE TO PARENTS

New book about child training tells how you can be prouder of your children both now and later in life. Covers all ages. Every parent should have it. It is free; no obligation. Simply address:

PARENTS ASSOCIATION

Pleasant Hill, Ohio



Sylvia's Designs full color \$1.00 each with instructions with instructions
"Decorator for China"
\$3.00
Send for FREE Catalog
Dealer Inquiries Invited SYLVIA'S CHINA STUDIO. Box 463, Klamath Falls, Ore.

HOME **PRODUCERS** inted!

To be subcontractors, Cast plastic products for manufacturers in our Clearing House Service. Thousands of easily-made items required. Cash in at home, without previous experience. Set your own hours, Write today for FREE list of 100 most wanted items.

PLASTIC SERVICE ASSOCIATES
Dept. WB-1, East Boston 28, 1 East Boston 28, Mass,

DO MORE PLANING JOBS with LOW-COST BELSAW

Low Down Payment. Easy Terms
Exclusive MONEY-MAKING Features: Full 12½ "x 6"
capacity • Power feeds at 14' to 34' a minute •
Provides for Grinding Knives in the Cutterhead • Attachments for Jointing, Rabbeting, Jongue, Matching,
Groove. Convert low cast rough lumber into high
priced stock, Easy to make flooring and popular
patterns. Send Today for FREE Literature and Prices.

Belsaw Machinery Co, 2188 Field Bldg., Kansas City 11, Mo.

JANUARY-FEBRUARY, 1958 » 5

NEW DISCOVERY

SAVES PLUMBING BILLS

CLEANS INSTANTLY CHICAGO — Jan. 2nd — Home Owners, Offices, Apartments, in-cluding Pactories are constantly having trouble with elogged-up pipes which proves expensive in Cestly Plumbing Bills—

But now-using Water Impact and Air Pressure, here is a new unit called the Plumber's Flush-ing Gun, which cleans all lines up to 100 ft. It will open any number of bends in pipe. Yet anyone can operate this new gun, which triggers easily.

TOILETS. URINALS, SINKS, d FLOOR DRAINS clogged and FLOOR DRAINS clogged with paper, grease, rags, sand, and other debris can be cleared with one or more shots from the gun, saving the d there debris an he cleared with one or more shots from the gun, saving the owner, the Gun's price the first time it is used. This new Flushing Gun may be used on any be to 6 inch waste pipe including Sink Drains. Bot Water Pipes. Drinking Fountains. Septic Tanks and Urinals. Obstructions melt away INSTANTILY when struck by the hammer like blow of this new unit.


This New Flushing Gun is offered on 30 Days Free Trial.
BUT MOST IMPORTANT IS TRIAD IN 100 MOST IMPORTANT IS A TRIAD IN 100 MOST IMPORTANT IS A TRIAD IN 100 MOST IN 100 M

MILLER SEWER TOOLS, DEPT. WJF, 4638 N. CENTRAL AVE., CHICAGO 30, ILLINOIS.



SPROOFFACTOR CEASURE CONTINUES CO ATTENTION

If you make jewelry for Pleasure or Resale
using Metal Findings, Rhinestones, Moonstones,
Copper, Ceramics, Cork, Artificial Flowers, or
Cut Your Own Stones — our Low Prices and
Large 84 page Catalog is just what you need.
Wholesale and Retail. Send 25c to NATIONAL
ARTCRAFT CO., Dept. W, 12415 Euclid Avenue,
Cleveland, Ohio.





132 PAGES ALL AT LOW MONEY SAVING PRICES! Many in full color packed with rare,fancy&im-ported woods... veneers, plywoods, patterns,


tools, ornaments, hardware...ev-erything for the woodworker. MAIL COUPON NOW!

ALL AT LOW MONEY SAVING PRICES!
Your complete wood buying
guide and project book. Craftsman is your best, most complete source of finest kiln-dried
domestic and rare imported
woods, beautiful wood inlays.
colorful bandings, matched
plywoods, embossed mouldings, carved ornaments, newest woodworking tools, hard
to find" cabinet hardware and
fittings. more than 1,500 items!
Packed with newest scrolls aw patterns, project ideas and money
making plans. Enclose 25c (repay mailing, handling cost. Write,
0,2728S.MaySt.Dept. 1-1 Chicago 8

CRAFTSMAN WOOD SER	VICE CO., 2729 S. Mary St., Dept. L-1 Chicago
2729 S. Mary S	t., Dept. L-1, Chicago 8, III. (refundable with order). Rush me new DOD CATALOG.
NAME	
ADDRESS	
CITY	Zone_STATE

permits use of both eyes to give full three-dimensional effect. Lens is precision ground. Perfect for mounting on workbench, swing-away light, over fly-tying vise, on any job where precision is a must. Clip this item, mail with check or money order in amount of \$4. Be sure to include your name and address. Prompt, postpaid shipment. Edmund Scientific Co., Barrington, N. J.

Plumbing Pipe Cleaner



JUST INTRODUCED and made available is a new patented tool which does away with the old method of sewer rods, which usually take a good deal of time to operate.

Building and homeowners are constantly having trouble with cloggedup drains which proves expensive in costly plumbing bills. But now, using water impact, and air pressure comes a new unit called the Plumbers All Purpose Flushing Gun, which is said to clean all pipelines up to 100 feet. Easy to operate, this gun triggers easily as water from the faucet flows through the gun with the air causing a chain reaction throughout the line. It will remove sand, rags, scale, and obstructions and does a complete job of removing grease which adheres to the sides of the pipelines. There is no need to remove pipeline or grease trap, which saves more time.

Water impact creates kinetic energy (static waves in water). This force is 98 per cent forward and only 2 per cent against the walls of the pipe, eliminating any danger to damaging fixtures. Clogged-up sinks, toilets, including hot water pipes, urinals, bathtubs, floor drains with pipe diameters from 1/2" to 6 inches can be cleared with one or more shots from the gun, often saving the owner the gun's price the first time it is

This new Plumber's Flushing Gun is offered on 30 days free trial to prove its value. A free booklet is also available with no obligation. Write to Miller Sewer Rod Company, Dept. WB-F, 4642 N. Central Ave., Chicago 30, Illinois.

Old Lines Expanded -New Lines Added

STEWART CLAY'S 90th ANNIVERSARY CATALOG

- Hundreds of Illustrations
- Over 336 Main Topics

Chock-full of the most up-to-date selection of money saving materials and supplies ever assembled in one volume.



Some of the items this BIG Catalog Some of the items this BIG Catalog Contains:

Sculpture Supplies

Modeling Materials

Ceramic Supplies

Enamel's Material

Enamel's Material

Films and Clays

Glazes, Clay, Slip

Tools, Brushes

Send 25c to cover postage and handling for your copy of this big catalog NOW!

STEWART CLAY CO., Inc., Dept. WB-G 133 Mulberry Street New York 13, N. Y.



100 yds. RIBBONS IO DIFFERENT 10-YD ROLLS W' TO I' GIFT-TIE RIBBONS

BEAUTIFUL WASHABLE COLORS! YD.

20 yds. LACES \$1.00

EYELETS AND TRIMMINGS, TOO! 2-YO LENGTHS % TO 2" WIDE 45 YO WATTE FOR FREE CATALOG. 45 YDS, \$2.00

WOTRING CO., CATASAUQUA 26, PA

LAPIDARY AND JEWELERS SUPPLIES SILVER SUPPLIES—RING MOUNTINGS

NEW 1957 CATALOG READY, includes listings lapidary supplies, lewelry findings, ring mountings, synthetics, cut gems 40c up, earring mountings, pendant mountings, braceler mountings, rough gems and many other items. Send 50c for catalog.

Our Office and Show Room Open, Monday through Saturday, from 1:00 to 6:00 P.M. TECHNICRAFT LAPIDARIES CORPORATION 3560 Broadway Dept. A New York 31. N. Y.

Make \$5 an Hour CASH PROFIT



THE DAY YOU START! Start your own business at Home . . . Sharpen Household, Garden and Shop Tools in Spare Time.

Turn spare time into Big Cash Profits with new Belsaw Sharp-All. No experience needed to sharpen knives, scissors, shears, ice skates, mower blades, hedge trimmers, axes, chisels and circular saws... Learn how easily you can start your own spare time business. Amazing low cost easy-payment plan. Send Postcard for FREE BOOK.

BELSAW SHARP-ALL CO 7508 Field Bldg., Kansas City 11, Mo.



Choose from famous quality makes at LOWEST WHOLESALE PRICES

5 - DAY FREE TRIAL

the the Cost and Level and the second on the


Easy Terms and Prices—yours FREE. No obligation. Act Accordion Manufacturers & Wholesalers Outlet 2003 W. Chicago. Dept. www.18, Chicago — Mail Coupon!

Accordion Manufacturers & Wholesalers Outlet 2003 W. Chicago Ave., Dept. wW.18, Chicago 22, 111.
Send big FREE Color Catalog, best terms and lowest wholesale prices.

NAME

ADDRESS..... CITY..... ZONE ... STATE

6 « WORKBENCH



BOTH MY husband and I were so delighted to find an apartment which answered all our needs that we rented it in spite of the grotesque bronze radiator in the living room. After we moved in, however, I discovered that no matter how I rearranged the furniture, the green stained monstrosity dominated the entire room.

"We've got to hide it." I told my husband.

"But how?" he asked, studying the radiator from every angle. Then his face brightened. "A mock cabinet may be the answer."

He rapidly drew a crude sketch, pointing out several obstacles we had to face and solve. Since we were renters, the cabinet had to be temporary and free-standing. Also, it had to be light in weight, so that I could pull it out from the wall to clean the radiator or to adjust the flow of heat. Somehow the cabinet had to blend with our blonde and black lacquered furniture. But most important, since this was our first do-it-yourself project, the cabinet had to be easy to construct.

We measured the radiator, allowing two extra inches in height and six in width. When we purchased the lumber, we discovered that twelve feet of 12" x 1" pine was all the lumber we needed to build the top and sides of our cabinet.

To cut costs, the face of the cabinet was made of five bamboo fishing poles cut to fit a square frame of 2" x 1" lumber. Each fishing pole provided four usable lengths of cane which were inserted into the frame so that the thick and thin portions were evenly distributed. One word of caution: bamboo splits if it is nailed without first drilling holes.

For a professional look, we mitered all corners. So that the cabinet would match our furniture, we painted all lumber with semi-gloss black enamel, but left the cane in its natural state, which formed an attractive contrast.

When completed, the cabinet provided an additional counter top for flowers and books. But the greatest advantage was that while we eliminated an eve-sore, we created a conversation piece.

Mrs Ailene Coleman, 3634 East Gate Drive, Savannah, Georgia

Do you have a solution for some specific household maintenance or improvement problem that you know is workable because it has actually worked for you? If so, why not share your solution with our readers? It may help them, too. The problem and its solution should not exceed 750 words but need not be that long. Suitable illustrations will increase the chances that we'll use your contribution. If we do use it, payment will be made to you at our usual rates for text and illustrations. Address contributions to Household Problems Editor, WORKBENCH, 543 Westport Road, Kansas City 11, Missouri. If you want your contribution returned, in the event we can't use it, be sure to include sufficient postage.

A GOLD MINE of Craft and Gift Ideas for using old CHRISTMAS CARDS!



January PACK-O-FUN shows how! Projects galore and not a penny of cost!



Use old Christmas cards to make colorful Mobiles, useful Desk Accessories (Calendar, Pencil Holder Letter Box), Party Favors, Pinwheels, Baskets.

Cut cards into squares and rectangles for artistic "mock-mosaic" decorating. Other scrap items used monthly in PACK-O-FUN.

Send \$1.50 for 10 Big Only Sock Monkey Directions

Sock Monkey Directions & other Patterns FREE!

PACK-O-FUN

Dept. 418, 741 Devon Ave. Park Ridge, III. Enclosed is:

\$1.50 for 1-Year subscription to PACK-0-FUN \$3.50 fo. 3-Year subscription. (You SAVE \$1 and also get "LAUGH AWHILE" Skit and Stunt Book FREE!)

NAME.....

ADDRESS.....

TY ZONE STATE



TRY SUPERSHOP FREE Factory To You - \$79.95

Think of the fun you'll have and the money you'll save with your own big capacity workshop. Picture yourself sawing with the 8" ball bearing saw. Or drilling in steel with the vertical drill press. You bore with the horizontal drill. You sand with the 8" disc sander. You turn with the 30" lathe You sharpen tools on the 5" grinder.



You are invited to TRY SUPERSHOP FREE. We will pay all shipping expense. Write for full details of this amazing FREE TRIAL PLAN. Mail postcard now.

POWER TOOLS INC.

904 Yates Avenue Beloit, Wisc.




FLOWER ARRANGEMENT
Quickly and Easily at Home
Learn to make Professional corsages,
arrangements, wedding and tuneral de-

Learn to make Professional corsages, arrangements, wedding and funeral designs. STUDY AND EARN YOUR DIPLOMA AT HOME. Unusual space of cult time money making opportunities or hobby. Send-for FREE BOOK..."
"Opportunities in Floristry."

NATIONAL LANDSCAPE INSTITUTE Stedir WB-18, 11826 San Vicente Blvd., Los Angeles 49, Calif.

the craft and home bookshelf

Reviews By Theodore M. O'Leary



Wood Finishing by Harry R. Jeffrey 112 pages; illustrated; Charles A. Bennett Co., Peoria, Illinois; paperbound, \$2.

IN THE thirty years which have elapsed since the first edition of this book appeared, the craft of the wood finisher has changed greatly. When Harry R. Jeffrey wrote it, lacquers, synthetic paints and varnishes and plastics had not yet appeared. The

spray gun was unknown.

Today all these new finishes are on the market in great quantities. Quantities of information for amateurs are also now available. So much information, in fact, that it may be confusing in its very multiplicity. "Everyone," writes Mr. Jeffrey, "needs a ready book of reference to which he can turn for simple, clear advice and instruction." That is what he has set out to provide in this second, revised edition, drawing on his own long experience first as teacher and now as a cabinetmaker and finisher in Wilbraham, Massachusetts. In this book he also takes into consideration the fact that the amateur is not always concerned with saving time and effort. He may want to employ some process for the love of the work and the pleasure it gives, as well as the fine results. For that reason he has included some processes, such as the difficult and time consuming French polishing, that no industrial or professional workman has the time to follow any

In the clearest of language Mr. Jeffrey grounds his readers in the fundamental processes involved in wood finishing—preparing the wood, staining, filling, and finally the application of the final finish, whether it be the older oil varnishes, the synthetic resin varnishes, lacquers, penetrating finishes, shellac, French pol-

ish, linseed oil or wax.

He has also included chapters on enameling and glazing, refinishing old furniture, and special treatments that can be used on various kinds of the more attractive and useful twoods. Another chapter is addressed to those who don't ask "What are the best finishing methods?" but rather, "What are the quickest?" He also deals with such special problems as finishing floors, turned work, salad bowls, darkening scratches in a finish coat, patching a scratched or marred surface, finishing table tops to withstand the action of alcohol or fruit juices, finishing the end grain

of plywood or veneer and smoothing softwood before staining. Scattered through the book are a number of recipes and formulas for finishes which Mr. Jeffrey has found useful and effective in his own shop.

Mr. Jeffrey suggests that there is no longer any excuse for poor finishes. Never before have so many good finishing materials been available. There are also many new processes, all designed for easy use. The principal difficulty, he says, is a lack of knowledge of the necessary processes. Good finishing, he asserts, is not a short process. It demands days, sometimes weeks, and can't be hurried. "You must," he writes, "know not only how to take each step but also what each step accomplishes in the whole process and why it may not be hurried or omitted." That is just what this book tells you.

All About House Wiring by Floyd Mix and E. C. Pritchard 176 pages; illustrated; the Goodheart-Willcox Co., Chicago; \$2.50.

THE PURPOSE of this book, its authors tell us, is to "take the mystery out of house wiring." Once the utility company serving you brings electricity to your home, the responsibility becomes yours as to how well that electricity will serve you. In this do-it-yourself era many householders are doing some of their own electric wiring. But whether you are doing it yourself or hiring electrical work done this book will be useful in enabling you to insure that your wiring installation is adequate to your needs. And what is an "adequate" system? Here is what it should provide, in the words of the authors of this book:

Enough branch circuits of large enough wire to conduct a full measure of electrical energy to your lights and appliances.

Enough outlets and switches to provide for convenient and efficient use of lights and appliances.

This book has been written for the benefit both of the person who is starting from scratch and installing electric wiring in a brand new house and the person who wants to modify or improve his existing wiring installation. The vast increase in recent years in the number of electrical appliances in use in the average house has made many old systems inadequate. The person building a new house can take this into consideration and the authors urge him

not to install merely minimum requirements since the cost of installing electrical circuits is a small percentage of the total cost of the house. The authors include specific recommendations for determining the number of circuits needed for average residential use. Following these recommendations can save you much inconvenience and help insure that you have the electrical service that you need.

THE AUTHORS describe the various wiring materials and devices used in residential wiring, tell you how to make splices and connections, how to install outlet and switchboxes, conduits and cables. They include a chapter on built-in lighting such as cornice, valance, cove, recess and soffit lighting. They tell you how to install remote control systems which enable you to control all the lighting in your house and the operation of many appliances from a single source. They provide information on signal and communication systems within the house and include here useful information on providing for radio and television sets. Particularly useful is a chapter on modernizing old electrical systems. Another valuable chapter gives a room-byroom listing of necessary electrical outlets and their placement. Finally you are told how much electricity various appliances use, how to figure operating cost, how to read your electrical meter and are alerted to symptoms of inadequate wiring, along with its causes and remedies.

How to Build Modern Furniture by Mario Dal Fabro 214 pages; illustrated; F. W. Dodge Corporation, New York City; \$4.95.

THIS IS a revised and expanded second addition of a book which has already proved its usefulness to thousands of woodworking craftsmen interested in building modern furniture. Of the fifty-three furniture designs presented in this edition, thirty-six are completely new. In addition, variations have been added to several of the designs carried over from the first edition.

Mario Dal Fabro has spent most of his life working with wood and building furniture. He was reared in Italy where his family designed and built original furniture by hand. For ten years beginning in 1938 Mr. Dal Fabro was recognized in Europe as an important creator of contempo-





Earn up to \$300.00 per West Spare Time Imagine, materials cost only 3c per square foot. (Average TV or radio cabinet can be beautifully sprayed with this startling new 3-dimensional Velvet finish in 15 minutes at cost of only 34c in materials. Your charge for this job is at least \$10.00.) Representatives in your Mrs urgently needed Own your own-business. Work at home in your spare time. Help, fill the huge growing demand for this amazing new beautiful evelvet-fiber finish. Orders come from store, offices, homes, architects, auto dealers, everywhere. Possible \$20,000,000.00 word of jobs to be done. Investigate today—be first in your great in your great.

15.0: jobs to be done. Investigate today – be first in your oreal samples in 16 Radiant Bushiess. Actual samples in 16 Radiant Colors. Booklet of 50 Home Bushiess Opportunities and Confidential Details all semi free! Write:

COAST INDUSTRIES, Los Angeles 61, Calif. Dept. P-1



Create your own lovely wall plaques, artistocratic serving trays and coasters, ash trays and many other thrilling Alumacraft items.

Just a few simple directions and even the most inexperienced metalcrafter finds it surprisingly easy to achieve charming and delightful results.

The only basic materials you need are MGC's beautiful Mirror-Finish Aluminum or gorgeous COLORCIRCLES, MGC's amazing non-acid Safe-T-Etch and MGC's special Hi-Temp Craft Black.

Discover for yourself the thrill of Aluma-

	and		the coupon ree literature	
19	THE AU	1 6000	CORPOR	HOITA
			ORATION—C	J-F
Gent	5231 Brow lemen:	n Ave., St.	Louis 15, Ma.	

Please send me free literature on making beautiful trays and coasters.

thieu	se iyp	a oi b		
Name	WXX T		 *****	

Address City..... Zone.... State......

rary furniture designs. He designed hundreds of pieces for private individuals and for a famous Milan furniture house. He came to the United States in 1948 and now designs furniture for American manufacturers. His furniture combines rare functional grace and symmetry with a strength and durability usually associated with heavier pieces.

Mr. Dal Fabro divides his book into two sections. The first is a manual of furniture construction in which all the basic processes involved in building specific pieces are explained. Here you will find instructions on such matters as sawing. surfacing, shaping, gluing, the application of finishes, construction of the basic joints, the use of plywood, covering edges and panels, door, shelf and drawer construction, the use of materials other than wood such as glass, metal and rubber. with emphasis on the joining of these materials to wood, and upholstering.

THE SECOND section consists of the fifty-three specific furniture designs. Each design includes a complete view of the finished piece; front, side and sectional views as they would appear in a professional cabinetmaker's drawings, and an exploded drawing with parts shown in detail for ordering and cutting. Verbal instructions give step-by-step procedure for assembly. Each set of drawings is accompanied by a list of materials. The projects have been planned for the home craftsman using the simplest joinery methods and they can be built with standard grades and sizes of wood, using standard woodworking tools. Incidentally, in the general instructions constituting the first section, the reader is given the alternative of using hand or power tools and the proper tool in each of these two categories is named. Variations of detail are possible on most of the projects and advanced workers may substitute more difficult joints and details, and adapt plans to their own dimensions. Mr. Dal Fabro recommends, however, that beginners in woodworking should not make changes in basic construction.

Among the designs are pieces of furniture for almost every use in a house. Included are various modern tables, cabinets, chests, dining sets, chairs, desks, bookcases and beds. There are television and radio cabinets and tables, a record storage cabinet, a flower box, two workbenches, two dressers and an openshelf breakfront.

WHEN NAILING in a line, slant nails, in opposite directions. This will achieve greater holding power.

SHELLAC CABINET drawers inside and out to decrease moisture absorption and consequent swelling.

DAMPEN SANDPAPER slightly before using to resist cracking, increase efficiency, and prolong the life of the paper.—E. M. Schindler

BOOK MANUSCRIPTS CONSIDERED

by cooperative publisher who offers authors early publication, higher royalty, national distribution, and beautifully designed books. All subjects wel-comed. Write, or send your MS directly.

GREENWICH BOOK PUBLISHERS, INC.
Attn.: Mr. Holland 489 Fifth Ave., N. Y. C.



quicker, easier, Positive chain drive.
Change sanding belts in less than 10
seconds. Rugged cast aluminum housing for light weight. At your dealer.
Send postcard for free catalogue.

Burgess Vibrocrafters, Inc., Dept.A-110Grayslake, Ill.

LEARN MY SECRETS OF FRENCH INVISIB

Repair burns, tears, moth holes in suits, dresses, or any fabric —so perfectly they are almost impossible to detect. Also my Skil -Weave method with the amazing new device—the Visual-Weaver—which prepares you quickly—and makes learning easy for anyone with normal eyesight and the desire to learn.

eyesight and the desire to learn.

Profits Up to \$5.00 for
One Hour's Work
Up to \$5.00 for one hour's work is
possible at home, either part time
or full time, without overhead or
expense for materials. Big-profit
orders should come from homes,
cleaners, dept. stores. My Course
explains how. Tells you how to
operate any where—in city, town
or on a farm.

Course and Equipment

Sent on Approval
Unusual opportunity to prepare
now for this faseinating, highly
paid little known profession,
Clearly illustrated step-by-step
Course of Instruction, complete
equipment and Skil-Weave 8point Plan for Financial Independence may be examined at point Plan for Financial Inde-pendence may be examined at home without risk. Inspect course and equipment for 5 full days then decide after talking it over with family, friends, Write Today for FREE details. Air-mall reaches us overnight, Act today toward a happy, pros-perous future, Sid! Weave Co., 325 W. Madison St., Chicago 6, Ill. "I make up to \$5 an hour in this pleasant home-craft" AUGUSTINE = 12 OTT

READ WHAT OTHERS SAY V.S. WISCONSIN
Has made \$70 in a week, \$185 in
a month. Says, "I have a wonderful business. It is so much
in demand."

Person Hustre. Sall-weave Co., 335 W.Madison St., Chicago 6, Ill. week, \$180 in a month, in spare time. She says, "I'm already known for my Skil-Weaving."

Sent on Trial ... Mail Coupon for Full Information

SKIL-WEAVE COMPANY, Dept. 51, 335 W. Madison St., Chicago 6, III.	TRIAL COUPON
Please give me full details on how I can be weaver. I understand that all information is is no obligation and no salesman will call.	ree, there

ADDRESS.....Zone or RR.....

CITY STATE....



LEARN PLASTICS



Complete LOW COST Shop Method HOME TRAINING NOW AVAILABLE Get in on Big Money opportunities in Plastic molding, casting, forming, carv-ing, etc. Earn as you learn with Inter-state's professionally prepared course, All plastic materials furnished.

WRITE INTERSTATE TRAINING SERVICE DEPT. C-7 PORTLAND 13, OREGON

Planters Built of Wooden "Brick"

R. J. DE CRISTOFORO

Looking for a use for those leftover odd lengths of lumber? They might be just the thing for planters like the handsome ones shown here.

CUTTING LUMBER into blocks that resemble brick provides, not only a unique and attractive method of fabricating projects like the outdoors planters illustrated, but also a means of salvaging odd lengths. The "bricks" for the items shown were cut from castoff lengths of 2" x 6" T&G (tongued and grooved) roofing boards salvaged from a heap ready for burning near a new home tract.

The wood is redwood, which is ideal for the purpose, but fir or pine could be used if suitably protected from de-



WOOD "BRICK" planter is unique and attractive and provides a means of salvaging castoff lengths of lumber. For smooth, formal effect, joint all sides. Chamfer provides a shadow line and imitates mortar beds. This is the planter shown in Figure 1.



NOTE THAT PLANTER BASES are made of 2" x 6" T&G boards assembled with cleats. First "course" of brick is side nailed into base with coated nails. Following courses are top nailed into each other.

terioration due to contact with soil and water. This could be accomplished with a liner of roofing felt or similar material, or the wood could be treated with a preservative.

Best bet is to cut the material into 2" x 2" squares and to chamfer the face, top and bottom edges before cutting to length. The strips can then be crosscut into the brick lengths required, and the ends chamfered.


For a rustic look, use a combination blade with set teeth for both ripping and crosscutting and chamfering. If a more formal appearance is desired, cut the strips oversize and bring to finish dimensions by jointing. Long chamfers can be accomplished on the jointer; short ones on a disc sander.

No nailing problems will be encountered if redwood or pine is used. If the wood is fir, it would be wise to predrill lead holes for the nails to avoid splitting.


Redwood can be finished attractively with a coat or two of boiled linseed oil. On pine or fir, a stain followed by applications of marine varnish might be more appropriate.




A MORE RUSTIC EFFECT is achieved by chamfering with a blade having set teeth. For tight fit, coat brick with waterproof glue before nailing. Otherwise, line inside with roofing paper. This is the planter shown in Figure 2.




INTERESTING VARIATIONS are possible by using brick of contrasting tones. An occasional knot in the wood, if sound, adds to the rustic appearance.






PHOTOGRAPH 1—This old double bed had a comfortable spring but the frame was definitely outmoded. The old frame was discarded and the bed given a 'face lifting' treatment by building a new low Hollywood type frame and attaching a headboard with recesses for books, radio or whatever suits the fancy.



PHOTOGRAPH 2—Assemble the frame of 2" x 4" stock with lag screws. Two screws are used at each corner.



An Old Bed goes modern

ELMA WALTNER

The distinguishing feature of this bedstead you can build yourself is the compartmentalized headboard which puts books, radio and the like within easy reach.

IF YOU'VE been wondering what to do about that outmoded bedstead (Photograph 1) whose spring and mattress are comfortable "as an old shoe," here is an answer to your problem. Discard the old bedstead and build a new frame to fit the spring and mattress, complete with a headboard to hold books, radio or whatever you like. Or, of course, you can build the frame to fit

brand new springs and mattress.

Build the bed frame of 2" x 4" fir stock. Cut the pieces to the lengths given in the frame assembly diagram (Figure A). Assemble the frame with lag screws (Photograph 2). Note that at one end the long pieces of the frame protrude beyond the crosspiece. The headboard will be fastened to these protruding pieces later. Cut the legs of 2" x 2" hardwood (oak, maple, walnut) to the dimensions given in Figure B of the frame assembly diagram (Figure B). Sand the legs thoroughly and finish with varnish and allow to dry. Attach the legs to the frame, using two lag screws to hold each leg in place (Photograph 3). These screws should not pass entirely through the framework to the outside. Six legs are used. Each one has either a furniture glide or ball caster fastened to the bottom, whichever you prefer.


Set the spring in place on the framework. Since the lengths of springs vary, it is well to check the length before assembling the frame. Some length adjustment in the long pieces may need to be made to accommo-


date a particular spring.

Quarter inch fir plywood and 34" x 34" strips of pine stock are used for the headboard. Cut the pieces as specified in the headboard parts diagram (Figure C-1). Pine strips run from top to bottom where back and ends join (Figure C-2). Fasten back and ends to the

PHOTOGRAPH 3—Legs of 2" x 2" hardwood stock are notched, then fastened to the frame with lag screws. Six legs are used and furniture glides or ball casters fastened to the bottom of each.

10"X 2" X 2" LEGS FASTENED TO INSIDE OF FRAME WITH LAG SCREWS - SET LEGS I" DOWN FROM TOP OF FRAME.





strip with 34" wood screws. Cross strips of pine run across the top of the back to support the top piece, at back to support the shelf, and along the underside of the shelf to support it and give a fastening surface for the front panel (see construction view of headboard, Figure D). Attach the shelf and lower front panel to the support strips, using 3/4" flathead wood screws. Pine strips are also used as fastening surfaces for attaching the light compartment front panel and side panels. After screwing these strips in place (see construction view of headboard, Figure D), attach the light compartment front panel to the support strips (Photograph 4). Fit in the light compartment side pieces and screw into place

(Photograph 5). Photograph 6 shows the completely as-

MATERIALS LIST

For Frame

2" x 4" Fir Stock

2 pieces 80" long-for sides

2 pieces 52" long—for ends

2" x 2" Hardwood Stock

6 pieces 81/2" long-for legs

Lag Screws

8—¼" x 5"—for assembling frame 12—¼" x 3"—for attaching legs to frame

For Headboard

1/4" Plywood

1 piece 54" x 7¼"—for top 1 piece 54" x 36"—for back

1 piece 531/2" x 8"-for shelf 1 piece 531/2" x 10"-for front

2 pieces 36" x 8"—for sides 2 pieces 10" x 734"—light compartment sides 1 piece 18" x 1014"—light compartment front panel

34" x 34" Pine Stock

2 pieces 36" long—back and side supports 3 pieces 52½" long—cross back top support

back shelf support

front shelf support

2 pieces 71/2" long-side shelf supports

2 pieces 9¼" long—front supports

2 pieces 91/2" long-support sticks at back of light compartment side panels

2 pieces 10" long-support sticks at front of light

compartment side panels

2 pieces 14" long-support sticks at top and bottom of light compartment front panel

Hardware

Flathead wood screws 3/4" x 8-for assembling ply-

wood pieces to support strips. 4 nickel screws ¼" x 8—for attaching headboard to frame.

Brads, 1" x 17

Wood-grain Self-Adhesive Plastic

4 yards (18" wide)

Electrical Equipment

Light fixture


Double outlet surface socket

10' lamp cord


1 plug cap

TOOLS


Hammer Saw Screw driver Socket wrench



PHOTOGRAPH 4—Fit the front panel of the light compartment to the bottom supporting strip and screw into place.



PHOTOGRAPH 5—Fit the end pieces of the light compartment into place and fasten with screws at front and back.




PHOTOGRAPH 6—The headboard framework is assembled of quarter inch plywood and 34" x 34" supporting strips. Screws are used for assembly.

sembled headboard, except for the top piece which is not put in place at this time. The construction view of the headboard (Figure D) shows the location of all parts indicated in the size drawings of the headboard parts diagram (Figure C).


The reading light is a Lumiline incandescent fixture but a fluorescent fixture may be used if preferred. Attach the fixture to the front panel of the light compartment, ("F" in Figure C), passing the cords through a hole in the panel (Photograph 7). A single screw at the center of the fixture holds it in place to the panel. After lining up the fixture in its proper location, remove it again and put it aside for the present.

Mount a surface plug-in outlet against the back just beside the right side panel of the light compartment (Photograph 8). The light wires pass through a hole in the side panel to connect to the light fixture and the plug-in wires run through a hole in the back of the headboard to reach the wall outlet. Do not make any wire connections at this time but simply line up the plug-in outlet, then remove it and lay it aside.

YOU ARE now ready for the finishing. Sink all the screw heads a bit below the surface of the wood. Fill the depressions over the screwheads with crack filler and allow it to dry thoroughly. Now sand the entire piece smooth and dust off the surface to free it from any particles left from the sandpapering. Apply a coat of shellac to all surfaces and edges. After the shellac has dried, apply the final finish, contact plastic in whatever wood grain finish you prefer. A birch grain was used on this piece. This self-adhesive plastic covering is sold under several brand names, of which perhaps the best known is Con-Tact. The material is available in a number of wood grain finishes, as well as other designs. It is 18" wide and costs about 50 cents a yard. Approximately 4 yards will be needed to cover this project. Complete instructions for applying are given on the paper back of the plastic. The pieces are first cut to size, then the paper backing is stripped off and the adhesive coated pieces fitted to the wood, then smoothed into place. If the fit is not quite perfect the first time, the plastic material may be peeled off and refitted, a feature which makes a good job of application a fairly simple matter. Apply the material to the front of the light compartment first, then to the sides of the light compartment. Next, apply it to the inside of the back and inside of the side pieces, then to the shelf and finally to the lower front panel. Photograph 9 shows the plastic being fitted in place.



PHOTOGRAPH 7—Fit the light in place on the front panel. After fit is assured, remove the light fixture and put aside.




Attach the reading light and plug-in socket and make the wiring connections.


Cut a strip of the plastic about 1½" wide and 54" long to cover the front edge of the top piece, pressing the excess to the top and bottom of the piece. (To save covering material a number of short scrap pieces may be used for this purpose instead of one long strip. Lap

the pieces over each other. The joints will be hardly noticeable.)

Fit the top piece in place and fasten to the side pieces and back supporting strip with brads (Photograph 10). Cover the top and last of all the outside of the side pieces with the plastic. Cut all pieces a bit larger than needed so that edges may be overlapped to give



PHOTOGRAPH 8—Fit the plug-in outlet in place on the back piece. After assuring fit, remove this also.




PHOTOGRAPH 9—Apply contact plastic covering to the light compartment, back inside and shelf, then to the lower front panel. A birch finish grain was chosen in this case, but the plastic comes in a variety of wood finishes as well as other patterns.

a neat joint. Unless the bed will be away from the wall it is not necessary to cover the back side of the headboard. In case you want to cover it, however, figure on three yards extra of the plastic material for this purpose.


Tap furniture glides to bottoms of the supporting strips which run along the back from top to bottom.

Slip the headboard in place with the protruding ends of the frame inside the side pieces of the headboard. Fasten the headboard sides to these frame ends with round head nickel screws.


Photograph 11 shows the completed headboard after it has been attached to the frame, with compartments in use for books and clock-radio.



PHOTOGRAPH 10—Attach the light fixture and the plug-in outlet and make the wiring connections. Cover the front edge of the top piece with the finishing material. Fit the top in place and fasten with brads. Then cover the top and last of all, the sides.




PHOTOGRAPH 11—Slip the headboard in place and attach to the protruding ends of the frame with round head nickel screws. The Lumiline incandescent fixture gives an excellent no-glare reading light.



How to make Two Useful Wood Joints

DALE MOREY



ALTHOUGH MANY woodwork constructions can be made without joints, there are times when joints are necessary. One of the simplest is the halving joint.

Two types are shown in Figure 1: a corner halving, and a T-halving. Both are useful when making simple frames, and once you can form them accurately you can tackle more complicated joints with complete confidence.

Before marking out any joints decide which is to be the front or face of each piece of wood and mark it accordingly—a cross is used in the accompanying illustrations. Measure the width of the wood from each end, and draw lines right around the wood with a try square. Do this on both pieces to be made into a corner halving, and then make scratch lines around the end of each piece of wood with a marking gauge. Always gauge from the marked face.

The halvings are made entirely with a fine-tooth tenon saw. Start sawing at the corner away from you (Figure 2), saw across the end, and then tilt the wood and down one edge (Figure 3). Turn the wood around in the vise, tilting it again, and saw down the other edge. Finally, with the wood upright and the saw horizontal, complete the down cut. Saw across the shoulder line to remove the waste wood.

Accurate and careful sawing is necessary, and the saw cut must always be just inside the waste portion, so that half the width of the gauge line is left. This is simplified if you shade the wood that is to be cut away.

IN T-HALVING, one half of the joint is made exactly as already explained. The other part—the notch—is marked out by drawing lines around the four sides of the wood with a pencil and try square, and then gauging the depth.

Saw down the two shoulder lines just as far as the gauge mark and remove the waste with a chisel. Cut first from one side then from the other, to form a V-shaped ridge. There is no danger of splitting the wood or going too far if you keep the bevelled side of the chisel downwards, as shown in Figure 4.

When you have to cut exactly to the gauge line on both sides, remove the ridge by paring with the chisel turned so that the flat side is down.

The joints should fit tightly without any further attention, but at the first few attempts you may have to remove a little extra wood with a chisel. If so, be sure that it is really sharp. It is better to leave the wood slightly rough from the saw so that there is a good key for the glue.

Halving joints are best secured, after gluing, with a couple of screws placed on a diagonal, as shown in Figure 1. Always make clearance holes for the screws in the upper half of the joint.

Maintaining that New Look on Floors

HAROLD K. PENNINGER

Having told you in previous articles how to sand and finish floors, an expert now explains how to keep them looking their best.



ONE METHOD of cleaning accumulated layers of dirty wax off floors is by the use of steel wool and varsol. It's a hands and knees job.

ALMOST INVOLUNTARILY a housewife will exclaim, when looking at a newly finished floor, "How can I keep it that way?" The maintenance of such a floor requires faithful daily attention, including periodic waxing.

Hardwood floors should be cleaned and waxed two or three times a year. There is also the possibility of overwaxing to the extent that wax accumulates and dirt is embedded in each layer. Eventually a room will have multiple layers of dirty wax around the edges. The middle of the room and through doorways in contrast will have the finish worn off and dirt ground into the pores of the wood.

In order properly to protect a new floor you must endeavor to wax the floor in proportion to its wear.

Rugs and carpets, of course, are the best protection for a floor. However, a homeowner does not always desire to cover up a newly finished floor. Whenever possible, throw rugs, with rubber bases to prevent slipping, should be placed on the floor before an outside door. Other throw rugs placed at the kitchen entrance

to a room, in halls and at the head of basement steps also aid in floor protection. Any constricted area, as through doorways, etc., needs protection. The usual custom of a rug in the central part of a room is, of course, ideal for protecting a floor. If you are quite determined to leave all your floors open to traffic then more diligent attention will have to be paid to waxing. I stated before that all floors should be waxed according to use. Wood floors should be cleaned and waxed all over at least twice a year.

Many diligent homemakers laboriously move all the furniture and wax underneath as often as once a week or once a month. This is not necessary. Layer after layer of dirty wax is built up under the furniture and on the borders of rooms where there is little traffic.

Depending on the abuse, the areas of floors through doorways, in halls and central parts of rooms should be waxed from one to four times a month. Be sure, however, to apply wax only where foot traffic is heavy.

Avoid applying wax up to the shoe molding. One never walks that close to a wall. However, wax may be applied up to the front of chairs, sofas, etc. The idea is, of course, constantly to replace worn-off wax in traffic areas. It goes without saying that a floor must be protected from sand and grit by the usual cleaning methods.

Black heel scuff marks trouble many housewives. These are easily removed by using fine 000 steel wool with a dab of paste wax. Always rub the same way as the flooring runs.

As mentioned before, periodic cleanings are necessary. The quickest, but most laborious method of removing the dirty wax is to use No. 2 or No. 3 steel wool rubbing it off the floor. This is accomplished by getting on your knees and throwing the body weight upon the steel wool held in the hands and pushing it forward and back again always with the grain of the wood. The steel wool scrapes the dry wax off into a dry powder. Occasionally pat the steel wool on the floor to shake out the loose dirty wax. Now, after vacuuming, the floor is ready for rewaxing.

An easier, but dirtier and more lengthy method is to wash the floor with varsol or paint thinner. Again get on your knees and with No. 2 or No. 3 steel wool, dip intermittently into a container of varsol and scour a small area, approximately two feet square, rubbing with the grain of the floor. Then use soft rags to wipe up the dirty dissolved wax. You had better have a large quantity of clean wiping rags. Allow the floor to air dry before you apply the new wax. If a gray smear appears after drying, this can be wiped off with clean dry rags.

The best way to choose a wax is to see how firm it is when you dig it out of the can. (Paste wax is preferable.) Mushy wax scuffs more easily and wears off. But if you find a paste wax that is firm and resists the pressure of the finger tips, that is the best wax. A firm wax may crumble into chunks, but it will make an equally harder coating of wax over a floor. Wax should be applied in thin, uniform, even coats from wall to wall after a general cleaning, but only in traffic areas between cleanings as described before. Electric polishers are a necessity to keep wood floors looking their best.


AFTER YEARS have gone by, floors will eventually begin to "show their age." A badly splintered board or a scorched board near a fireplace may need replacing. Uric acid stains left by pets or diapers are hard to remove by sanding. Sometimes these deeply stained boards are also removed.

A sharp wood chisel and a hammer may be used to cut out defective sections of flooring. Be careful to cut squarely across the boards so that when a new piece is replaced it will appear as a normal joint. If more than one board is removed in this same area, do not cut them all together in a straight line (Figure 1) but stagger the joints to make it look more natural (Figures 2 and 3). The tongue will have to be cut off the boards in the patch area and also on the new ones going in, in order to slip them in place. It is sometimes necessary to use a plane to shape the boards to a better fit. Be sure that the same kind of wood is used as is removed and, if possible, use old flooring to patch an old floor. The coloring is more nearly alike. These replaced boards must be face nailed and the nails (either cut nails or finishing nails) set deeply into the wood to allow for sanding or scraping. Refinishing will be described later.


sometimes a floor which has not been protected as it should be has very worn and grimy areas as at the front door, in the dining room doorway, by the kitchen, or in the halls. The main body of these rooms may look very neat and clean, but these worn areas disgrace the rest of the house.

These places may be "spot sanded," and refinished. It is best to use an edger with No. 31/2 sandpaper to remove worn finish and dirty wood, passing back and forth from side to side going the same direction as the boards run. The border of the ovalshaped sanded area should be sanded lightly at the end of each sanding stroke with the edger. The idea is to "feather out" the sanding to a gradual blend with the good finish around the area, No. 1/2 paper may then be used to give a fine sanded finish; be careful to extend the sanding strokes about a half inch beyond the coarse paper scratches. Hand scraping and hand sanding with No. 0 sandpaper will then be necessary to remove machine marks which may absorb stain later.


Where an edger is not available, a sharp wood scraper may be used. Scrape the same direction as the boards run. Lighten up on the pressure at the borders of the scraped area. The purpose, of course, is to feather out the edges as described in the other method when using an edger. Now hand sand the whole area with No. 0 sandpaper, rubbing lightly at the borders of the scraped area adjacent to the good finish.



NOTE dotted lines at intersection with other regular joints of flooring illustrate how not to patch flooring. Two or more joints in a line weaken the floor in this area and are also unattractive in a floor pattern,



NOTE dotted lines here indicate where boards should be cut with a wood chisel and hammer to properly patch defective flooring.



NOTE after new patch flooring is installed the pattern is similar to any other section of the floor and just as strong. When finished, no one could tell very readily where floor was patched before.



UNUSUALLY WORN or grimy areas on a floor (usually places where there has been constant concentrated use) should be spot sanded and refinished. An edger is good for this but if one is not available you can achieve satisfactory results with a sharp wood scraper. Always scrape the same directions as the boards run.

All finish darkens with age. Natural oak finish, which has aged, may be matched in color by using, experimentally, combinations of colors in oil, such as raw and burnt sienna. About a cup of penetrating sealer (or turpentine) may be used. Add approximately a scant teaspoon of raw sienna to a cup. Mix and with a clean rag apply a little to the border of the sanded spot, rubbing it out

smoothly. If it is too light a shade, then add slight amount of burnt sienna, mixing a little of each color and testing until the approximate shade desired is obtained. After stain is mixed, apply it evenly over the whole spot. Then use a clean rag to wipe the excess stain off with the grain of the wood and let it dry before adding additional coats of finish. Other types of wood, such as old pine



AFTER A BAD AREA has been scraped and sanded, new finish can be applied with a cloth. It's possible to match the finish on the rest of the floor, which probably has darkened with age, by experimenting with combinations of colors in oil such as raw and burnt sienna.

or stained floors, may require experimental mixtures of additional colors such as raw and burnt umber.

After the basic color has been applied, subsequent coats should all be natural finish. One should endeavor to finish resanded spots with the same type of finish as was used before. For example, a soft, penetrating sealer type of finished floor should not be spot finished with varnish as it would be too glossy. Likewise, penetrating sealer on a spot in a varnished floor would appear too dull. Use a finish to match. Sealer, shellac, or varnish should be applied lightly. Apply the finish both ways from the middle of a spot so the brush is partly dry when approaching the margin. Feather out the finish by lifting the brush lightly off the floor as you come to the margin of old finish. Needless to say, each coat of finish should be properly hand sanded and swept between coats and waxed after the last coat.

Flooring which has been repaired as described earlier is spot finished in the manner just described.

ANOTHER EFFECTIVE method of refinishing worn areas without sanding (as well as oak steps which are worn) is to clean and bleach with oxalic acid. This method is especially good on a floor which has been finished with shellac, although it also works very favorably on other type finishes.

Take two-thirds of a bucket of warm water and mix approximately a cup of powdered oxalic acid in it. Remember to use rubber gloves. Stir until dissolved. Add approximately a quart of wood alcohol (or solvent for shellac). Mix well and scrub the floor (as described before with paint thinner). This does more than remove the wax. Much surface finish is removed also. At the same time, the oxalic acid goes down into the pores of the wood and bleaches it. This method is not as effective as "spot sanding" but it is much easier and it looks almost as well. Be sure that the areas are perfectly dry before applying a series of finish coats.

Sometimes it is desirable to refinish floors without sanding. Let me make it clear that no other process of refinishing can achieve the newness obtained by resanding a floor. However, when one does not wish the expense of sanding nor the inconvenience of the dust, etc., the next best then is to clean the floor chemically. Many preparations are made for this job. But I shall mention only two universal methods. The last method given of water, alcohol and oxalic acid is a good safe method to use. However, it does not remove all finish unless much "elbow grease" is used. Another very effective method which must be used with great caution is based on the use of lye.

It would be best if two persons worked together in one room at a

(Continued on Page 57)

Put your Child on a Book End

EARL CORBLY

BOOK ENDS with a sentimental value as well as being decorative and useful can be made from two posed photo cutouts of your son or daughter in his or her favorite sport or activity.

From the posed snapshot negatives have two 5-by-7 enlargements made. This size will make an upright figure about 6½ inches tall, which is just right for a book end decoration. Have glossy black and white prints made if you are not going to color the figures. If you want to color the figures in authentic school or club colors with photo coloring paints, have dull black and white prints made.

Since both feet of the figure in the photos will not be on a horizontal plane, it is necessary to mark out a base on the bottom of the figure so that it can be attached firmly to the book end base pieces.

Now very carefully cut out the figures with the marked-on base from the photos, being sure to follow exactly the figure outlines so that the finished figures will look natural. Next, lay the picture cutouts on a piece of ½-inch thick plywood and mark around the cutouts.

Now cut out the plywood figures with a coping saw or power jig saw. Since the plywood cutouts must exactly fit the photo cutouts, take plenty of time for this job. After the plywood figures have been cut out and sanded, the photo cutouts should be glued to them and placed under a weight until the glue is thoroughly dry. If you plan to color the figures with photo coloring paints, this should be done after they are glued to the ½-inch thick plywood cutouts and before the figures are joined to the book end bases.

The book end sections are made from %-inch thick plywood remnants as dimensioned in the drawing. Each book end has a base section 6¼ inches long and 5½ inches wide, and an upright section 7¼ inches high

and 5½ inches wide. The upright piece is attached to the base section with wood glue and 3 finish nails.

After the two book ends have been assembled, they should be sanded and given a coat of paste wood filler. Two coats of clear varnish then make an attractive finish.

The figures should now be joined to the base sections of the book ends. A flathead wood screw 1½ inches 8 gauge is inserted up through a hole in the base of the book end into the base of the figure. Be sure and countersink the head of the screw so that the bottom of the book end base will be smooth.

A pair of these book ends adds a personal touch in your home, and you can be sure that your son or daughter will be proud to appear on them






PHOTO CUTOUTS, preferably colored, showing your child in his or her favorite athletic activity, are the unique feature of book ends like these.





PHOTOGRAPH 1—Brass and walnut are combined in this trim and distinctive candelabrum.

With its smart lines, this candelabrum is just the thing to place atop one of your pieces of modern furniture.

A Candelabrum in the modern manner

DONALD X. FENTEN

MODERN FURNITURE is beautiful in itself, but it is often the small accessories that make the modern home truly outstanding. An easily made, inexpensive, and truly functional piece of modern decoration is this walnut and brass candelabrum (Photograph 1).

Utilizing two of the most sought after materials in modern decoration, the candelabrum is constructed from one piece of black walnut, 2" x 12" x 12", and one piece of solid brass pipe, 6" long, 34" O.D.

One face of the walnut block should be surfaced so that the exact direction of the wood grain can be determined (Photograph 2). When the face is as clear as possible, lay out the pattern for the candelabrum, using the direction and beauty of the grain to best advantage. Included in the pattern layout is a special drawing (see drawing A) for the boring of the holes, since this will be done on an inclined plane.

While a band saw was found to be best for rough cutting the 2" thick block to shape (Photograph 3), other saws may be used. The ledges, laid out for the holes, should be left for the boring which follows. Using a 34" auger bit, No. 12, bore a hole into each ledge to the desired depth. It is important that the holes be drilled to the same depth, so that when the brass holders are inserted they will line up in a matching plane with the base. To insure accuracy in boring to a given depth, use either a bit stop, or if it isn't available, a piece of tape on the auger bit marking the depth will do just as well.

Resume cutting the block to its final rough shape by removing the ledges. Rough out the tapered sides using chisels, files, or a drawknife. Once again the grain of the wood is important. While tapering the sides, the grain should be inspected, so chipping, which would cause a defect in the finished article, can be



PHOTOGRAPH 2—Sand the surface of the walnut block to be used in the candelabrum so that the exact direction of the wood grain can be determined.

prevented. The front leading edge of the piece should be rounded with a plane.

Begin sanding the rough shape using garnet paper, No. 1, 1/0, 3/0, and finally 5/0. In order to remove the sawdust, wipe with a soft cloth moistened with turpentine. After the base has dried, rub with boiled linseed oil until the desired dull satin finish appears. Any other standard finish may be used.

WITH THE base finished, the next step is to cut, shape, and polish the brass candleholders. In order to determine the proper angle, cut out drawing B and mark off the angle, by measuring the length of the front and back, and then marking this

line with a piece of tape. To save time, use the reverse of one of the holders for the top angle of the second. However, it should be noted that the pieces must be cut carefully so as not to mar the pipe and make it necessary to cut an additional piece.

Draw file the front tapered surface to a smooth finish. To eliminate completely the file marks, rub the edges with emery cloth. This operation must continue until all file marks are gone.

To the bottom of each of the candleholders solder a piece of scrap metal, either brass, copper, or tin plate. Trim off all the excess metal so the newly soldered base fits flush to the outside diameter of the pipe. The base is put on the candleholder to make sure that the candle, as it


burns down, does not burn the wood.


Polish the brass holders to a high luster by using brass polish or a buff-ing machine. To give the holders a protective finish, spray or dip them in clear lacquer. The lacquer will protect the high luster of the holders.


Insert the brass candleholders into the holes bored in the base. If the holders do not fit snugly into the holes, a small hole can be drilled in the base of the brass holders, and a small wood screw screwed in to fasten the holder in place.

A piece of felt glued to the bottom of the completed candelabrum will keep it from marring any smooth finished furniture, for it is atop your most modern and finest piece of furniture that your modern, walnut and brass candelabrum will draw admiring glances.

PHOTOGRAPH 3-Following the lines of the pattern, the block of walnut is rough cut to







PHOTOGRAPH 1—Cutting the groove for the miter gage. Prior to this operation the saw must be set in the bed already inlet in the table top and the location of the groove established by measuring from either end of the saw blade. This assures that the groove will be exactly parallel to the blade.

Converting a portable power saw to a table saw adds to the tool's versatility—and you can still use it as a portable.


You Can Make A **Table Saw**From Your **Portable**

WEBSTER P. TAYLOR


Now THAT you've finished that house of your dreams or the special addition which made your home more livable, don't feel you have obtained full use out of your portable electric hand saw. It may have paid for itself many times over in the money it has saved you on labor during that big construction or expansion job but by converting it to a table saw for use in your shop it will continue to pay dividends in time saved and more accurate work and may still be used for outside jobs when the occasion arises.

Here is an easy, inexpensive way to accomplish such conversion and at the same time give yourself the satisfaction of having added to your shop a valuable power tool than can handle a great variety of fine cabinet work.

While the conversion shown was applied to a Craftsman saw, the same plans can be used for any power saw, the only modification necessary being in the shape of the opening cut in




PHOTOGRAPH 2—The saw in place in the table top. The square opening to the right is necessary to permit the motor housing to clear the top. This opening is later covered with the sheet of aluminum which serves as the top.



limitations may exist in the individual shop.

The material used was all 34" with the exception of the table legs which were made from two by fours. Plywood was used for the table top base for several reasons. It is easier to work from the standpoint of the type of inletting necessary to recess the saw platform and the miter gage, it does not warp and it provides a completely flat surface for the aluminum sheet top.


IN PERFORMING the inletting for both the miter gage and the saw bed, the laminations of the plywood are peeled off with a chisel until the proper depth is obtained. In the case of the groove for the guide of the miter gage, the initial cut is made with the power saw while in the case of the supports for the saw in the corners of the opening in the table top, the cuts are made through succeeding layers of laminations with a sharp chisel. The laminations being of uniform thickness assures even depth at all points of support, an important consideration. Support is made more positive by attaching a series of small braces angularly across the points of support underneath the table top. The groove for the miter gage (Photograph 1) should not be cut until after the saw has been




PHOTOGRAPH 3-A split washer was used to hold this C-clamp in place on the rip fence. Having the clamp fixed permanently facilitates the anchoring of the fence and the clamps are never misplaced.




PHOTOGRAPH 4—In scribing the reference line for setting the rip fence parallel to the saw blade, place a straight edge against the blade and anchor with clamps. A straight line can then be scribed with any sharp pointed tool from the blade to either edge of the table.



PHOTOGRAPH 5—By making the electrical connections as shown and taping or tying the trigger switch of the saw closed, none of the saw's versatility from the standpoint of portability is impaired. If a permanent connection is made from the switch to the power source, the extra plug-in connection becomes useful for attaching other tools.



INLETTED SECTIONS IN OPENING TO PROVIDE BED FOR SAW. ADDITIONAL SUPPORT IS GIVEN BY PIECES SHOWN BY DOTTED LINES.



DETAIL OF CASTERS ON REAR LEGS. HEIGHT OF SUPPORT (1%) DETERMINED BY TYPE OF CASTER USED.

FIGURE B



PHOTOGRAPH 6—Making a 90-degree or square end cut using the adjustable foot on the miter gage. This makes possible more than one cutting to the desired length without additional measuring.



PHOTOGRAPH 7—Using the rip fence to cut a board lengthwise to width. A piece of sheet aluminum as facing on the fence makes the operation more efficient and eliminates wear and splintering.

fitted into the opening in the top. The reason for this is that after the saw has been set in the top the miter gage groove can be laid out completely parallel to the saw blade by making measurements from each end of the blade itself. When the groove is cut be sure to allow for the thickness of the aluminum sheet which will be placed on the top. The one shown is 1/16" thick and if the miter gage guide is 3%" thick, as most of them are, the groove in the plywood should not be less than 5/16" deep. If it is, the gage will not rest flat on the table top and will rock. Furthermore, a piece of wood which would be long enough to extend across the groove would rest on the guide instead of flat on the table top and when cut would not be square on the end. After the miter gage groove has been cut the saw may be placed back in the bed (Photograph 2).

The rip fence is faced with a strip of aluminum and is tightened to the table top by means of two C-clamps. These clamps may be secured to the base of the rip fence by either of two methods. One is by using screen hangers and the other by splitting a washer and drilling a hole in the base of the rip fence large enough to accommodate the free moving foot of the C-clamp. (See Photograph 3 and Figure B). The latter method is recommended as it makes a neater job and the particular type of screen hanger necessary is difficult to obtain.

In order to set the rip fence, a straight edge is placed against the saw blade and a reference line scribed in the aluminum top from the opening for the blade to either

side of the table (Photograph 4). While this necessitates measuring from the reference line to each end of the rip fence, it is far less tedious than trying to scribe into the table top on either side the necessary graduations and in all probability is far more accurate unless one happens to be a skilled engraver.

ELECTRICAL connections (Photograph 5) were made in such a way that the saw would retain its ready portability in the event it is needed for a construction job. A plug-in socket and switch are provided for plugging in the saw's cord and the trigger switch of the saw itself is taped shut. Therefore when the saw is needed as a portable one the only thing necessary is to remove the aluminum plate and lift the saw from its cradle in the table top.

In the event space is at a premium in the individual's shop, casters are put on the two back legs of the table to facilitate moving the saw from one location to another (Figure B).

While it would be possible to construct an adequate miter gage with a 90-degree protractor and other materials at hand, excellent all-metal miter gages are obtainable at most large hardware stores for from \$5 to \$8 and because of their accuracy and sturdiness are preferable.

The aluminum sheet top is 1/16" thick and therefore heavy enough that it will not be wavy. The opening for the saw can be cut out with a jig saw and dimensions should conform to the blade and guard, which may vary in individual cases. The sheets are fastened to the table with small wood screws, the heads being countersunk to make them flush.

The conversion is ideal as it does not take the saw out of service for work where portableness is paramount and adds greatly to the versatility and accuracy of the work which can be done with it in the shop (Photographs 6, 7 and 8). Furthermore, it opens the way to use of other cutting attachments such as dado heads, which are essential for fine cabinet work.




PHOTOGRAPH 8—Using the miter gage for a square end cut without utilizing the foot. Note the casters on the rear legs which facilitate movement of the table from one location to another without dragging.

A Bird Feeder that also Shelters

MARTHA ADAMSON

This novel revolving feeder assures protection against bad weather for the birds that use it.



18

BASE

REOD -1

MATERIAL -

NOI

C.M. GORE





HAVE YOU ever wished that the birds in your yard had a place to feed where they would be protected from rain, snow, and sleet no matter which way the wind was blowing?

Well, here's the answer furnished by Clarence M. Gore of Kansas City, an ardent bird lover, who is only too happy to pass the idea along. Based on the principle of the windmill, this feeder-shelter automatically turns its glass covered back to the wind. The detailed drawings will show you how to build it, using either 11 gauge aluminum or 34" plywood, as you prefer. Aluminum calls for welding or bolting the pieces together, whereas with plywood, sixpenny nails will suffice.

For the revolving mechanism in the standard, you may use either a thrust bearing or the simpler method of allowing the shaft to rest upon a steel ball, with either the bearing or the ball held in place by a pin or rivet. If you discover that the winds where you live are so violent as to cause the shelter to spin unduly, tighten the revolving mechanism.

over the glass is to prevent the birds from trying to fly through the glass, which is held in place by retainer brackets. The feeder tray, holding the storage box, is removable so that you may easily fill it with your favorite bird food. The lettuce holder, made of wire mesh on three sides, has a keyhole slot on the solid back so that it may be slipped over a pin in the wall and easily removed for refilling.





MATERIALS REQUIRED FOR SHELTER MADE OF PLYWOOD (Materials for Aluminum Feeder

Shown on Drawings)
4' x 8' panel of plywood for floor,


ends, roof, and rudders.
10½" x 24" double strength glass for back.


1 linear ft. of %" wire netting, 36" wide, to cover glass and make lettuce


holder.
8' 2" metal pipe for standard (wood may be used).


4" long metal shaft.
10" square metal plate if metal standard is used.

Thrust bearing or steel ball. 1/4" or 1/2" dowling for the perch.










For several uses STAPLING IS FASTER

Ken Murray




Installing ceiling tile with staples is four to five times faster than other methods. It's much easier than nailing or gluing, there's no danger of damaging the tile and the job has a better finish. First, put up leveled 3" pine furring strips, starting from the center of the room so that tile along the walls will all be the same size. Strips should be 12" on center for 12" x 12" or 12" x 24" tiles, or 8" on center for 16" x 16" or 16" x 32" tiles. Start installing tiles from either the center or the corner of the room. Get the first row up absolutely square, then the remainder will go up properly, too. Use a gun tacker with 16" rosin-coated staples. Just butt the nose of the tacker against the back edge of the tile "tongue," hold the nose tight against the material and compress the handle of the tacker. The staple is driven securedly to hold the tile to the furring strip. Four staples on a side will do the job. The holding power of the 16" rosin-coated staple is several times greater than that needed for the job.

One hand does it when you stretch and fasten wire screen with a tacker having this simple screen stretcher attachment. Latter is a metal plate having five claws; it is moved out of the way for other types of work. All you do is place the claws in the edge of the screen and pull back to the wood frame. When screen is in position, squeeze the handle of the tacker. Each staple spans several strands of wire to hold tightly. It does not split the wood. To withstand weather conditions, copper and galvanized staples are available.








Metal lath cornertite goes up fast with staples, assures a smooth, tight fit. Use long, heavy staples. Unlike nails, they straddle the lath mesh and prevent loosening. Staples become a part of the mesh with no projections to show through the plaster. Special high-carbon staples are available for hard-to-penetrate work, in addition to the gum-dipped (rosin-coated) staples with greater holding power.

Window shades hang better, are less liable to edgecreep, when attached securedly to the roller with staples. There is no gummed paper to dry out and loosen, or to wrinkle and cause an edge of the shade to fray against the bracket. Support the tacker on a board (or even a book) to bring it to the level of the roller.

JANUARY-FEBRUARY, 1958 » 31


Here's a vinyl plastic surfacing material for countertops and walls that you can install yourself in any one of eight shades.

Brighten your Kitchen with a New Countertop



PHOTOGRAPH 1—Preparing the countertop. Before Plastic Surfacing is installed, metal binding and fillet strip should be attached where needed, and rounded wood molding nailed and glued to front edge of clean, smooth countertop (note cross-section sample of this molding lying on counter). A scrap of wood tacked to the back of the sink opening will serve as a guide for positioning the Plastic Surfacing.

PHOTOGRAPH 2—Making the pattern. A pattern of lining felt or heavy building paper is fitted roughly into place over the countertop and backsplash. Then dividers are used to scribe the true shape of the area to be covered onto the pattern.



THREE TRENDS are running strongly today in the field of home improvement. They involve colorful interiors, easily cleaned and maintained materials and doing the improvements yourself. Exemplifying all three of these trends is a new type of counter and wall surfacing that's colorful, easily maintained and easy to install. In addition, it's comparatively moderate in cost.

The new product, called Plastic Surfacing, is a flexible, vinyl plastic sheet material. It comes in rolls 30" and 42" wide for countertop and wall installation, and in eight softly textured shades that harmonize with the latest as well as the old favorite kitchen and bath colors: pink, yellow, blue, red, white, green, gray and beige.

Plastic Surfacing's all-vinyl formulation resists stains from soaps and detergents, alkalis and other chemicals normally found in homes. According to its manufacturer, the Armstrong Cork Company, it is unharmed by moisture, will not buckle under heat, nor crack from bending and stretching. Being resilient, the material won't shatter under impact from dishes and pans.

The same resilience quiets the noise of dishes clattering on the counter, and lessens the possibility of dish breakage.

In wall installations, the resilience helps to keep impact noise from being transmitted to other rooms.

Plastic Surfacing's flexibility makes it possible to run the material across the counter and up the wall in one piece. Professionals call it "flashing" the material, or a "flash cove" countertop.


While it adds an attractive, custom tailored look to the installation, the main purpose of flashing is to provide a smooth, curved corner that's easy to clean.

The material can be flashed over the counter edge, too, in a waterfall effect. The waterfall edge, made by rolling the Plastic Surfacing over a curved wood molding, acts as a dam to keep spilled liquid from running onto the floor and again, forms a dirt-free seam.

32 « WORKBENCH



PHOTOGRAPH 3—Transferring the pattern. The pattern is laid over the Plastic Surfacing and held in place with tape or cement. Dividers are drawn along each of the scribe marks, transferring the precise outline of the countertop to the Plastic Surfacing. Note that a small hole has been cut into the pattern to admit the sink-opening guide.



PHOTOGRAPH 4—Cementing. After Plastic Surfacing has been cut to exact size required, a notched spreader is used to apply latex-type adhesive to backsplash and countertop, out to a line two inches from the rolled molding. Then Plastic Surfacing is fitted into place and bonded firmly with hand pressure.

This same flexibility makes Plastic Surfacing easy to install. Flat surfaces, such as shelves, table tops and drawer interiors, are a snap. Bathtub enclosures are simple too; Plastic Surfacing is installed as easily as wallpaper. De luxe countertop projects that involve flashing the material up the backsplash and over a waterfall edge are no job for a handyman who's consistently proved himself all thumbs, but can be done in a day or less by anyone who's relatively familiar with tools.

Here's how to go about it:

Preparing the Base

FIRST, REMOVE the sink, built-in burners and the old countertop material,

and sand the top to a clean, smooth surface. If the top is badly warped or deteriorated, it should be replaced with new, 3/4" plywood.

Attach metal binding wherever edges of the Plastic Surfacing will be exposed, usually at the ends of the backsplash and at the top of the backsplash along wall spaces where there are no overhead cabinets (Photograph 1).


Using a latex type adhesive, cement a concave wax or wood fillet strip along the joint where the countertop meets the backsplash, to form a cove corner. Attach rounded wood molding to the front edge of the countertop as a base for the water-

fall edge and nail a scrap of wood to the back edge of the sink opening, letting it project above the counter to serve as a "fence" or guide for positioning the pattern and later, the Plastic Surfacing.


Making the Pattern

A PATTERN of resilient flooring lining felt or heavy building paper is necessary to insure proper fit, particularly where joints occur and where the Plastic Surfacing butts against any surfaces that may not be true, such as the underside of cabinets and window ledges. Make a separate pattern for each section of an "L" or "U" shaped counter.

Cut the pattern roughly to shape



PHOTOGRAPH 5—Cementing waterfall edge. To apply the Plastic Surfacing to the rounded wooden molding, contact bond adhesive is brush applied to both surfaces, then allowed to set. Note that two or three inches of the Plastic Surfacing overlap the first piece installed, at the corner seam; this seam will be mitered later. Opening at right is for built-in burners of kitchen range.



PHOTOGRAPH 6—Bonding waterfall edge. When cement is no longer tacky, material is rolled carefully over the rounded edge, working from top down the front. Material is trimmed away as necessary, to form tightly-fitting corner seam around rolled edge.



PHOTOGRAPH 7-Mitering the corner seam. Before cement on countertop has set, corner seam should be mitered by cutting through both thicknesses of Plastic Surfacing. Then the excess material is stripped away and the cut edges of the seam pressed down into place.

and slightly undersize, keeping all edges about 1/4" short of the adjacent walls, window framing and other surfaces. Cut a straight slit in the pattern to permit the wood guide to protrude. Use thumbtacks and tape to hold the pattern securely in place on the counter.

Setting the points of a pair of dividers about ½" apart, press one point against the surface to be fitted and the other point on the pattern paper. Drawing the tool along the surfaces to be fitted will reproduce their outline on the pattern (Photograph 2).

When the pattern is finished, the scribe lines will represent a "shrunken" version of the Plastic Surfacing, since they will be ½" short on each edge. This ½" will be made up in

transferring the scribe marks to the actual material.

Cutting the Material

SECURE THE pattern firmly to the Plastic Surfacing with tape or a few daubs of the latex type cement and repeat the scribing procedure, this time with one point of the dividers in the scribe marks on the pattern and the other point pressing in the Plastic Surfacing (Photograph 3).

Using a straight bladed knife or shears, cut the material along the scribed lines. Remember to cut out the hole for the wood guide strip.

Cementing

WITH A fine notched spreader, spread latex type cement on one leg of the countertop and backsplash (Photograph 4). Keep the cement two or three inches back from the molded edge of the countertop. Lay the Plastic Surfacing into place, fitting it into the metal binding and against other surfaces. Smooth out all air bubbles, first with the hand and then with a roller or damp cloth, using sufficient pressure to bond the material firmly to the base.

Roll the uncemented edge of the Plastic Surfacing back to expose the remaining strip of countertop and, with a paintbrush, spread contact bond adhesive on both the exposed wood and the underside of the Plastic Surfacing (Photograph 5). Let the cement dry until it is tack-free to the touch.

Then, with the hands, form the Plastic Surfacing to the molded edge, working from the top down the front (Photograph 6). Extreme caution must be used, since once the cemented surfaces come into contact, they cannot be separated without damaging the material. Inside and outside corners should be seamed during this operation, by cutting

away the excess material as the Plastic Surfacing is rolled over the edge.

Where two legs overlap at an inside corner, the seam between them should be mitered—for neat appearance (Photograph 7). Cut through both thicknesses of material, remove the scrap pieces and press the cut edges into place. Mitering may be accomplished before or after the waterfall edge is formed.

Finishing

CUT OUT the necessary openings (Photograph 8), replace the built-in appliances and install a pressure-type metal sink rim to prevent water from soaking and deteriorating the wood counter. Waxing the Plastic Surfacing isn't necessary, but gives a higher gloss and acts as an added protective layer.

Other Edgings

INSTALLING Plastic Surfacing with a metal rather than a waterfall edge eliminates the water dam, but is far more easy to accomplish, since it also eliminates the cutting and fitting required to seam inside and outside corners along the counter edge (Photograph 9). Preparation, pattern making and material cutting are identical with the methods described, with the exception that the Plastic Surfacing is cut flush with the counter edge. No contact bond cement is needed, the latex cement being spread over the entire countertop.

After the material is firmly bonded and the inside corners mitered, the metal edge is installed according to the manufacturer's directions. Of the several types available, the nondrip type is recommended. Wood edgings may be installed, as well, attaching them with adhesives, nails or screws.



PHOTOGRAPH 8—The finished installation. When Plastic Surfacing is bonded completely to countertop, openings are cut into it to permit installation of the sink and range. Plastic Surfacing cut from sink well, and other scrap material, may be used for shelf and drawer linings and as a surfacing for kitchen stepladders, stools and small table tops.




PHOTOGRAPH 9—Use of metal edging. A metal edging strip may be applied to the edge of the countertop, if desired, instead of the rounded wooden molding. Plastic Surfacing is easier to install with this type rather than with the waterfall edge, since it requires less fitting.




COMPLETED SHELF

A SHELF TO DISPLAY Bric-a-Brac

JOHN A. COMSTOCK





HERE IS a smart looking shelf that will display your pieces of bric-a-brac to their best advantage. It is easily constructed in one or two leisure hours, using just a hammer, 12" square, and a coping saw.

MATERIALS NEEDED:

- For side members, 2 pcs. cedar, white pine, or any other wood on hand, ¼" x 4¾" x 18".
- 2. For horizontal members, 3 pcs. $\frac{1}{4}$ " x $4\frac{3}{4}$ " x 13".
- 3. Small finishing brads-18.
- 4. Small screw eyes-2.
- 5. Sandpaper, medium and fine.
- 6. Wood glue.
- 7. Varnish or paint.

PROCEDURE:

- Lay the design out on the two side members and cut them to shape with the coping saw. If you have a scroll saw so much the better.
- 2. Saw the horizontal members to the dimensions shown.
- 3. Nail the side members to the three horizontal members, using brads and glue.
- Sand all surfaces smooth, using medium and then fine sandpaper.
- Attach small eye hooks to back edge of top horizontal piece for mounting the shelf to a wall.
- Finish the shelf optionally with either varnish or paint to contrast with the colors in the room where the shelf is to be used.

JANUARY-FEBRUARY, 1958 » 35

"Float" Light over your Workbench

VICTOR SMITH


IF YOU have ever worked at a home workbench, the chances are, at one time or another, you have been working at one end of the bench with a power saw or vise or some such stationary tool and wished that the light were a little closer, so that you could see what you were doing. If this is so, you have lots of company, including me. I found my answer in my "floating light." It may be the answer to your problem, too.

To construct such a floating light,

first suspend two wires horizontally across the ceiling about one foot farther than the extreme ends of your workbench. Example: If your workbench is 8' long, the wires would extend 10', projecting one foot farther on either end of the workbench.

The two wires are to be securely anchored to two wooden brackets, which are fastened to the ceiling by means of eight 2" corner (or angle) clamps (that is 2" long and %" wide), four for each bracket—two on either

end. The wooden brackets are made by cutting two pieces of wood 2¾" wide and 7½" long from any ¾" finished lumber. Bore two ½" holes in each bracket, ¾" from either end, and ¾" from the long side. This will allow the two wires running horizontally to be suspended 2" from the ceiling, and 6" apart. The 2" corner clamps I mentioned above may be purchased reasonably at any hardware store. A good wire to use (and inexpensive, too) is TV antenna "guy



wire," used to hold antennas in place.

The next step is to cut a piece of wood 7½" x 9" out of any ¾" lumber. (Mine happens to be an old piece of hardwood which I found in the wood pile.)

Screw four small eye hooks two on each side on the 9" sides of your board, 34" in from the side and 1½" in from the end. When you finish, two of the eye hooks should be 6" apart from the other two. Your two wires will go through these hooks so that you can pull your light where you need it.

Now, on the opposite side of the board from your eye hooks, screw a porcelain light receptacle in the center of the board, after first boring a hole in the center large enough for the cord and a small porcelain insulator so that you can insulate the cord from the wood to eliminate fire hazard. The insulator should be about %" in diameter. The porcelain receptacle should be of the type that has no switch on it, but has a built-in light socket, into which you screw your light bulb. It comes with two screws, so that you can screw the receptacle to your 71/2" x 9" piece of wood. The price for this receptacle is about 50 cents.

Your next step is to get some new electric cord. (Don't use USED electric cord—it's sometimes an expensive economy.) Measure the maximum distance from one wooden bracket (I'm assuming that you have the wooden brackets in place now) to your existing electrical source (or outlet) which, for this particular setup, should be located as near as pos-

sible to the center of your workbench, and which would face you as you face your workbench. Cut your electrical cord for that measurement.

Now your job is to connect one end of your electrical cord to the two connections inside your porcelain receptacle (coming in from the side with the eye hooks in it) and the other end to your existing electrical source (or outlet).

In home electrical wiring (which is A-C or alternating current) there are always two wires and two posts to connect those wires to, and it makes no difference which wire is connected to which post. Your electrical cord will have two wires also, probably twisted like this:



Before connecting your electrical cord anywhere, make sure you PULL THE MAIN SWITCH for your house electrical current to the OFF POSITION, so that no electricity is coming to the wires or posts you are going to work with. THIS IS IMPORTANT FROM THE SAFETY STAND-POINT!

To connect an electrical wire to an electrical post or connection, you first remove the insulation (rubber or cloth—covering the bare copper wire) with a knife, for a distance of about ½" from the end of the wire. Then bend the bare copper wire to the right in the shape of an inverted partial U like this:



Unscrew the posts about three fourths of the way out, place the wire with the bend to the right around the post, and screw it down tightly. The extra cord (when your light is in the center of your workbench) will droop down the side of the wall behind your workbench, and out of your way.

It is a good idea to have the switch, which turns your light on and off, stationary on the wall behind your workbench, rather than on the porcelain receptacle on the board, because pulling the light on and off might loosen your wires or brackets holding the wire to the ceiling.

The finishing touch is to attach two short cords (heavy twine will work fine) long enough for you to reach to either end of the board by means of two eye hooks or common small staples, so that you can pull the light to where you want to work. A small metal nut tied to the end of the cords will keep them hanging straight at all times.

I find that the metal light shade eliminates wasted light and gives more light where it will do the most good.

Here's hoping your floating light gives your workbench projects more fascination and the joy of perfection, more easily achieved.


TOP VIEW

A - SMALL EYE HOOKS

B- ELECTRIC CORD

C- CORD FOR PULLING LIGHT

D-HOLE FOR CORD "B" TO GO




BOTTOM VIEW

A - SHADE

B- LAMP


C- ELECTRIC CORD

D- PLAIN CORD TO PULL LIGHT






 APPLY FELT to shop walls to decorate and absorb noise. Tack, staple or apply felt with wheat paste, Pliobond, Geon or Weldwood. Felt is available in many colors.



4. CUT WASHERS, seals, strips, wicks, liners and gaskets as you need them from a single piece of felt. SAE specified felts are best for mechanical uses, as they were developed to meet high engineering standards of quality and performance. For special purposes impregnated and laminated felts are available.




5. WEATHERSTRIP with felt for year-round comfort, to stop cold air drafts in winter and seal in cool air in air-conditioned areas in summer. Felt weatherstripping is tacked, stapled or adhesive bonded to seal window and door cracks. Hardware and lumber dealers carry ready-cut types, or you can custom-cut from yard goods.




2. PAD BENCH TOP with felt to protect metal equipment from damage and cabinet work from mars and scratches. In metalcraft work, the felt pad deadens hammer and mallet taps.


Fourteen Wool Felt Ideas for your Home Shop



3. MOUNT BENCH LEGS on felt pads to cut transmitted noise and vibration. Left: Pad is tacked to wood floor or cemented with same adhesive used with concrete. Center: Pad glued to leg. Right: Pad folded over and tacked to leg. Felt thickness ¼" to ½"; depends on loadweight legs have to support.



6. STRETCH a felt strip across the top of your sawhorses and fasten underneath either by tacking ends to underside of horse, or by hooking into grommet holes. The felt strips protect wood and cabinet work from surface scratches. Also, cover other sharp edges and corners in your shop for added safety and protection.




 PLACE FELT PAD between sanding block and sandpaper to prevent sharp edges of block from gouging paper into items being sanded. Felt is highly resilient and helps produce a smoother iob.



8. BUFF, POLISH and finish with felt pads attached to hand and bench power tools. Felt wheels are made in all densities from downy soft to as hard as seasoned maple. Heavy duty finishing is done with grit-treated felt wheels.



9. LAYOUT a shop apron to your own measurements and cut from felt yard goods. Many of the felts such as those your wife uses for skirts, bags and jackets can be used for sturdy aprons, without hemming or binding, as felt doesn't ravel.



10. STOP NOISY, banging doors with felt bumpers and doorstops. Felt is compressible and permanently resilient. Its long life, resistance to oil, grease and acids makes it an ideal material for shop purposes where it stands up under heavy wear.

wool Felt, one of industry's most versatile engineering materials, now finds many uses in the home workshop. Felt's do-it-yourself popularity stems from such unique characteristics as:

1. Being non-woven it doesn't fray or ravel.


2. It can be cut with scissors, die-cut, punched, chiseled, turned,

scarfed and ground.


3. Felt items are easy to fashion since it's available in many densities, thicknesses and qualities, also in adhesive-backed rolls, and in moth-, fungus-, flame-, and mildew-resistant types.

4. The basic felt fiber, wool, is nature's ruggedest. Operative at high and low temperatures, it polishes glass-hard surfaces, withstands oil, hot, cold or salt water, and resists many acids and chemicals.

5. You can use felt to protect, cushion, seal, wick, filter, polish, separate, support and insulate.




13. SAVE the sharp points of chisels from denting and dulling by lining the bottom of tool racks with felt strips.



11. TRACE AROUND the bottom of mixers, ash trays, lamp bases and other household items on a piece of felt. Then, cut out and glue pieces to bottoms, or use as base pads to prevent mars and scratches to table and cabinet tops.




12. STRAIN PAINTS, lacquers, and varnishes through felt pieces to remove lumps and other foreign matter that would prevent paint spreading evenly. The felt piece may be washed in any solvent without damage and saved for re-use.



14. COVER HAMMER and mallet heads with felt of a firmly felted quality to lessen noise and effects of impact.


For an off the beaten path workshop project, build this fascinating table soccer game.



ALL THE COMPONENTS of your table soccer game can be cut from two 2x4-foot pieces of fir plywood. These are the Handy Panels available in most lumber stores. This shows the way to mark the cutting diagram on the panels before starting to saw. Top panel in picture supplies bottom of box and all the paddles; bottom panel will provide two sides, two ends. Crosses mark where holes in side are to be drilled.

Table Soccer -

Fun to Build, Fun to Play



FASTENING PADDLES onto dowels looks tricky but really isn't. Flat bed, width of paddle, is chiseled out in dowel; holes are drilled in center of bed and in paddle; and paddles are glued and screwed into place.

HERE'S A table-sized "soccer" game that's fun for the whole family. What's more, you can build it yourself.

This version of the game was originated by Alden Todd of Chevy Chase, Maryland. In simplest terms, it is an open plywood box, resting on a table top. Wooden rods extend across the box through holes in the sides, with enough rod sticking out to form a handle. Each rod has little wooden paddles fastened to it. Players, one, two, or three on each side of the box, attempt to manipulate the rods so that the paddles will bat a table tennis ball toward their goal, a hole at each end of the box.


Todd originally thought up the game to amuse his two young sons, but it is equally fascinating to their elders. Some of them may remember playing a similar game sometime or other, but no one has come up with the build-it-yourself idea before. Also, travelers may recall seeing a game resembling it in French

cafes, but the European version was much more complicated and flashy, being built of steel with a glass top. Besides, it was coin-operated, and Todd wasn't going to increase his sons' allowance just so they could play some silly game. So after a series of conferences with his lumber dealer, a lot of trial and error, a few bashed thumbs and a good deal of wasted plywood, he produced his own exclusive model.

The ingredients were: Two sheets of fir plywood, 2' by 4', one ¼" thick, the other ½"; six ¾" wooden dowels, three feet long; and a few screws, nails, rubber washers, and some glue and paint. The result is a box a little more than 3 feet long, 2 feet wide, 6 inches high, with six parallel rods stretching across through holes in the long sides of the box. Hanging from each rod are three small paddles; their flat surfaces are what make the ball go.


Opposing teams play on opposite sides of the table. By rotating, sliding, and twisting the rods, players but the ball toward their left, where each team's goal is. The goal is a 4-inch aperture cut in the end of the box with a piece of net tacked around it to catch the ball. Each goal is one point, and the game may be played in four quarters, with teams changing goals at the half; or until a predetermined score is reached.

Simple? Yes, but dexterity pays off, too. Todd says that to play the game and win, you need about 75 per cent skill and 25 per cent luck. Just to play the game, all you need



FIRST STEP in assembling your game, after cutting out the pieces, is to put together the sides and ends. Holes, %" in diameter, have been drilled in sides. Holes are slightly larger than 34" dowels to allow easy manipulation during play.

is the luck. Physical condition is not important—anyone strong enough to stand up can play—except for lungpower. Players are their own cheering section, and the hilarity is not the quiet kind, judging from the uproar that has been coming out of the Todd basement lately.



AFTER DOWELS have been inserted in holes, last side of the box is put in position, held by two locking nails in each end that fit in predrilled holes. A piece of fish net or similar material may be tacked around goal hole to catch the ball.



IT'S A POINT! Throw the ball back in the box and on with the game. You play it the way it looks: Try to sock the ball with the little paddles so it goes into your goal and not the other team's. You'll probably want to make your own rules—and you'll certainly want to make your own game. It's really simple, with a couple of pieces of plywood, a few wooden dowels, and some screws and nails. Paint makes it look professional.

IN JUST a few months, the game has become a minor craze in Chevy Chase. Minor, because till very recently, Todd had the only game. Although it was fairly simple for him to build in his own workshop, he didn't feel quite neighborly enough to build one for each of his fellowenthusiasts, and it would have been almost as hard to show them how. Fortunately, it occurred to him that the public-spirited thing to do was to get out printed instruction sheets on how to build the game. Then his neighbors could make their own and stop clogging his basement. And who more interested in assisting in such a gesture than the plywood people? Why not ask the Douglas Fir Plywood Association of Tacoma, Washington, for instance, if they wanted to produce the plans. Todd did, and they did.

The whole thing can be put together in a few hours by the most butter-fingered amateur.

Some people claim that playing the game provides beneficial arm and wrist exercise, if you care about that sort of thing. Todd doesn't especially. But he has discovered one asset, unsuspected when he first got interested in it. He can take his game-ina-box along to church bazaars and P.-T.A. fund-raising carnivals, charge the sporting types ten cents or so to have a go at it, and rake up a contribution of \$10 for the worthy cause. This, says Todd, is much easier than baking a cake.

PARTS SCHEDILLE

		TILLIA DOLLARD ONL	
	NO.		PART
CODE	REQ'D.	SIZE	IDENTIFICATION
A	2	6" x 37¾"	Sides
В	2	6" x 24"	Ends
C	1	24" x 38¾"	Bottom
D	18	1" x 3%"	Paddles
	6 ea.	¾" Diam.	Hardwood Dowels
		36" Long	The state of the s

Miscellaneous—1 doz. 1" No. 4 F.H. wood screws 1½ doz. 5%" No. 6 F.H. wood screws 6 ea. 6d finish nails

4 ea. 8d common nails

1 doz. hose washers or washers with 3/4" holes glue and finishing materials

STEP-BY-STEP INSTRUCTIONS


This game can be put together in a few hours with simple hand tools by the most amateur carpenter. The box is built from two Handy Panels (2"x4") of fir plywood. Six 34" hardwood dowels are used to make the playing rods.

1. Carefully lay out all the parts on the two fir plywood Handy Panels as shown on the cutting diagram and parts schedule.

2. Next, cut plywood bottom, sides and ends to size. Drill ½" holes in upper corners where goals have been marked out and make cutouts with a keyhole saw. Drill six 31/4" holes in the sides, spaced as shown and centered 31/4" above the bottom edges.

3. The playing rods are made from 34" diameter hardwood dowels. Select these carefully at your lumber dealer's to insure getting the six straightest rods available. Cut paddles to size from 1/4" plywood. Drill and countersink one screw hole on the center line of each paddle 3/8" from one end. Mark center lines for paddles as shown along each dowel on the left side as the dowel is held in the right hand. Provide a shoulder for each paddle on all the dowels by making 3/8" deep cuts 1/2" to each side of center lines. Remove material between cuts with a wood chisel.

4. Drill screw holes in dowels to prevent splitting. Using



glue, attach each paddle as shown with one %" No. 6 F.H. screw. Hold the paddle firmly as the screw is turned down. Slide a rubber washer over the ends of each rod and push it over to touch the nearest paddle.


5. On the floor of the playing box drill and countersink screw holes ¼" in from the edges where the ends and the fixed side will be fastened. Assemble with glue and 1" No. 4 F.H. wood screws. Use glue and three 6-penny finish nails at each corner to fasten the ends to the fixed side.

6. Place the removable side in position and drill two holes in each corner for 8-penny common nails, to hold the side firmly when the game is in use.


7. Sand all edges and ease corners with 1-0 paper on a soft block. Painting is unnecessary unless the table tennis ball picks up static electricity from the unfinished wood. This can be overcome by painting the ball or playing box. Use a primer and two coats of semi-gloss enamel. Paint the last 6" of the long end of the rods a distinctive color so players can quickly tell their own rods from their opponent's.

8. Assemble the game by sliding rods through the holes of the fixed side with ends alternating. Lock removable side into position with 8-penny common nails in predrilled holes. Now choose your partners, toss in the ball and start the game.

Cutting Diagrams



½" x 2'-0" x 4'-0" INTERIOR-DFPA-PLYPANEL A-D



1/4" x 2'-0" x 4'-0" INTERIOR-DFPA-PLYPANEL A-D

JANUARY-FEBRUARY, 1958 » 43

A simple installation of new radiant rubber electric panels keeps Paul Corey's working fingers warm

Rubber Heats my Workshop

PAUL COREY



PHOTOGRAPH 1—Two four-feet-square panels of Uskon bathe the working area of Paul Corey's shop with gentle radiant heat. The result is worthwhile comfort and —because cold fingers are clumsy—safety.


IT'S HARD for the home craftsman to be crafty when his fingers are cold. After proving that fact to myself during a couple of miserable winters, I did something about it.

I added radiant heat to the working area of my shop by building and installing an overhead panel of the newest thing in home-heating devices—radiant rubber.

Called Uskon and made by the United States Rubber Company, the panel material is rubber made resistant by the addition of carbon black. The rigid type of Uskon that I used is supported by lamination to a sheet of asbestos-cement board.

Uskon comes in assorted sizes and voltages. For my purpose, the best thing was the 110-volt type in two panels four feet square. At 22 watts to the square foot, this gave me a total load of 704 watts—easily handled on any ordinary household circuit.

Building a heating panel was simply a matter of supporting the Uskon on a frame hung down from the ceiling where it would be close enough to give me the maximum warmth. Since it was not feasible to heat my whole shop space, I wanted to concentrate the warmth where I'd be working. With radiant heat I can be comfortable without the expense of heating the air



PHOTOGRAPH 2—Supporting the radiant panels is a simple frame of 2 x 2 lumber, 4 feet wide and 8 feet long. Center strip has hole near one end to permit electrical connections between the two panels. Other strips are for bracing and to fill space between standard-width insulation.



PHOTOGRAPH 3—Uskon panels are placed on the framework and fastened with screws every 8 inches all around. Junction boxes that come as a part of the panels should be placed so they will be close together to simplify wiring—see next picture.

of the room to comfort level and I can get the benefit of the heat within a few minutes after flipping the switch.

The method I used can be adapted easily to providing supplementary heat for a chilly bathroom, guest room or nursery—or for any room in the house, for that

matter.

For permanent installation on a ceiling, Uskon is also made in a flexible variety (called Type T—for thin) that is fastened up by use of adhesive.


The accompanying photographs show the steps I followed in adding rubber heat to my shop.



PHOTOGRAPH 4—Wiring consists of switch (standard surface-mount light switch) and cable connecting two boxes. White wire from source is connected directly to terminals in boxes. Black wire goes through switch first.




PHOTOGRAPH 5—Rockwool insulation is packed on top of heat panels. This is done to concentrate heat when panels are used in a chilly and uninsulated room. In ordinary installations, ceiling and walls should be insulated in the standard fashion.



PHOTOGRAPH 6—Quick and simple method of hanging the completed panel uses a hook in the ceiling near each corner of the panel. A length of ordinary transom chain is fastened to the panel frame with a screw.



PHOTOGRAPH 7—A coat of one-coat wall paint completes the job. Any kind of paint in any color works all right. On-off switch is adequate control for a panel used this way, although for most home installations a thermostat is worthwhile.



Advice to apply to appliances

Part V: Electric Toasters

J. J. LIGHTER

THE POPULARITY of electric toasters is indicated by the fact that they are near the top of the appliance best seller list. They have come a long way since the earlier nonautomatic days when they produced a smoldering piece of charcoal as often as not. Realizing that this was the fault of the operators and not the toaster, designers set about eliminating the chance for human error as much as possible. This led to a chain of improvements including automatic pop up, automatic current cut off, and such innovations as butter warmers, toast reheating, and provisions for keeping pancakes warm.

The purpose of this section is to aid you in the maintenance of these toasters by familiarizing you with how they work. Realize, please, that no one article can possibly explore all of the individual brands on the market. We shall, however, cover the best-known general types and their working principles. Actually these principles are more closely related than may sometimes be apparent by visual inspection of the mechanism of different types. Construction is not always dictated by what the designer may consider ideal. Producibility, cost, patents, and other factors often prove to be the most important.

Toasters with a two-slice capacity are the most popular home models, although one slice models exist as do commercial models holding a larger number of pieces. These toasters all have some things in com-

TERMINALS

FIGURE 1—Electrical circuit of the nonautomatic

mon: heating elements, a rack to hold the slices of bread, and of course a line cord (cordset). The elements are made of special ribbonlike resistance wire such as Nichrome. Nichrome is a trade name for an alloy of nickel and chormium which has become, by popular usage, a term for resistance wire in general. The material that the elements are wound on is an insulating mineral known as mica. You will notice that, like other heat producing appliances, the toaster has a heavyduty cordset. This is required for safety because of the amount of current needed to produce proper heat.

Toasters, as they will be discussed herein, can be classified as follows:

1. Nonautomatic. 2. Semiautomatic.

3. Automatic Pop-Up types: a—Clock timer; b—Thermostat Type; c—Combination Type; d—Heat Operated Timer.

NONAUTOMATIC

THE NONAUTOMATIC is of course the simplest of these toasters. As shown in Figure 1 it consists electrically of the cord, heating element, and connecting terminals. In this type the heating element or elements are mounted in the center only. This is because doors must be provided at the sides to permit handling of the slices. In pop-up types both sides can be toasted at once as the bread is put in and removed from the toaster by means of slots in the top.

Due to their low price a number

of these nonautomatic toasters are still sold. Usually the doors are so arranged that opening them and then closing them flips the bread over without the necessity of handling the bread itself. This, however, is about the extent of mechanical assistance one can expect for so small an investment. As a rule the trouble usually experienced with this type of toaster is a burned out elementwhich can be detected visually. The reason for this is simply that there is very little else that can go wrongno timers, no switches, no indicators, no thermostats, etc. This type of toaster does not promise to do your thinking for you and consequently the element is subject to the abuse of overheating. Another reason that the element may not last as long as you had hoped is that it must toast both sides of the slice before it can quit, whereas its automatic relative has an element for each side. Anyway, what did you expect for \$2.98?

Something can be done about patching that burned out element. A mending sleeve as shown in Figure 2 is the usual answer. It is merely a small tube of some soft metal with which the broken ends of the resistance wire can be held together. Simply insert the wires in the tube and mash it tightly together with a pair of pliers. This same technique can be applied to other appliances using heating elements. Where possible, such as when actual coils are involved, the wires should be over-




FIGURE 2—Use of a mending sleeve for repairing broken heater elements.




FIGURE 3—The main contacts of the semiautomatic toaster may be operated by either a clock timer or a thermostat.

lapped before clamping on the mending sleeve. This repair will usually amount to only a temporary measure because heating elements that fail from continued use are likely to be weak at other places. In the case of a cheap toaster where the cost and bother of putting in a new heating element is questionable the mending sleeve may help stave off a new cash outlay. In a more expensive model the mending sleeve may suffice while you hunt down a new element.

Because the nonautomatic toaster is not likely to have a switch, the advice given in Part I of this series bears repeating (see May-June 1957, issue). A line cord switch is a handy and beneficial thing to have on appliances especially heat producing appliances which use a large amount of current. This not only saves time, wear and tear on the cord and plug but also prevents burning of the appliance terminals caused by unplugging when the current is on.

SEMIAUTOMATIC

THE SEMIAUTOMATIC toaster is an improvement upon the nonautomatic but since its actions do not include the pop-up feature it is one category below that type. Semiautomatic toasters will commonly have a simple clock type mechanism or thermostat, which when engaged starts the toasting process and at the completion of the timing cycle shuts off the current. The end of the cycle may be accompanied by an audible or visual signal. An indicator light, for example, may go off when the element circuit is broken. In one type of toaster when the current cuts off at the end of the cycle a small electromagnet is de-energized, releasing a steel ball which strikes a bell thus heralding the event. Usually the regulating mechanism in the semiautomatic toaster is adjustable to allow the desired degree of brownness to be selected.

Again, since this type does not represent the epitome of toasters there are certain defects. The absence of the pop-up feature necessitates the

turning of the toast. Also this simple mechanism usually fails to compensate, that is, insure that the slice toasted from a cold start is of the same brownness as the slice toasted after the toaster has warmed up.

Thermostats, to refresh your memory, were explained in Part Two of this series (July-August, 1957). Since we have already mentioned thermostats in this article and will refer to them again shortly the following information is furnished. The simple bimetallic thermostat consists mainly of a strip formed of two metals which expand at different rates. When heated, the fastest expanding metal will overcome the slower expanding metal and cause a "bowing" action to take place. If a thermostat is made part of an electrical circuit, then, that circuit can either be completed or interrupted depending upon the action of the thermostat in response to temperature.

The switch indicated in Figure 3 could be actuated by either a clock mechanism or a thermostat according to the individual semiautomatic toaster. This timing mechanism as well as the parts it has in common with the nonautomatic toaster are points to watch for service in the semiautomatic toaster.

AUTOMATIC POP-UP TYPES THE MERE fact that a toaster is of the pop-up type brings it under the heading of automatic. Although the popping up of the toasted bread in the rack is the end result-it is the means that we are more interested in. Several basic systems along with their variations are used to accom-

plish this and are discussed below.

Clock Timers. The electrical circuit of the clock timer toaster (Figure 4) appears to be similar to the one for the semiautomatic-and indeed it is except for the additional elements. The difference in these two is the addition of the pop-up feature. Depressing the operating lever energizes the clock spring, lowers and latches the bread rack, and closes the electrical circuit. At the end of the

toasting cycle the clock mechanism opens the electrical circuit and releases the bread rack allowing it to pop up.

To be useful, clockwork mechanisms depend upon the gradual release of energy stored in the wound spring. In the pocket watch, for example this system is necessarily rather elaborate. In the toaster a much simpler system is used, although it may seem to take an almost endless number of forms. We shall describe here several basic ways in which this spring energy is put to useful purposes in the electric toaster. It is unlikely that you will see any of these mechanisms duplicated exactly in a given toaster but their theory of operation is used time and again. Two actions are needed, the raising of the bread rack and the opening of the electrical circuit. One action can usually be made to depend on the other so that both will take place at once. One part of a set of electrical contacts, for example, could be fastened to the rack mechanism so that when it rises the electrical circuit will be broken as shown in Figure 5.

Spring energy is easily controlled by the use of an escapement mechanism as shown in Figure 6. The escapement is so called because it allows a tooth to escape from the pallet at regular intervals. If you will imagine that the pallet, which is pivoted, is caused to rock back and forth you can see how only one tooth of the spring driven ratchet wheel is allowed to pass at a time. By controlling the rate at which the pallet rocks back and forth the speed of the wheel can be controlled and hence the time required to dissipate the energy of the spring can be controlled. This is merely a means of regulating the spring energy so that it is useful. This controlled energy will then have to be coupled with other devices to achieve the required mechanical actions. Some of these are discussed below.

Figure 7 shows how a cam could be used to control the opening and




FIGURE 5-This illustrates the principle of using the action of the rising bread rack to break the electrical circuit.




FIGURE 4-Typical electrical circuit of the clock timer type of automatic toaster. Note that outside elements are in series with each other but in parallel with the center elements.




FIGURE 6-One type of escapement mechanism used to control the release of energy stored in a spring.

closing of electrical contact points. Pressing down on the operating lever would wind the spring in the clock mechanism and also position the cam so as to close the electrical circuit. The normally open contacts would remain closed as long as they were forced to do so by the cam lobe. At the end of the timing cycle the cam lobe would free the contacts, thus opening the electrical circuit.




FIGURE 7—The use of a cam in operating a set of electrical contacts.




FIGURE 8—The use of a rack and pinion to convert rotary motion to straight line motion.




FIGURE 9-Cam operated latch,

Figure 8 illustrates a rack and pinion. Pressing down on the toaster operating lever positions the pinion and rack for the beginning of the cycle. Controlled spring energy causes the pinion to move the rack at a predetermined rate. Rotary motion is here being transformed into linear (straight line) motion. Conceivably the movement of the rack could be utilized to do any number of things such as operate electrical contacts, release the bread rack, etc.

Figure 9 shows a cam operated latch mechanism. This mechanism is popularly used in conjunction with the pop-up feature. The cycle is started by depressing the operating lever of the toaster. This winds the spring, positions the cam, and latches the bread rack in the down position. The electrical circuit is also closed by this action but at this moment we are concerned primarily with the mechanical aspect. The clock operated cam will cause the latch to remain engaged by virtue of the position of the lobe. At the end of the cycle the lobe will have passed and spring pressure is free to disengage the latch and cause the bread rack to pop up.

In this type of toaster all that is needed to give you some control over the degree of brownness that you desire is a method to control the speed of the clock mechanism—or the time it is allowed to run. On some models rubbing action slows up the process when more brownness is selected on the dial. On others the length of time that the clock runs is controlled by the amount of winding applied. By positioning a stop at any one of several points the length of winding stroke is controlled and hence the running time.

A heat compensator has been added on some models of this type which attempts to make up for the fact that the first batch of toast would not ordinarily be as brown as the rest. It is simply a bimetallic strip which causes more friction on the

mechanism—thereby slowing it up and prolonging the cycle—when cold than when hot.

Theromstat Type. A true thermostat timer would seem to need very few parts to operate. To insure the ultimate in performance which is needed to survive in this highly competitive industry other refinements are added. Keep in mind that, as was previously mentioned, the final product often is the result of some expediency rather than the designer's desire. The reason this is mentioned again is because you cannot help believing, as you gaze at the inner workings of some of these toasters, that there must have been an easier or more practical way of doing the job.

Figure 10 depicts the workings of a mythical thermostat type toaster. The thermostat may not always be designed to accomplish all of the necessary actions itself. In one popular type on the market the thermostat merely opens the electrical circuit at the end of the cycle. On this same toaster the heating of a special wire causes it to expand and position itself for its role. When the thermostat cuts off the current the wire cools and upon contracting releases the latch holding the bread retaining rack down. The thermostat itself, being temperature sensitive, can compensate for changes and produce a consistently toasted product-or sometimes an auxiliary thermostat is used for purpose of compensation.

Combination Type. A combination of clock timer and a thermostat is one approach to producing a slice of toast with the same degree of brownness regardless of whether the process was started with the toaster hot or cold. The length of the cycle, of course, is controlled by the thermostat, which is in a position to react according to the actual heat being applied to the bread. The clock goes through its regular cycle uninterrupted by the thermostat. Complete




FIGURE 10—Thermostat controlled automatic toaster. In the one shown here the thermostat controls the cycle but the hot wire unit is responsible for the action which releases the bread rack upward.




FIGURE 11—Combination type automatic toaster. Clockwork controls the cycle and the main contacts but the temperature is regulated by the thermostat.

compensation is made by the thermostat in that if more heat is needed it closes and energizes the elements; if less is needed it opens and stops the flow of current. The clock, then, is responsible for the basic amount of time required while the thermostat sees to it that the temperature is kept within reasonable limits during that time. Figure 11 illustrates an electrical circuit for this operation.

Heat Operated Timer. This type of timer is often called Stove Type Timer because it utilizes a special heating coil or "stove" as part of its operating mechanism. It is hard to visualize the functioning of this device just by looking at it—unless it is actually plugged in and in operation. Great care must be taken in operating a partially disassembled toaster—this facet will be touched on later, however. The purpose of Figure 12 is to simplify the stove type timer and its operation.

When the starting lever is de-pressed the bread rack is lowered and latched and the main contacts are closed. Current flows through the main heating elements and also through the "stove" element which is in series with the main elements. As the stove heats the free end of the bimetallic strip (which is not a part of the electrical circuit) swings farther and farther from its position when cold and in the process positions the bread rack release lever for action later. It is limited in its swing by the "lighter-darker" adjustment according to wherever that control is set. Although the free end of the bimetal has been stopped from moving, the "stove" element continues to heat the bimetal but it can swing no farther so it must distort. This distortion causes a tripping action which closes an auxiliary set of points that short the "stove" element out of the circuit. With the "stove" out of the circuit the bimetal cools and begins to return to its original position. In doing so it

trips the previously poised bread rack releaser lever. This allows the bread rack to rise and opens the main contacts thereby shutting off the current.

The whole cycle is made ready again by pulling down on the operating lever. The bimetallic strip, being temperature sensitive, will compensate for heat already stored in the toaster from previous use, thereby permitting uniform results. There are variations of this method in use but this describes the action as it actually takes place in one very popular toaster.

SERVICING HINTS

TO BE useful to you the information presented in this series must allow you to work on the appliance you actually have an interest in. That is why the information is kept general and no attempt is made to single out one or two brands of any appliance for special consideration. As a matter of fact, detailed drawings and photographs of toasters, for example, are of little help to the home mechanic because of their complexity. Much better technique is developed by learning general theories and principles of operation. Then by careful inspection and analysis of your own appliances you can solve their mysteries for yourself.

If you are interested in developing your ability with appliances it is not at all necessary to wait until trouble occurs to try to figure them out. The use of the testing devices described in Part IV of this series (November-December, 1957) will prove very helpful in investigating and troubleshooting the circuits mentioned herein. It is usually best to figure out the electrical circuit first and make a sketch of it to give direction to what you are doing. When visual efforts do not seem to yield the current path, give the electrical sleuthing aids a chance.

Operating an electrical device without its protective coverings is always dangerous and in the case of the toaster the hazard of burns is added to that of shock. In addition to personal injury damage to the appliance may result. The rule is to proceed with caution and only after double checking to make sure no ill effects can take place.

In observing a toaster mechanism in operation it must be partially disassembled. This of course exposes the heating elements. The problem is made no easier by the fact that the toaster may have to be placed on its side to see it operate. Obviously it must be rested on a nonconductor; furthermore, a nonconductor that will not burn. A china plate or similar ceramic surface will usually do the trick. Caution must still be taken that this unnatural position does not affect any of the working parts in their functions, that necessary insulators do not drop out or other removable pieces do not get out of place. If you have any doubt of your ability to do the above safely, then by no means attempt it! Sacrifice a little knowledge if necessary as we strictly believe in Safety First!

If the toaster fails to heat up it is obvious that an open circuit exists in either the appliance or its line cord-providing of course that there is power at the outlet. The outlet can easily be checked with a tester designed to indicate the presence of 110 volts or by simply plugging in an electrical device known to be operative. Figure 13 shows the use of a continuity tester on a toaster circuit. Here is an instance where a wiring diagram should be drawn first. Beware of units in parallel; one unit "open" will not show up that way as the test current still has paths through the good units. If a series unit is burned out all current flow would be blocked. One faulty parallel element can easily be detected when the toaster is plugged in, however, as it would be the only




FIGURE 12—The heat operated or stove type timer. While this drawing shows in substance what occurs it is not possible to make a flat drawing fully explain details that require three dimensions.

\$15.00 VALUE 37-PIECE METAL STAMPING SET Stamps Names, Numbers, on Wood or Metal FULL ALPHABET, A-Z,
NUMBERS 1-9, "&", and PERIOD.
MADE TO RIGID U.S. ARMY SPECIFICATIONS ITEM No. 390-B PRECISION HAND TRIMMED, deep cut, hardened TOOL STEEL

STAMPS - IN FITTED ACCESS CARTON

Only \$5.50 per Set 2 for \$10 00 Ppd Order Direct from Ad Satisfaction Guaranteed

NEW WINTER CATALOG 60 PAGES of unsurpassed War Surplus and new Equipment Bargains for farm, home, factory, workshop. Write today.

GROBAN SUPPLY CO. Dept. WB-2

this handy, all-purpose

for home and workshop only





- A full 288 square inches
- 1/sth inch thick
- Industrial quality for all purposes

Use for: padding insulating sound-proofing fish hook pack washers, liners weather-stripping tool box padding

polishing base pads gaskets chair pads typewriter pad kneeling pad bench tops

There are HUNDREDS of uses for HANDI-FELT around the house and in the workshop. Just try HANDI-FELT and you'll wonder how you ever managed without it. Money-back guarantee of course.





ommonwealth Felt Co. 76 Summer St., Dept. B, Boston 10, Mass. Enclosed is cash ... check ... money order for \$1.00. Please send me your pack of HANDI-FELT postpaid. Name Address ... CityZone State.....

the MOST complete catalog of ceramic supplies ever published!

Profusely illustrated-in-Profusely illustrated—includes hundreds of items for better pottery making. Features the newest clays, over 300 glazes, 37 electric kilns, potter's wheels, moulds, tools, brushes, numerous accessories. Includes photos of over 100 examples of fine potteryware as ideas.



Send 25c for your copy TODAY!

ETTL STUDIOS, Inc., Studio 3 ETTL ART CENTER GLENVILLE, CONN.




FIGURE 13-Use of a continuity light in checking a toaster circuit.




FIGURE 14—Use of a test light on a "live" circuit to isolate an electrical trouble.

one not operating. Notice in Figure 13 how one test prod remains fixed while the other one is successively moved along the electrical path. A break of course will be indicated as being between one point where the light lights and the next point where it does not. Nothing about this is very difficult but it is sometimes hard to remember all of these things at once. Another point for caution; don't be misled by switches or contacts that would be normally closed if in proper operation. Take a pencil or other nonconductor and hold them closed if necessary for checking. Incidentally, respect for electricity is a fine thing. You can receive a shock from this continuity light you know!

Another, but more dangerous, method of checking this circuit would be to plug it in and use the test light as in Figure 14. An "open" would be indicated in the section between where the light last lit and where it ceased to light.

A direct short in the toaster circuit would be followed by a blown fuse. Inspection of the toaster would probably indicate the location of the short because of burning which had taken place there. A ground under some circumstances could cause a fuse to blow or might result in a ENGRAVE YOUR NAME On Valuable Equipment Stop Theft, Loss!

Casy-to-use Burgess Electric Vibro-Graver handles like pencil, writes on steel! Name permanently engraved stops theft, loss of tools, hunting & fishing equipment, cameras & accessories, golf clubs, garden tools, hundreds of other valuable, easy-to-lose personal belongings. \$9.95 ppd., or COD plus postage. Money-back guarantee


JOHN H. FAIR CO., Dept. F74, Grayslake, Illinois



MASTERCRAFT PLANS, Dept. 12B

MAIL ORDER

EXCITING home business or office side line. Mail order executive will show you how to net large profits with no investment in merchandise or advertising required. Experience not necessary.
Proven practical, fully exolained in FREE confidential letter. Write: IMPACTI INC., Dept. 18-2,
3407 Prospect Avenue, Cleveland 15, Ohio.





SMILING CLOWN 18" tall. Sew by hand or machine, and stuff. Gay plastic face and cut material supplied; silk, rayon and satin in different colors. No two dolls alike. Sells for \$1.98.

Your price only \$.80 ea. (3 or more) Single sample clown \$1.00

FACES









\$1495

ONLY . . . All fine plastic, faces only, not kits (only clown available as kit, see above). Size

Per Doz.

(FREE with order) No C.O.D.'s THAIFT MAILMART 2546 MERMAID AVE.

Saber Jet JIG SAW **Built-In Motor! Handiest**

Light Duty Electric Saw!

Cuts wood up to ½" thick, to center of 19½" clinic. Overarm removable; use as saher saw, Built-in motor, 9" x 83½" work table, Complete with 3 jig saw blades, 3 saher blades, 125 full-size patterns. At your dealer, Send postcard for free catalogue.

Burgess Vibrocrafters, Inc., Dept A-116 Grayslake, Ill.

POSTCARD

CAN PUT YOU IN A FINE BUSINESS!

Rush Card TODAY for FREE OUTFIT! Get into highly profitable, repeat-order shoe ness! Sell new line of Air-Cushion comfort she to friends, neighbors, folks at work! Over 210 dress, sport, work, safety shoe styles for men, women. Never sold by stores. Just 2 easy orders a day—in spire time—bring you \$217 extra lineoms a month No. protinent, Rush amee and incomes a month No. protinent, Rush amee and MASON SHOE, Dept. §142. ChippewaFalls, Wis.



You Can Carve REDBIRD No. 106 Shown BLUEBIRD No. 107

U-CARVIT KITS \$1.00 EACH P.P.

Other Subjects Available BERNARD BLAKE, Rt. 1, Box 89A, Punta Gorda, Fla.



No classes to attend. Easy spare-time train-ing covers big choice of subjects. Friendly instructors; standard texts. Full credit for previous schooling. Diploma awarded. previous schooling. Diploma Write now for FREE catalog! WAYNE SCHOOL Catalog HWB-1

2527 Sheffield Ave., Chicago 14, Illinois

shock to the operator. Because of the modern high standards in the industry, an "open" after prolonged use of the toaster is more likely to occur than shorts or grounds which usually would be indicative of poor workmanship on the part of the manufacturer.

AS ALWAYS use great caution in disassembling toasters. In order to achieve the gracefulness and beauty demanded by today's customers great trouble is frequently gone to to conceal unsightly nuts, bolts, fasteners, etc. No great amount of force should be needed to take apart any toaster. Try to keep in mind several ways that the toaster could have been assembled and after removing all visible means experiment gently with the unseen fastenings.

On toasters with an external adjustment for brownness corrective action is sometimes needed-that is the color you desire is not within the externally adjustable range. By cautious internal adjustment of this control the range can be changed. Caution is urged because usually very little adjustment is needed to achieve much different results.

Occasionally no amount of adjustment to the various parts seems to cure an erratic toasting cycle on a thermostat type toaster. This usually is a good sign that the thermostat needs to be replaced as it has reached the end of its useful life.

When a toaster fails to pop up the toast it usually is caused by binding or excess friction in some of the mechanical parts. Sometimes, however, the contact points may weld together sufficiently to prevent operation.

If element replacement is called for, be sure to get exact replacements. The finely balanced circuits of today's toasters require that they be kept that way for proper opera-tion. Contact points, incidentally, may usually be dressed with a fine file or abrasive. Appliance servicemen are sometimes directed to replace contacts rather than dress them. The reason for this is that they may be plated with a special metal that resists burning and arcing. Because it is costly it is not likely to be very thick and would be easily removed by any abrasion whatsoever. This then would result in totally unsatisfactory operation and maybe even damage to the appliance.

Excessive tampering with the thermostat, stove assemblies, clock mechanism, etc., is to be avoided. If your best logical reasoning and intelligent approach does not yield the answer then leave it alone! Trespassing beyond this point in all home repairing is where you stand to lose because hit-or-miss methods usually produce poor results. Besides, you can do almost everything else can't you-why let one small matter get you in bad with the little woman? NEXT: PART VI: BULBS, LAMPS, AND FIXTURES.

Superior's New Model 70 UTILITY TESTER®

REPAIRING A LECTRICAL APPLI OTORS · AUTOMOBILES · TV TII

As an electrical trouble shooter the Model 70:



- Will test Toasters, Irons, Broilers, Heating Pads, Clocks, Fans, Vacuum Cleaners, Refrigerators, Lamps, Fluorescents, Switches, Thermostats, etc.
- Will test all TV tubes for open filaments, interelement shorts, burned out tubes, etc.
- Measures A.C. and D.C. Voltages, A.C. and D.C. Current, Resistances, Leakage, etc.
- Will measure current consumption while the appliance under test is in operation.
 - Incorporates a sensitive direct-reading resistance range which will measure all resistances commonly used in electrical appliances, motors, etc.
 - · Leakage detecting circuit will indicate continuity from zero ohms to 5 megohms (5,000,000 ohms).

As an Automotive Tester the Model 70 will test:

Both 6 Volt and 12 Volt Storage Batteries • Generators • Starters • Distributors • Ignition Coils • Regulators • Relays • Circuit Breakers • Cigarette Lighters • Stop Lights • Condensers • Directional Signal Systems • All Lamps and Bulbs • Fuses • Heating Systems • Horns • Also will locate poor grounds, breaks in wiring, poor connections, etc. Only 585

Model 70 comes complete with 64 page book written in plain easy-to-understand language. Explains laws of electricity, how to proceed with repairs of appliances and automobile circuits, how to test TV tubes, etc.

HIPPED ON APPROV NO MONEY WITH ORDER - NO C. O. D.

Try it for 10 days before you buy. If completely satisfied then send \$3.85 and pay balance at rate of \$4.00 per month for 3 months - No Interest or Finance Charges Added! If not completely satisfied, return to us, no explanation necessary.

MOSS ELECTRONIC DIST. CO. Dept. D-413, 3849 Tenth Ave., New York 34, N. Y. \$3.85 within 10 days and balance at rate of \$4 per month until total price of \$15.85 plus postage is paid. If not satisfactory, I may return for cancellation of account. Name Address_ Zone State

ROOF FRAMING MADE EASY With the New All Purpose **SWANSON SPEED SQUARE** FOR "TOP" OR "PLUMB" CUTS Made of Cast Aluminum - Rust Proof - Light THE SWANSON SPEED SQUARE AIP-VAL SO TO BE HE OF THE PERSON and Strong - Black Numerals - Easy to Read Non Glare Finish

A simplified precision made tool which makes roof framing as easy as your joist or studs. Gives the angles for all cuts of rafters, roof boards, etc. Only one number (the pitch number) to remember. Pivot the square, swing around to number, mark, that's all! All the rafter lengths, for any size building given in the rafter length booklet furnished with each square. Indispensable for inside trim work and home workshop. Is 3/16 in, thick. Use as a gauge for electric or handsaw. No carpenter, home owner or farmer handy man should be without this modern tool. Sold on a money-back guarantee. No C.O.D. orders to Canada. Non Glare Finish THIS
POSITION OF SQUARE
FOR 7 INCH PITCH
COMMON, OR 10 INCH
PITCH HIP OR VAL
TOP CUTS Square & Rafter Book Postpaid with construction folder \$3.25 \$3.60 (Send \$1.00 Deposit with Orders.) Will Square 8" Material Extra Rafter Length Books can be Ordered if Needed 50c SWANSON TOOL CO., 9113 S. 53rd Ave., Oak Lawn, III.

Getting More Heat from Less Fuel

TED MORGAN

ONCE WE turn our furnaces on in the fall most of us pay no more attention to the way they function. Unless, of course, they stop functioning completely. Then we put in a hurry up call for the serviceman and huddle around the kitchen stove, the fireplace if we're fortunate enough to have one, or some improvised heating unit.

Consistent attention to your heating plant, however, will not only help prevent a complete and sudden breakdown, it will also save you money by cutting fuel consumption and also add to your comfort. While the following suggestions were based on research and other tests by specialists connected with the technical service department of the Socony Mobil laboratories in Brooklyn and apply primarily to houses heated by oil burners, much of the data is applicable to houses heated by other fuels besides oil.

Most of us keep fairly good track of the gasoline mileage we get from our motor cars. But we usually ignore our basement oil burner. But the average oil burner is likely to consume twice as much fuel in a year as does the average motor car. Fuel oil is, to be sure, less expensive than gasoline, but a considerable

monetary saving can be chalked up by using fuel oil as efficiently as possible.

The boxed material accompanying this article consists of tips which should enable you to get more value for your fuel oil (or other fuel) dollar. In the left column are things to do that will probably require some expert assistance. In the right column are things that you can probably do yourself and will involve little if any expenditure of money.

IN THE self-help department you should understand first of all that you have to think in terms of your whole heating plant—from cellar to attic, from tank to chimney.

Start with the tank. Keep it filled during the off season. Humid air entering the vent pipe can condense in a partly filled tank. This forms rust scales that settle in the tank and may cause faulty burner operation. Dirt will get in through the fill pipe, too, if the cap is missing or loose.


Take a look at the burner itself. Make sure that it is getting enough air. That may mean leaving a cellar window open slightly. You'll depend mostly on your serviceman to adjust the burner for top efficiency.

But you can help, too. If, for example, your burner smokes, roars, or gives off odors, you'll be sure to notice it. Call your serviceman and tell him what it's doing. He may find an air regulator out of adjustment (that roar is caused by too much air), a worn out nozzle, cracks or holes in the furnace.

Inspect your boiler, too. Is it coated with soot? If it is, you're wasting fuel. You can remove some of it yourself, but the best time to have it removed is in the summer when you should have your serviceman check your furnace At the same time he can clean and adjust your burner.

ANOTHER THING to check on is whether your heating system—steam or hot water—is distributing heat evenly through the house. Check the main pipe. If it runs through an unheated part of the cellar or under a porch, it should be insulated. If you have a warm air system you can do much to give your house even heating by adjusting the duct dampers.

Heat is continually flowing out of your house—through windows, walls, ceilings, door, the roof. Heat loss through a square foot of window glass far exceeds that through a square foot of wall. You can't pre-



NUMERALS ON THIS DIAGRAM of a house correspond to numbers of fuel saving tips in box on opposite page.

vent this loss of heat, but by proper insulation you can reduce it. Insulating the attic floor of a house 25 by 30 feet can save up to 200 gallons of fuel oil a year in a cold climate, or about \$25 at present prices. At that rate it won't take long to pay for the insulation. Storm doors and windows will also, of course, cut

heat loss. And naturally you shouldn't leave doors or windows open too long. It takes a lot of fuel to reheat chilled walls, ceilings and floors.

Check the fit of window and door frames. If they fit loosely, then the infiltration of cold air will cause a lot of heat loss. So you may want to have a carpenter install weather stripping.

Your chimney also affects heating efficiency. It should extend at least two feet above the highest point of the house. Short, sharp bends in the chimney or in pipes leading to the chimney can cause draft trouble. So can dislodged bricks, birds' nests and leaks. If you suspect there is some obstruction in your chimney take a periscopic look by placing a mirror in the lower opening of the chimney after removing the smoke pipe. Or if there are bends in the chimney, lower a weight on a cord. The weight will locate any obstruction.

THESE CHANGES COST YOU SOME MONEY BUT PAY DIVIDENDS IN FUEL SAVINGS

- Insulate your attic floor, or, if that is not possible, your roof. Attic floor insulation may save up to 20 per cent of your fuel.
- See that hot water or steam pipes or warm air ducts are well insulated if they are located near outside walls.
- Install storm windows, storm doors, and weather stripping. Put caulking compound in cracks. This can save 10 to 20 per cent.
- Arrange for your heating oil dealer to send an expert to clean, adjust, and repair your heating plant at least once a year.
- Have this expert check size and angle of nozzle in your burner, clean filters, and check blower, controls, ignition, etc.
- Also have him make stack temperature and carbon dioxide tests on your furnace to determine its combustion efficiency.
- Stop air leaks around furnace with asbestos cement.
- Stop all oil leaks, no matter how small.
- Have furnace draft control checked to keep too much heat from escaping up chimney.
- 10. The heating capacity of some gravity hot-water systems can be increased by installing a pump; that of some gravity warm-air plants can be increased by installing a blower. Consult your oil dealer.
- Baffles in the fire box also give you more heat from less fuel.
- Insure clean, better-burning fuel by the use—and annual cleaning—of oil filters.
- Be sure your radiators and heating plant are of proper
- 14. See that your radiators or heating ducts are in balance. Avoid too much heat here, too little there.
- Check the pitch of all steam pipes. Pipes of incorrect slope may block heat.
- Be sure your thermostat is located so rooms are evenly heated.
- 17. Insulate domestic hot water tank.

MAKE THESE BIG SAVINGS YOURSELF WITHOUT SPENDING A CENT

- Close house doors promptly to keep all the heat inside.
- Keep temperature moderate enough so windows won't have to be opened.
- Turn off heat in rooms being ventilated.
- Turn off heat and close doors of rooms not in use.
- Close fireplace dampers when not in use. If dampers are missing and fireplace is not used, close chimney opening.
- Lower thermostat at night. Setting it back 10 degrees for eight hours will save 10 per cent or more.
- Lower thermostat to 55 degrees when going away for a day or longer.
- 8. Check radiator enclosures to be sure they are not trapping heat.
- Remove rugs and furniture from places where they block radiators or registers.
- Check steam radiator valves for proper function. Replace nonadjustable steam radiator valves with valves of adjustable type. Drain air or water, if present, from steam radiators to allow them to heat up fully.
- 11. If your garage is heated, keep doors closed and temperature low.
- Keep water in heating boiler clean for faster, more efficient operation.
- Watch steam-boiler water level.
 A boiler usually operates best if level is at center of gauge.
- Avoid overheating furnace. It wastes fuel.
- 15. Drain a pail of water to take sediment from bottom of domestic hot water tank monthly to insure efficiency.
- Check and repair leaky hot water faucets. (A leak of only one drop per second means a loss of 700 gallons a year.)
- 17. Clean soot out of boiler. A mere ½-inch soot deposit increases oil consumption as much as 10 per cent.





Nearly half of TV service calls made are due to broken or defective tube filaments. Tester shows whether tube or defective tube filaments. Tester shows whether tube to spend inoney on service calls. Just insert tube to spend inoney on service calls. Just insert tube is burned out. Easy, safe to use, for tube is burned out, Easy, safe to use, for a saved pays for tester. Rugged metal case (not plastic). AC or DC. Checks fuses, appliances, etc. Only \$3.95. AC or DC. Checks fuses, appliances, etc. Only \$3.95. Instructions C.O.D. plus charges. Deluxe Model \$4.95.

GEIGER ENGINEERING CORP. 3738 West Lawrence Ave.

Dept. WB-100 Chicago, Illinois



Mail THIS Coupon To INSULATE YOUR HOME

And Save up to 40% on Fuel Bills

Zonolite brand vermiculite is the easiest of all insula-tions to install. Just pour it, level it, leave it. You can do the attic of an average-sized house for as little as 8 cents per square foot.

Do It In HALF-A-DAY!

Just four short hours...Bing-o, it's done! Then Zonolite is there for the life of the building. So fireproof, it actually snuffs out flame. Rodent-proof, rotproof, ter-miteproof. Cuts winter fuel bills as much as 40%. Mail coupon for free how-todo-it booklet. No obligation.

ZONOLITE®

INSULATING FILL

Send For FREE Booklet

Zonolite Company, Dept. WB-18 135 S. LaSalle Street Chicago 3, Illinois

Please send free booklet, HI-47, "It's Easy to Insulate."

Address or RFD......

City or Town......Zone....State

AT LUMBER AND BUILDING SUPPLY DEALERS



119 SAW PATTERNS

FULL-SIZE . . . trace on wood and saw out. Clever, ORIGINAL designs, things you can make to SELL. Wall shelves, lawn signs, planters, book ends, others. Postpaid BURGESS VIBROCRAFTERS, INC.

Rush \$1 today. DEPT. C-36, Grayslake, Illinois

"TI-NEE" BATTERYLESS LIFETIME RADIO



Dept. GW-2

Print At Home



for Others, Good Profit, Fave a home print shop, Sold direct from factory only. Pays for itself in a short time. Junion press 815: Senior 229 up. Easy rules sent. We supply everything. Write for free catalog of outfits and all details.

payments. Write today for FREE BOOKLET. It tells all about getting started. No obligation, NATIONAL PHOTO COLORING SCHOOL 835 Diversey Pkwy., Dept. 2101, Chicago 14.

Screw

Categories

M. ROBERT BEASLEY

HAVE YOU ever gone into a hardware store to buy screws for some household project and discovered that you don't know exactly how to express your needs to the clerk? Or worse still, that you don't understand what the clerk is talking about when he begins rattling off a series of figures that classify his stock of screws.

To eliminate possible embarrassment and to assure yourself that you will get the exact type screw that you require for your job, you should know how to specify and correctly

order the material.

To properly classify a screw, you need five different component parts: (1) length; (2) gauge number; (3) type of head-flat, oval or round; (4) Material-brass, steel, etc.; (5) finish-blued, chromium, nickel, cadmium, etc.

For example, you should give your order to the hardware dealer something like this: 11/4 inch No. 8 flat headed, steel cadmium plated wood screw. The appended chart will give you the proper gauge to use when placing your order. The length, type head, finish, etc., will, of course, depend upon the job you intend the

screw to perform.

In deciding which type and gauge screw to use, always take into consideration that the entire threaded section of the screw should enter the piece upon which you are working. Allow sufficient gauge so that the screw is thick enough to resist shearing under pressure, but also consider the fact that, when working on thin stock, a screw of too thick gauge will have a tendency to split the wood.

The length of a screw is measured from the tip of the point to the underside of the head.

TO OBTAIN maximum efficiency and appearance with your work, it is best, regardless of the type screw being used, first to drill a small pilot hole, a little shorter than the length of the screw. Secondly, another hole should be tapped the length and diameter of the shank of the screw. Then, if you are using flathead screws, the third hole, or countersink, should be tapped to accommodate the head.

Wood screw gauges are shown in diameter to the nearest 64th of an

GA.	DIA.	GA.	DIA.
0	1/16"-	9	11/64"+
1	5/64"-	10	3/16"+
2	5/64"+	11	13/64"-
3	3/32"+	12	7/32"-
4	7/64"+	14	15/64"+
5	1/8"-	16	17/64"+
6	9/64"-	18	19/64"-
7	5/32"-	20	21/64"-
8	5/39" +	24	2/9"

In setting screws, especially into hardwood, your job will be greatly simplified if you will run the thread and shank over a piece of ordinary soap or paraffin. This will lubricate the screw and reduce friction, making your job much easier, but still giving you a secure connection.

STATEMENT REQUIRED BY THE ACT OF AUGUST, 24, 1912, AS AMENDED BY THE ACTS OF MARCH 3, 1933, AND JULY 2, 1946 (Title 39, United States Code, Section 23) SHOWING THE OWNERSHIP, MANAGEMENT, AND CIRCULATION OF WORKBENCH Magazine published bi-monthly at Kansas City, Mo., for January-February, 1958.

The names and addresses of the publisher, editor, managing editor, and business manager

Publisher, John E. Tillotson II, 543 Westport Rd., Kansas City 11, Mo. Editor, Theodore M. O'Leary, 543 Westport Rd., Kansas City 11, Mo. Managing editor, none. Business manager, none.

Managing editor, none. Business manager, none.

2. The owner is: Modern Handcraft, Inc., 543
Westport Rd., Kansas City 11, Mo.; John E.
Tillotson, II, 543 Westport Rd., Kansas City 11,
Mo.; John E. Tillotson, 543 Westport Rd., Kansas City 11, Mo.; C. S. Tillotson, 543 Westport
Rd., Kansas City 11, Mo.; Theodore M. O'Leary,
543 Westport Rd., Kansas City 11, Mo.; Mary
Ida Sullivan, 543 Westport Rd., Kansas City
11, Mo.; Wilburn L. Mead, 543 Westport Rd.,
Kansas City 11, Mo.; C. R. Tillotson, 543 Westport Rd., Kansas City 11, Mo.; Lee Gingery,
543 Westport Rd., Kansas City 11, Mo.; Sarah
Peery, 543 Westport Rd., Kansas City 11, Mo.;
Joe Scheppers, 543 Westport Rd., Kansas City
11, Mo.; T. F. Stroud, 543 Westport Rd., Kansas
City 11, Mo.; James Locke, 543 Westport Rd.,
Kansas City 11, Mo.

The known bondholders, mortgagees, and other security holders owning or holding 1 per cent or more of total amount of bonds, mort-gages, or other securities are: None.

4. Paragraphs 2 and 3 include, in cases where the stockholder or security holder appears upon the books of the company as trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting; also the statements in the two paragraphs show the affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona fide owner.

John E. Tillotson II Sworn to and subscribed before me this 24th day of September, 1957 — Thomas F. Stroud, Notary Public, Jackson County, Missouri. (My commission expires August 2nd, 1966.)

Drycleans Clothing for Only



who send name at once. Hurry-just a postcard will do. SEND NO MONEY-just your name. KRISTEE CO., Dept. 1701, AKRON S. OHIO

Convert an old Nail Keg into a Charcoal Hod

R. M. WOODBURY

A NAIL keg, a length of an old broomstick and a few minutes time are all you need to make a novel hod in which to carry or store a picnic's supply of charcoal briquets. To make this bucket-shaped briquet hod follow these simple steps:

1. Obtain an empty nail keg and pound in any protruding nails, secure any loose staves and sand smooth

any rough spots.

2. Locate two staves directly oppo-site on the keg from each other and mark with chalk. These are to be left intact to serve as the handle arms. Next, saw the keg in half, making sure to leave the arms.

3. Bore a 34-inch hole through the top of each arm, approximately two inches down from the top. These holes are to receive the broomstick

4. Trim the broomstick to the proper length, about two inches longer than the distance between the arms and fit into the holes. Secure the handle in place by means of a small wooden peg placed through the stick outside the stave arms.

5. Sand all rough edges and apply a coat of stain or, if preferred, apply a coat of gay enamel. If you really want to dress it up, you can apply some of the decorative or humorous

decals.


6. As the final touch, line the hod



with kitchen foil to give it a trim appearance and make it easy to keep clean.

After the picnic season is over, re-

move the foil lining and use the keg as a magazine holder, wastebasket or wood basket for your den fireplace.



a foreign anguage. And, the is no face-to-face selling in mail order.

I have proven this plan with 103 imports – and the opportunities for the sale by mail of thousands more are breathtaking in their possibilities. Hunting knives and binoculars from Germany, silverware from Sheffield, England – hand-carved art objects from Africa – most costing less than \$1 abroad have values up to \$5 or more here and are big sellers by mail order.

Monthly bulletins sent free to those who follow my plan show suppliers of new and desirable imports, give details of new world trade opportunities. I also tell you how to get free mail order ads in top national magazines.

98¢ in

Germany

82¢ with case

(O)

17e in

Japan

\$1.47 in

jeweled movement

50¢ in Belgium

ads in top national magazines. Switzerland

Traders in foreign nations ur-gently need U.S. dollars and of-fer fantastic bargains to get them. They are eager to trade with you or me or anyone who knows the methods I will gladly show you.

I have received as many as 1,000 cash orders a day for im-

orders, pocket your profits in advance, then order merchandise.
Others following my plan report: ... orders for a total of \$8000.00, writes O. Simcock; have imported Kokeshi Dolls from Japan – J. McDonald; ... sold over 600 Indian Zari purses – M. Bowman; ... wife and I represent four local manufacturers in Export – L. Parry; ... exported large quantity of honey – O. Seymour; ... importing Aztec Indian bird feather pictures from Mexico – F. Balser.

You might ask, "Why do you let others in on your plan? Why don't you keep it all for yourself?" The answer is that the items for import are countless and that the demand for these exotic items is virtually impossible to fill. No one person could possibly handle even a small portion of this gigantic market. There's plenty of business in import-export for you and me and many others.

of business in import-export for you and me and many others.

If you are sincere and really open-minded to a new and different opportunity — one which may change your whole idea of the kind of money you can make full or part time in your own Home-Import Business — write today for full details and a free list of 157 imports, showing the amazingly low foreign prices. Air mail reaches me overnight.

B. L. Mellinger, Director, Dept. P231

B. L. Mellinger, Director, Dept. P231 1717 Westwood, Los Angeles 24, Calif.

AIR MAIL COUPON NOW! B. L. Mellinger, The Mellinger Co., Dept. P231 1717 Westwood, Los Angeles 24, Calif.

Mr. Mellinger: Without obligation, show me the big profits to be made through World Trade, especially in mail order from my own home. Also, please rush me your list of 157 imports, showing amazingly low foreign prices.

Print Name Address Town & Zone State .

there's money to be made IN THE ORNAMENTAL CONCRETE BUSINESS

Manufacture-and self-ornamental concrete produ yourself. Easily, simply produced, here is a low-cost, do-it-yourself project that means money—Big Money. Concrete CMC permanent, light-weight, high quality Aluminum Molds give you both ease of production and copyrighted designs that have set a national record of sales success

Get the full story of this high profit, low cost business. Send today for your copy of the big, fully illustrated book "How to Turn Concrete into Gold." The clear, easily followed

'from start-to-finish instructions' that show you how to produce beautiful, ornamental con-crete products. Plus valuable sales and market tips. Catalog of over 200 Specialty Molds. A complete industry manual.





Send \$2.00 for your copy-

MACHINER

How to Develop **POWERFUL PERSONAL** MAGNETISM

-an easy, quick way. There is a way-Regardless of education, income, social standing or the kind of work you do, there is now a simple method that can be learned in the privacy of your home. It is the same method that has been used by most every highly successful man or woman. Consciously or unconsciously, they have used it to win friends, attract the support and help of powerful people, gain promotion, achieve social recognition, and become known as outstanding personalities. Does it sound hard-like something beyond the average person. It isn't. No matter how doubtful or how lacking in confidence you may now be, you must at least read the details of this magical door opener to successyou must let us mail the complete information to you, free and postage prepaid. Not a cent of cost. No obligation. No salesman will call. Just send your name on a postcard. Let this free information open your eyes to the new and vital life that can be yours so easily, so quickly. Send your name today. There is no charge now or at any other time for the fascinating facts about this universal method. Address RAYMOND E. BRANDELL, Publisher, 1801 Birchwood Avenue, Dept. 17-N, Chicago 26, Illinois.



Show friends dozens of brand new greeting card assortments and gift items that sell fast at the magic low price of only \$1. New TALL Cards at 21 for \$1, Religious Assortments, Ensembles, Comics, Salt & Pepper Sets—over 100 fast-sellers pay up to \$60 cprofit per box plus CASH BONUS. SEE SAMPLES AT NO COST!

No experience needed, Just mail coupon. We'll send sample outfit on approval and EXCLUSIVE Stationery FREE. Charming \$1" Lil! Washer" Salt & Pepper Set offered FREE for prompt action. Act NOW.

CARDINAL CRAFTSMEN, Dept. 50-H, 1400 State Ave., Cincinnati 14, Ohio

Please send samples on approval. Include \$1 Gift.

Address City & State.



Weave Rugs EASILY AT HOME

STATIONERY

GIFT FOR YOU

MAIL

MAKE BIG PROFITS-Full or

OR. RUG CO. • Dept. 1856 • LIMA, OHIO

ree to WRIT seeking a book publisher

Two fact-filled, illustrated brochures tell how to publish your book, get 40% royalties, national advertising, publicity and promotion. Free editorial appraisal. Write Dept. W1

Exposition Press / 386 4th Ave., N.Y. 16

PUBLICATIONS YOU CAN GET FROM UNCLE SAM

HOTBEDS AND COLDFRAMES-This pamphlet begins with a brief discussion of the use, construction and proper location of hotbeds and coldframes. It then describes several methods of handling hotbeds, types of coverings for hotbeds and coldframes and the importance of ventilation, watering and general care of these plant-growing beds. It also discusses a number of plants often started in these beds with their individual requirements as to soil and air temperature, watering, light and other pertinent data. 28 pages; 15 cents. Catalogue No. A 1.9:1743/3.

WOOD-COLORS AND KINDS-This publication has been prepared to serve the needs of commerce, industry and technology in the identification of wood, but should also be of interest and value to the woodcraftsman. It includes descriptions and illustrations in color of 32 of the different kinds of wood most often used. 36 pages; 50 cents. Catalogue No. A 1.76:101.

WHAT TO DO WHEN YOUR HOME FREEZER STOPS- This folder lists the all-important steps to take in the event your home freezer stops operating. Its suggestions may help you to keep your frozen foods from spoiling if your freezer stops functioning for any reason. 6 pages; 5 cents, Catalogue No. A 1.35:321.

BEFORE DISASTER STRIKES-WHAT TO DO NOW ABOUT EMERGENCY SANITATION AT HOME - This civil defense handbook tells you what materials you need and what you can do now to maintain sanitary conditions in your home or shelter during the first few days after an enemy attack on your city or in the event radioactive fallout requires that you remain under cover for an extended period of time. 22 pages; 15 cents. Catalogue No. FCD 1.6/4:11-1/3.

Unless otherwise indicated, all publications listed above may be ordered from the Super-intendent of Documents, Government Printing Office, Washington 25, D.C. Be sure to include the catalogue number as well as the title of each publication ordered. Payment should be made by check or money order payable to the Superintendent of Documents or by document coupons which are sold in sets of twenty for \$1. Postage stamps will not be accepted.

Rubberized Sandpaper for **Better Grip**



A cabinetmaker who uses finishing grades of sandpaper by hand, without a sanding block, smears the back of each sheet with several drops of rubber cement. When dry, the cement leaves a nonslip surface which is easier to grip on the palm of the hand.-Ken Murray

Wax Saves **Painted Surface**

I HAVE found that after painting my kitchen woodwork if I rub wax on all the places that get the hardest wear, my woodwork not only stays cleaner but new looking much longer. The wax protects the paint from both spotting and washing and cuts down on work for it is far easier to renew the wax occasionally, than to give the woodwork a new paint job.

Blanche Campbell

BIG MONEY — SPARE OR FULL TIME CANDYMAKING & CAKE DECORATING

Hundreds of Housewives Wanted Now! Earn \$5.00 hr. in Spare Time

No PREVIOUS EXPERIENCE NEEDED! Turn your kitchen into a gold mine! Fill endless year 'round' demand for lovely Coke Decorations and luscious Professional Candymaking. BIG MONEY from clubs. churches, business, parties, weddings, birthdays,

Our Responsibility to Train and Show You How to Start Small at Home-Grow Big!

Men, women ANY AGE or education WELCOME! No capital required. Cash in on formulas and trade secrets handed down for generations. Step.by-step instruction gets you started, full or part time. Get in NOW while opportunities are still available. WRITE FOR FREE FACTS TODAY!

CANDY & CAKE CRAFT INSTITUTE
WI. 3209 W. Olympic, Los Angeles 6, Calif.

MAKE BIG MONEY AT HOME! SIBLE MENDING

Pays up to \$10 in an Hour 1 Make moth holes, eigarette burns, tears, rips, DISAPPEAR from all fabrics, Little-known craft pays extra space-time profits at home. Earn while you learn, WRITE TODAY for exciting details FREE1

FABRICON, 6238 Broadway DEPT. 111, - CHICAGO 40, ILLINOIS





FREE! SEEDS & PLAN New Fascinating HOBBY or HOME BUSINESS OPPORTUNITY!
Learn little known technique for growing living: "Ming" Trees only inches high. Bountiful Elm. Cherry, Orange, Cornes, Execution of the Line Cherry, Orange, Cornes, Execution of the Line Cherry, Orange, Carrier, Execution of the Line Cherry, Orange, Carrier, Execution of the Line Cherry or Cherry, Carrier, Carrier, Standard Cherry, Orange, Cherry, Carrier, Carrie



MASTERCRAFT PLANS, Dept. 14B

Maintaining that New Look on Floors

(Continued from Page 20)

time. A rather strong solution of one can of lye to a bucket of water may be used, applied with an old mop. Remember to use rubber gloves and be sure to wear old clothes. Use an old broom or a scrub brush on a handle and scour the floor well. Do a small room at a time or about a half of a large one. Sweep or squeegee the solution off after the finish has been dissolved. Flush with water and dry up with a mop or squeegee off quickly. Literally pour copious amounts of vinegar on the floor and spread out everywhere quickly to neutralize the action of the lye. Although this method is very effective when done properly, I hesitate to recommend it. It is so easy to splatter a wall and also to burn the wood. Be sure the floor is dry before attempting to finish it. Therefore, be-cause of these reasons, I prefer to recommend using the water, oxalic acid, and alcohol method of chemically removing old finishes and at the same time bleaching the floor to a lighter color.

IF YOUR floors are clean enough, but have lost their sheen through too much traffic, it is always possible to add additional coats of finish without attempting to remove the old finish.

Take steel wool and varsol (or paint thinner) and thoroughly remove old, dirty wax as described earlier in the article. This must be done because any remaining wax will prevent the new finish from adher-ing to the floor. Wax is similar to a grease or oil in this respect. Then use clean soft rags and wipe off all smears left by the dirty varsol left on the floor after drying. Thoroughly vacuum or sweep floors for any powdered wax and bits of steel wool re-

Now apply either shellac or varnish one or two coats as desired. Be sure to hand sand with No. 0 sandpaper after each coat of finish has dried. Finally apply wax and polish.

Ordinary paint remover is too messy and laborious to use to remove old finish. However, a new type of paint remover can be applied and then washed of with water. Although I have never used it on a floor, it should prove very adequate for the job.

Beautiful floors reflect the beauty of your home. No part of your home's interior decorating gets as much continual abuse as your floors.

The constant abrasion of grit-covered shoes, the insult to the wood that tracked-in water causes, the abuse of uric acid, other foreign materials, the deep scratches of furniture, and the grooves left by pianos all testify to the need for the efficient and proper maintenance of wood floors. Remember:

Never-Use water to scrub wood floors (except as directed in article). Never-Use a water base wax.

Never-Allow pets to abuse your floors.

Never-Leave diapers on the floors.

An ounce of wax in time will prevent the expense that careless maintenance will cause.



WE SELL YOUR PRODUCTS! Rush Coupon—all facts FREE

At one time or another, practically every ambitious man has felt an urge to get started in a business of his own. But until now, the obstacles have been too great for the average man to hurdle. I have changed all that. With my Plan, it is now possible for any man to get started in a business of his own with only limited capital and with no previous experience whotsoever. I show you how to build a thousand different kinds of special luggage and cases—for photographers, salesmen, artists, jewelers, hunters and campers and others. Next, I leave nothing to guesswork about selling the products you make. WE SEIL YOUR PRODUCT FOR YOU, could anything be easier than that?

If you are interested, here's what you do. Just send me your name on the coupon—without any money—and I will show you how to get started as a member of the Casecraft organization in your locality. I will furnish all the necessary materials and complete instructions so you can quickly learn to make "madementals of this fascinating business and be in a position to turn your spare time into cash to the tune of \$15 to \$20 an hour profit.

Best of all, you can start right in your own heuse and set up

nour pront.

Best of all, you can start right in your own house and set up your "shop" in basement, attic or garage or wherever there are a few square feet of extra space.

There is no risk because you can keep your present job, work in spare time until your volume of orders gets so big you can devote full time to this fascinating, big-pay work.

Let me send you full particulars so you can decide for yourself.

FANTASTIC PROFITS!

With low costs and high selling prices, it is possible to make your spare time worth \$15 to \$20 an hour!

That's the best way. Read the material I send you free. Talk the matter over with your wife, your friends, your banker. There is no expense involved in getting the facts. So mail the coupon now and you will hear from me by return mail. This may well be a turning point in your life—a turning point that can lead to prosperity and security in a fine business of your own.

A. J. ABARSI, President



ABARSI CASECRAFT

807 W. Sunset Blvd., Dept. 801 Los Angeles 12, Calif.

ABARSI CASECRAFT

807 W. Sunset Blvd., Dept. 801

Los Angeles 12, Colif.

Dear Mr. Abarsi: Without the slightest cost or obligation please tell me how I can get started in a CASECRAFT butness of my own and turn my apare time can at a rate of \$15 to \$20 an hour. Everything you send me no is FREE and I pay nothing for it—now or ever. NAME ADDRESS CITY... ZONE STATE

RUBBER STAMP BUSINESS PAYS BEGINNERS TO \$9.20 AN HR.



The multi-million dollar Rubber Stamp business -The multi-million dollar Rubber Stamp business — once controlled by a few big companies — is now being taken over by small operators—one in each community throughout the United States. Men and Women who have this inexpensive machine can turn out huge quantities of Rubber Stamps with special wording that buyers once were forced to buy from big cities. Material costing only 27c makes a stamp that sells for \$1.80. The machine that does the work is simple and easy to operate and it turns out as many as six Rubber Stamps at a time, each with does the work is simple and easy to operate and it turns out as many as six Rubber Stamps at a time, each with different wording such as names, addresses, notices, stock numbers, prices and other "copy" needed by offices, factories and individuals. Working full capacity, it can earn as much as \$9.20 an hour for the operator! Now you can get into the bis-pay business yourself, with your ownhome as headquarters. You don't need experience. We supply everything, including complete instructions and eight ways to get business coming in fast. Start making up to \$9.20 an hour from the very beginning. Cash in on the profitable Rubber Stamp business in your community, right away. We'll mail full particulars FREE and no right away. We'll mail full particulars FREE and no salesman will call. Be first in your locality, Rush coupon today or send your name on postcard to:

RUBBER STAMP DIV., Dept. R-6-A 1512 JAVIS AVENUE . CHICAGO 26, ILLINOIS

		60		
		201		
			No.	
F	STAMP DIV		J	


1512 Jarvis Ave., Dept. R-6-A Chicago 26, Illinois

Please rush full particulars about the little machine that can get me started in the profitable Rubber Stamp business at home in spare time. Everything you send me is FREE and no salesman will call.

ļ	you send me is PARE and no salesman will call.
	NAME
1	ADDRESS
1	CITYZONESTATE

JANUARY-FEBRUARY, 1958 » 57

fKtt!



The charge for classified advertisements is 70 cents a word payable in advance by check, cash or money order. All classified set solid, without display, leaded, or blank space. All copy subject to publisher's approval. For clarity, please type or print your copy. Be sure that check, currency or money order accompanies copy. When figuring the number of words be sure to include name and address. For example: W. C. Jones, is three words. Send your copy in at once. Closing date for classified advertising is the first of the second month preceding publication. Minimum 10 words.

AGENTS AND SALESMEN

MAKE CLEANERS, Polishes, Cosmetics, Anything! Literature Free! Kemixon, Park Ridge, Ill.

FREE SAMPLE! Beautiful Feather Pictures. Sylviaw, Apartado 9036, Mexico 1, D.F.

FREE FOLIO "\$5,000-\$45,000; Vacations Unlimited." Work home sparetime! Haylings-PHH, Carlsbad, Calif.

YOU CAN Make Money at home in spare time taking magazine renewal subscriptions. No capital or experience necessary. All supplies furnished. Write Today! McGregor Magazine Agency, Dept. 440, Mount Morris, Ill.

BEAUTIFUL Feather Pictures! Free Details, Sample 20c Stamps. Apartado 1668, Mexico 1, D.F.

ARTIFICIAL FLOWERS

BIG PROFITS. Make fast-seller chenille holiday flowers, monkey trees, dolls. Kits, materials. Literature free. Velva, Bohemia 19, N. Y.

PRESERVE FLOWERS Indefinitely. Pleasant, Profitable. Eight tested methods. Artcrafts, 10 St. John Road, St. Andrews, N. B., Canada.

COMPLETE COURSE for flower making in our 5 volumes of Flower Craft Books, only \$4.00. Learn to use woodfiber, fibertex, velvatex, crepe paper, chenille, 356 Pages containing actual size patterns with easy, simplified instructions. Flower Supplies at right prices. Write for free catalogue. Dealerships available if you can qualify. Douglass Fiber & Flower Supply Co., 1021 Fayette Street, Indianapolis, Ind.

ARTIFICIAL FLOWER Material. Woodfibre, Leaves, Crepepaper, Wire, Velvetex. Free list. Dali, 6035F Cermak, Cicero, Ill.

AUTHORS SERVICE

GHOST WRITING —Your papers, book reviews, confidential. Lilyan Schavey, 410 So. Wenona Ave., Bay City, Mich.

BUSINESS OPPORTUNITIES

TO \$100.00 Weekly, Sparetime, Home Operated Mailorder Business. Successful "Beginner's" Plan. Everything Supplied. Lynn, 10420-W National, Los Angeles, 34.

MAIL ORDER—advertising agency executive reveals sensational no-risk advertising and merchandise methods. Start in office or home—minimum capital—positive profits. Free details: Impact! 3407 Prospect, Dept. 43-2, Cleveland 15, Ohio.

HOME-IMPORT Mail Order Business—Import profitable items below wholesale. Experience and product investment unnecessary. Full, spare time. Famous world trader guides you. Free list "157 imports", details. Mellinger, P941, Los Angeles 24.

\$9.80 HOURLY, easy! Free samples, details. Arthur Fishers, Taylorsville, Ill.

BREED RARE Tropical Fish at home. Earn big Money! Learn secrets! Help fill huge demand. Amazing opportunity! Free Plan. Tropical Fish Breeders, JY, Los Angeles 61, Calif.

\$70 WEEKLY—home, spare time. Simplified, mail bookkeeping. Immediate income—easy! Auditax, 34757R, Los Angeles 34.

MONEYMAKING OPPORTUNITIES Galore! Free Copy. Popular Mechanics Classified, 645 North St. Clair, Chicago 11.

PLASTERCRAFT MOLDS, liquid rubber, plasters, flocks, candle supplies. Catalog and manual free. Blue Rapids Supply, 505 Main, Blue Rapids, Kansas.

WRITE VERSES for Profit. 300 greeting card, magazine markets. Information free. Hobbies, 1603-Al Sun Valley, Austin, Minn.

\$5.00 AN HOUR Spare time sharpening circle saws, drills, lathe tools, skates, etc. Free circular. J. Malone, 3370 N. 53rd, Milwaukee 16, Wis.

\$10 PROFIT IN an Hour possible with the 'Magic Wonder Method' of Invisible Reweaving. Ideal home business, steady year 'round demand. Details Free. IRI 8411-H La Mesa Blvd., La Mesa, Calif.

MAKE MONEY, GIFTS. Complete precut felt collar kit, sequin sparkle. Finish in 30 minutes. Buy 59c—sell \$1.00. Beegee, 3143 Lamphier, Memphis 12, Tenn.

\$60.00 WEEKLY, sparetime—easy! Home Venetian Blind Laundry. Free Book. Burtt, 2434FO Wichita 13, Kansas.

BUY WHOLESALE! Appliances, watches, tools, cameras, etc. Huge discounts! United Wholesalers, 1265A Broadway, New York 1, New York.

START BIG-PAY Business at Home in spare time. No experience needed to operate little table-top machine for bronzing baby shoes. Make \$5,46 profit on every pair. Full particulars Free, Send postcard to Mason, 1512 Jarvis, Room CM-6-A, Chicago 26, Ill.

FREE FOLIO "5,000-\$45,000; Unlimited Vacations." No merchandise, Work home! Haylings-PH2, Carlsbad, Calif.

LEARN PHOTO-NEGATIVE (Portrait) retouching. Men, Women, \$5 hour possible spare or full time at home. Easy, glamorous. Work for Photographers by mail order. Full details sent Free. Duval, 100 So. Vermont, Los Angeles 4.

MAKE NEW Greaseless Doughnuts in kitchen. Sell stores. Free recipes. Alfred Ray, 3605 South 15th, Minneapolis 7, Minn.

MEN and WOMEN Wanted to start home business in spare time with little table-top rubber stamp machine. Easy to earn up to \$9.80 an hour without previous experience. Full particulars Free by mail. Send postcard to Roberts, 1512 Jarvis, Room CR-6-A. Chicago 26, Ill.

START HOME mimeographing business. Pays amazing profits! Literature free. P. Housel, Lanoka Harbor, N. J.

\$250.00 WEEK spare time profit possible. Earn at home with new fascinating Printing method. \$5 starts you—send no money now. Free Confidential Facts and Valuable Samples. Screen-Print, JY, Los Angeles Ci.

INVISIBLE REWEAVING. Men-Women. Instructions shipped for no-risk examination. \$5 in an hour possible. Spare—full time. Reweave burns, tears, moth-holes like new at home. Free details. Skil-Weave, Dept. C-51, 335 W. Madison St., Chicago 6.

"50 NEW HOME-BUSINESS Ideas" Booklet, sample Free. Spray exotic Velvet-Suede on anything. Flockcraft-JY, Los Angeles 61.

RUBBER FOR MOLDS, Extra Thick, Free Sample W. Wooley, 1016-P Donald, Peoria, Ill.

GROW EXPENSIVE Herbs for Us! Big Profit Home-Business of your own. Year around profitunity! We supply everything necessary! Send for Free Amazing Facts and Revealing Plan. National Herb Exchange, Box JY, Gardena, Calif.

START MAIL order, \$1.00; Ten Commandments for Flower arrangers, 50c (both for \$1.25) with photos of Hawaiian & native dried arrangements, Kits & Ming tree supplies, Mingcraft, Box 217, Auburn, Calif.

MAKE MONEY taking orders on leading Name Brand Tools. No inventory to carry. \$1,000,000.00 stock to draw on. Profits up to 50%. Send \$1.00 for Giant Wholesale Catalog. \$1.00 refunded first purchase. U. S. Supply, Dept. CL-4, 149 Church St., New York 7, N. Y.

GROW A living Miniature Forest or orchard (only inches high), that bears tasty tiny fruit at home. Learn amazing Dwarfing secrets! Sensational Fascinating hobby, \$\$\$\$\$ Home-business Opportunity. Free Details! Miniature Nurseries, Dept. JY, Gardena, Calif.

NEW DOLLAR Dishwasher. Latest home convenience. Lightning dollar seller. Makes dishes gleam. Samples sent on trial. Kristee 115, Akron, Ohio.

BUY WHOLESALE! Save 66½ %! Appliances, Furniture, Jewelry, Toys, Sporting Goods, Tools, Free Catalogs! National Buyers Service, Box 3338PB, San Francisco.

CLIP VALUABLE newspaper items. Hundreds worth 25c to \$5.00. Steady income. Dorco, Box 494, Muncie, Ind.

MAKE MONEY Writing Short Paragraphs! No tedious study. I tell you what to write, where and how to sell; and supply list of editors buying from beginners. Many small checks add up quickly. Write to sell, right away. Send for free facts. Benson Barrett, Dept. C9N, 7464 Clark, Chicago 26.

\$3.00 HOUR. Making, fitting, Comfort Sandals. Youngs, 1308 PH South First, Arcadia, Calif.

MAKE FLEXIBLE molds. Cast plaques, figurines. Free sample. Tooker, 1045-H Fairview, Hamilton, Ohio.

AGED HOMEWORKER nets \$100 weekly! Free Plan "Secret Journal Hidden Dollars." Work home! Publico-FY2, Oceanside, Calif.

\$3 TO \$5 HOUR sharpening saws sparetime. Ideal small town business. No selling. Customers repeat. Experience unnecessary with automatic machines. Free booklet explains. Barrett D. Foley Co., Columbia Heights, Minn.

GROW ORCHIDS at home. Profitable, fascinating. Successful home grower explains special light, temperature and humidity conditions orchids need. Free—full details, Orchids, 100 S. Vermont, Los Angeles 4.

WANT TO Make Big Money At Home? \$10.00 profit in an hour possible with Invisible Mending. Make tears, holes disappear from clothing, fabrics. Steady year-'round demand from cleaners, laundries, homes. Details Free. Fabricon, 6258 Broadway, Chicago 40, Ill.

REBUILD BATTERIES, Repair Dolls; Make Rubber Stamps. Catalogue "75 Ideas" Free. Universal, Box 1076-P. Peoria, Ill.

MEN - WOMEN! Start Money-Making Plastic Laminating Business at home in spare time. Material that costs 11c brings back \$2.58. No canvassing or selling but mail orders bring in \$20 a day. Write for full particulars Free. Rush name on postcard to Warner, Room CL-6-M, 1512 Jarvis, Chicago 26, Ill.

LIQUID RUBBER—Make flexible molds. Free Sample. Chaney, 1907-D East Road, Jacksonville 11, Fla.

MAKE \$25-\$50 WEEK, clipping newspaper items for publishers. Some clippings worth \$5.00 each. Particulars free. National, 81-PH, Knickerbocker Station. New York.

LET ME Sell Your Products Nationally, I'll send you free information on how to establish full time, sparetime Casecraft Business, You Build! We Sell! Abarsi, 807 DG Sunset, Los Angeles 12, Calif.

"EARNING HOME Profits Preserving Flowers" shows how to make money with this little known Hobby method. Inquire: Mountainside, Springwater 8, New York.

COLLECTIONS

VIEW CARDS! 10 different 25c. Lists. Garnett Stancil, Centreville, Alabama.

CONTESTS

WIN CONTEST Money, General Contest Bulletin gives hundreds of tips. Lists current contests, rules. Sample 25c. General Contests, 1609 East 5th, Dept. 343, Duluth, Minn.

CRAFT SUPPLIES

CHENILLE NOVELTY Supplies. Price list. Hunters, 3356 8th, Racine, Wis.

DOLLS

PERSONALIZED Training. Doll Hospital School, 603 E. 9th St., Aledo, Ill.

DOLLS, DRESSED and Undressed, Supplies, Instructions. Peggy's Doll House, Jefferson City 12, Mo.

DRESS DESIGNING

DESIGN SMART Fashions for yourself or others. Fascinating, profitable field. Learn at home in spare time. Practical basic training. Sound "learn-by-doing" method. Free booklet. National School of Dress Design, 835 Diversey Parkway, Dept. 1631, Chicago 14.

EARTHWORMS

BIG PROFITS Raising earthworms. Free information. Lund's Earthworms, Olathe, Kansas.

FREE FOLDER. "How to Make \$3,000 yearly," Sparetime, Backyard, Raising Earthworms! Oakhaven 27, Cedar Hill, Texas.

\$1,000 MONTHLY POSSIBLE, raising Earthworms
— African Giants! Backyard, Garage, Basement.
Complete illustrated Booklet, explains raising, feeding, packing, marketing. Only 25c! Ozark Worm
Parm-B, Willow Springs, Mo.

ELECTRICAL EQUIPMENT

ELECTRIC PENCIL: Engraves all Metals, \$2.00. Beyer Mfg., 10511-M Springfield, Chicago 43.

FIGURINES

UNPAINTED FIGURINES, molds, supplies. Catalog 25c. Steece Bros., Box 177-WB, Sioux Falls, S. D.

GUNS

WOODCARVING, GUNSTOCKS. Miniature animals, figurines. Hermania Anslinger, 320 South Ralph, Spokane, Wash.

HANDICRAFT SUPPLIES

LEATHERCRAFT, COPPER Enameling, Mosaic Tile, Metal Tooling, Many more Crafts. Complete Illustrated Catalog 10c. Kit Kraft 181, Studio City, Calif.

ART METAL Tooling. Enjoyable profitable hobby. Big illustrated catalog 10c. Groundmaster, Boulder, Colo.

HELP WANTED

HOMEWORKERS: Assemble handlaced precut moccasins and handbags. Good earnings. California Handicrafts, Dept. 3, Los Angeles 46, Calif.

PASHION DEMONSTRATORS — \$20-\$40 profit evenings. No delivering or collecting. Beeline Style Shows are Party Plan sensation! Samples furnished Free. Beeline Fashions, Bensenville 70, Ill.

HOBBIES

TROPICAL FISH plants aquariums catalogue 10c. Tampa Bay Aquarium, General Delivery, Tampa, Fla.

HOME CRAFTSMEN

WOODWORKING and Cabinetmaking course for beginning and advanced home craftsmen. Only complete low-cost home training program available. Write for free booklet, Interstate Training Service, Dept. G-7, Portland 13, Oregon.

ENAMELERS ATTENTION: I produce various styles of copper forms for enameling—jewelry, trays and bowls. Write for list. Thurlow S. Wilkinson, 5 Dayton P1, Worcester 9, Mass.

WOODCRAFTERS—we buy what you make from our patterns! Easy to make, no special tools needed. Send \$1.00 for patterns and complete instructions. Satisfaction guaranteed. Wm. Rice, 87 Washington Ave., Kingston 3, New York.

LEARN PLASTICS Fabrication For spare time income. Low cost home training now available, Write for free booklet. Interstate Training Service, Dept. D-7, Portland 13, Oregon.

FREE, New catalog 2150 artist-drawn designs, patterns. Craftplans, 1322-F Wabash, Chicago 5.

42 BEAUTIFUL, easily made shelves. Full size patterns. Big variety. Only \$1.00. Mastercraft, 115B, 7041 Olcott, Chicago 31, Ill.

CIRCLE CUTTING attachment for circular saws. Plans for making just \$1,00. Raymond C. White, Williamsburg, Penna.

BEAUTIFUL Early American furniture, easily built from our full size plans. Write for free Project Bulletin. Old South, Box 11143, Charlotte 9, N.C.

HOOVER'S MATCHED Patterns — Combinations galore. Complete, \$1.00. Hoover, Grand Marais, Minn.

LEARN ART Metalcraft and jewelry making. Complete, inexpensive, home training course now available. Special tools and materials furnished. Write for free booklet. Interstate Training Service, Dept. L-7, Portland 13, Oregon.

INSTRUCTION

DECORATE CRAFT WORK professionally! Illustrated Silk Screen Process instructions with supply sources \$1.00. Satisfaction Guaranteed! Pioneer Valley Stencils. Box 162-B. Springfield, Mass.

WATCH AND CLOCK repairing books. Free catalog. North American, 2322-D Milwaukee, Chicago 47, Ill.

LEARN WHILE Asleep! Details free. Research Association, P.O. Box 610-L, Omaha 1, Nebr.

JEWELRY AND FINDINGS

COSTUME JEWELRY Supplies. Settings, Rhinestones, etc. 88 page illustrated catalog. 25c, Milady, Box 1328, G.P.O., N.Y.C. (1).

QUALITY FINDINGS: also Emblems, Medallions, Crosses, Stars. Big Line—low prices—100% satisfaction Guaranteed. Wholesale Catalog, 10c refundable. Caraday, Dept. WB-1-8, Box 22, West Hempstead, New York.

COSTUME JEWELRY settings, findings, rhinestones, pearls. Rhinestone earring kit and catalogue 50c. Illustrated catalog 10c. Hom-Art WBI, Box 4035, Hammond, Ind.

FREE JEWELRY Catalog. Make, sell beautiful costume jewelry, Beck, 62 Van Houten. Paterson, N. J.

MAKE BIG Easy Profits making costume jewelry at home in spare time! Quick, easy to make; easier to sell! Details Free! Don-Bar, 3511 W. Armitage, Dept. AW272, Chicago 47, 1ll.

LEATHERCRAFT

FREE. New big illustrated catalog, Leathercraft, Metalcraft, Woodcraft kits and supplies. Complete stock, top values, latest ideas. Write today, J. C. Larson Co., Dept. 7431, 820 S. Tripp, Chicago 24.

LEATHERCRAFT, IMPORTED and domestic leather, kits. Complete catalog, 25c refundable. Midas, Box 1255, Dept. M7, Huntington Park, Calif.

SKIL-CRAFTS 1958 Catalog. World's finest Leathercraft, Art & Craft Supplies. Free Billfold or Purse Kit with first purchase. Send 25c (refunded with first order) Skil-Crafts, Box 167, Joplin, Mo.

FREE "Do-It-Yourself" Leathercraft Catalog. Tandy Leather Company, Box 791-124, Fort Worth, Texas.

MAKE IT YOURSELF

"EVERYBODY LIKES Candy." Learn to make professionally home . . . (Our 45th Year), Ragsdale Candies, D9, East Orange, New Jersey.

MAKE A MOBILE—10 easy steps, \$1.00. "Mobiles" 4602 B St., S. E., Washington 19, D. C.

MISCELLANEOUS

ONE MILLION Dollars Confederate Money in \$10's, \$20's, \$50's, \$100's etc. only \$2.98. Limit four million for only \$10.00. Best Values Company, Dept. M-107, 401 Market Street, Newark, New Jersey.

MAKE YOUR own exciting Game, Prints and Rules one Dollar. Tennis Co., 3121 43 Ave So., Minneapolis 6, Minn.

LOANS BY MAIL. \$100—\$600. Quick, Easy, Confidential to employed men and women. No endorsers. Easy monthly payments. Write for Free Information sent in plain envelope, Postal Finance, Dept. 622A, 200 Keeline Building, Omaha 2, Nebr.

YOU CAN Entertain With Chalk Talks. Catalog 10c. John Balda, Trick Cartoonist, Oshkosh, Wisc.

MOLDS

MAKE FLEXIBLE molds. Cast plaques, figurines. Free sample. Tooker, 1045-P Fairview, Hamilton, Ohio.

FREE MODEL with Quart Molding Latex, \$2.25. Postage extra. Kendall, 60 Carlton, Jersey City 6, New Jersey.

MUSIC, MUSICAL INSTRUMENTS

SWISS MUSICAL Movements (Best) \$2.50. Spielman, 131 West 42nd, New York 36.

NAME LISTS

ABSOLUTELY UNUSED—580 New Mothers, including name of babies \$7.50. 1200 Teenagers, \$5.00. 150 new Grandmothers, \$2.00. 600 Widows, \$3.00. Nardo, 213 Forest, Cleburne, Tex.

OF INTEREST TO WOMEN

WIVES—Increase your family income sewing babywear for stores. Write Tiny-Tot, Gallipolis 39, Ohio. LEARN PROFESSIONAL cake decorating. Details free. Deco-Secrets, Venice 5, Calif.

STOP THROWING Away Those Boxtops! They're worth money! Some 25c each! Inquire: Boxtops-U, Cedar Hill, Texas.

SEW APRONS in your home profitably. Write: Adco. Bastrop, La.

200 POCKET COMBS \$3.00. Grab Bag Items Wholesale. Catalog 25c. Burke Associates, Manchester 3, Mass.

MAKE \$25-\$50 WEEK, clipping newspaper items for publishers. Some clippings worth \$5.00 each. Particulars free. National, 81-PH, Knickerbocker Station, New York.

\$CASH, MAKING Flowers sparetime, Free sample. Boycan Industries, Sharon 18, Penna.

SATISFACTORY SAVINGS guaranteed. "Meat Buying Guide" gives facts for competitive Super Market Shopping today, Only 50c. J. Williams, Box 412, Dept. W. Milton Junction, Wis.

100% PROFIT, Sew Colored Baby Shoes, Bunny Hug Shoe Co., Box 6171. H. Columbus 23, Ohio.

STAMPED LINENS for Embroidery or Painting, Buy direct from manufacturer and save. Send for Free catalog. Merribee, 16 West 19th St., Dept. 632, New York 11, N. Y.

\$200. MONTHLY POSSIBLE, Sewing Babywear! No house selling! Send stamped, addressed envelope. Cuties, Warsaw 4. Indiana.

\$1.00—RECEIVE Month Fad-Kit. Beatrice, 4714 Garnier, Montreal, Canada.

EARN, SAVE money sewing readycut products. Catalog 10c. Thompson's, Loganville H. Wis.

OLD STAMPS WANTED

I WILL PAY \$100.00 each for 1924 1c green Franklin stamps, rotary perforated eleven (up to \$1,000 each unused). Send 20c for large illustrated folders showing amazing prices paid for old stamps, coins and collections. Baker-Stamps, 65-WBE-18, Oradell, New Jersey.

PARTY PLANNING, FAVORS

MAKE YOUR Own Party Favors or Christmas Novelties. Complete kits with styrofoam. Instructions, and Patterns \$1 each, or send 10c for catalogue and information on how to get started in the party favor business. Foam Fantasy Company, 1415 East Genesee, Saginaw, Mich.

PATENTS, INVENTIONS

INVENTORS: Learn how you can protect your invention. A specially prepared booklet "Parent Guide for the Inventor" containing detailed information concerning patent protection and procedure together with "Record of Invention" form will be promptly forwarded to you upon request-without obligation. We are registered to practice before the United States Patent Office and are prepared to serve you in the handling of your patent matters. Clarence A. O'Brien & Harvey Jacobson, Registered Patent Attorneys, 85-A District National Building, Washington, D. C.

INVENTORS—If you believe you have an invention, you should find out how to protect it. The firm of McMorrow, Berman & Davidson with offices in Washington, D. C., is qualified to take the necessary steps for you. Send for copy of our Patent Booklet "How to Protect Your Invention." We will also send you an "Invention Record" form. No obligation. They are yours for the asking. McMorrow, Berman & Davidson, Registered Patent Attorneys, 266-M Victor Building, Washington 1, D. C.

INVENTORS—Do you want to sell or license your invention on cash or royalty basis? Write Kessler Corporation, 191-IW, Fremont, Ohio.

INVENTORS—This firm is registered to practice before the United States Patent Office and available to assist you in the preparation and prosecution of your patent application. "Patent Protection for Inventors" booklet containing detailed information and steps to take toward patent protection sent promptly upon request. No obligation. Victor J. Evans & Co., 402-A Merlin Building, Washington 6, D. C.

PET STOCK

RAISE MINK: Free booklets, pen plans, inside "secrets," feed, care. Mink are money makers. Investigate today. Lawrence Molgard, Brigham City 28, Utah.

PLASTICS

NEW LIQUID Casting Plastic, clear, colors, Embed real flowers, coins, photos. New Manual shows fine things you can make at home and sell at big profit. Send 25c. Castolite, Dept. A-109, Woodstock, Ill.

RUGS

HOOKED RUGS: Yarn at factory prices: Patterns; Hooker; Frames. Also Hand-knitting yarns. Bartlett Yarn Mills, Box 16, Harmony, Maine.

SHELLCRAFT

LARGEST WHOLESALE Shellcraft supplier in the East. Send 25c for latest illustrated instruction book catalogue. Large Shell-Art Jewelry Kit \$2.25 pp. Shell-Art Novelty Company, 229 S. 9th Street, Philadelphia 7, Penna.

TWO NEW beautiful easy-to-make cut shell earring kits complete with instructions, and 1958 supply and design catalog for \$1.00 postpaid. Miami Shellcraft, 514 N.W. 79th St., Miami, Fla.

SEASHELLS, SHELLCRAFT and Jewelry Supplies. Illustrated Catalog 25c, refunded on first order. Florida Supply House, Box 847H, Bradenton, Fla. Our 23rd Year.

ILLUSTRATED Catalog Supplies and Basic Instructions. 10c. Wholesale Prices, Caribbean, Dept. 3A, Box 311, Sarasota, Fla.

SHELL JEWELRY Supplies. Wholesale only. Mc-Farland Plastic Co., Sarasota, Fla.

STAMPS

225 STAMPS only 10c with approvals. Mystic, Camden 22, N. Y.

100 OLD U. S. stamps between 1861 and 1935 only \$1.00. Roush Stamp Co., 51 Chestnut, Mansfield, Ohio.

FIRST U. N. ser. Among World's Prettiest. Only 10c. Approvals. Welles, Box 1246-PH, NYC 8.

"GIGANTIC COLLECTION Free!"—Includes Triangles—Early United States—Animals—Commemoratives—British Colonies—High Value Pictorials, etc. Complete collection plus Big Illustrated Magazine all free. Send 5c for postage. Gray Stamp Co., Dept. PH. Toronto, Canada.

WOODWORKING

MAKE \$46 From Square Foot Plywood; Jigsaw necessary. Free Information. Woodarts C-7, Bridgewiter, Mass.

YARN

YARN: FREE Samples and directions. All wool knitting and rug yarns: Patterns and frames. Lowest prices. Buy direct. Bartlett Yarn Mills, Box 161, Harmony, Maine.

something to sell ?

Try a classified advertisement and reach ¼ million home do-it-yourself enthusiasts. Only 70c per word.

USE THIS HANDY INSERTION ORDER. Please Print.

ZONE STATE

Guard Your Heart your doctor Control your weight enough rest Keep physically fit Ease up and relax b Give to fight heart disease HELP YOUR HEART FUND

IF You Change Your Address * * *

HELP YOUR HEART

★ Please give us 6 weeks advance notice.

★ Include address label from last issue received or code numbers from address label.

★ Address your notice to:

Change of Address Dept. WORKBENCH Handcraft Bldg. Kansas City 11, Mo.

What about **Spray Can Painting?**

TED MORGAN

ORIGINALLY REGARDED as a novelty, push button painting as accomplished with a spray can has come to be accepted by many a doit-your-selfer as a convenient and efficient means of doing many a paint job around the house and in

the workshop.

For those not familiar with this type of painting and for those who have used it successfully but would like to achieve even better results, we prepared a list of questions and submitted them to experts of a large paint manufacturer (the Glidden Company). The questions and their answers follow:

What makes it spray? About half the contents of the spray container consist of liquid gas in solution with the paint. At 70 degrees F. the pressure on the inside of the can is about 35 to 38 pounds a square inch. When the push button valve is released, the liquid gas is vaporized and the resulting internal pressure forces out the paint-liquid gas solution. The gas vaporizes instantly in the free air and the wet paint particles are deposited as a film.

What about clogging? A properly formulated paint-gas solution should be virtually free from any tendency to clog the valve on the spray container. However, to prevent the paint from hardening and obstructing the pin-hole opening in the valve, certain simple precautions should be observed.

If a spraying operation is to be interrupted for more than 10 minutes, completely invert the can, press the valve button and hold it down until a jet of clear gas passes through the valve. Thus the valve will be self-cleaned and always in operating order. If you neglect to do this and the paint does harden in the valve, pull off the plastic valve head and apply a drop or two of lacquer thinner to the head and valve stem. The pressure, when re-leased, will then generally drive out the softened paint.

How about settling? To a degree, nearly all paints settle. After prolonged storage there will be a layering of the various pigments, oils, resins and gases in the spray container. But every spray can contains a small agitator ball which, when shaken vigorously, aids in stirring up the paint components. The spray can should not be used until the ball is entirely free and can be heard rattling inside the can.

Can all the paint be used? The container holds more than a sufficient supply of gas to spray its entire contents. Sometimes, however, a person inexperienced in using a spray can will try to use it in the wrong position and only clear gas will come out. This can be corrected by turning the plastic valve-head a half turn and the siphon tube will then be in a position to drain the contents of the can.

How much skill is needed for good results? In order to get the "feel" of spray can painting, a little practice will often help. The valve should be held no closer than 10 or 12 inches from the surface of the work. Move the can with short, fast strokes. Don't pile up the paint in one spot or move the spray too slowly, or runs, sags and wrinkling may result. Allow the surface to become slightly tacky between light mist coats; apply several of those coats rather than one or two heavy ones. Be sure that the valve is completely opened.

What surfaces can be painted? Spray can paints are designed for both interior and exterior use. They can be applied to wood and metal surfaces. If other types of surfaces such as plastic or glass are to be coated, you'll be smart to coat a small portion of such surfaces and observe the results after the normal drying period. Whatever surface is to be sprayed, be sure it is free from grease, rust, dust and wax.

How far will the paint go? The coverage is controlled by several factors: the color itself, the type of surface, the thickness of the coat to be applied and the skill of the painter. Spray can painting is particularly effective for touch-up jobs, the painting of small or intricate objects, hard-to-reach places, etc.

What about storage? Bear in mind that gas temperatures increase at a rapid rate as the temperature rises. All spray cans are tested in 130degree temperatures but in practice should never be exposed to temperatures of over 120 degrees F. Don't expose them in sunny windows, in back window shelves of motor cars, etc.

What fundamental safety precautions are necessary? Most spray paints are flammable, so be extremely careful in their use around open flame. Use caution in disposing of empty cans. Never place them in an incinerator or throw them on a trash fire, as residual gas may burst the can and cause injury. Never puncture a spray can.

SUCCULENTS



ORCHID CACTI

FREE! 36 page beautiful colored catalog picturing these bright, odd and easily grown house plants.

African and Mexican Succulents. Mimicry Plants. Shade Cacti. Supplies and Potting soils.

CACTI - Hundreds of window garden kinds described.



IN MANY COLORS

WRITE FOR FREE CATALOG TODAY!

JOHNSON CACTUS GARDENS BOX WB-18 . PARAMOUNT, CALIFORNIA



Burgess Vibrocrafters, Inc., Dept, A-128 Grayslake, Ill.

MAKE MONEY WRITING

.. short paragraphs!

You don't have to be a trained author to make money writing. Hundreds now making money every day on short paragraphs. I tell you what to write, where and how to sell; and supply big list of editors who buy from beginners. Lots of small checks in a hurry bring cash that adds up quickly. No tedious study. Write to sell, right away. Send for free facts. BENSON BARRETT, Dept. 9-N, 7464 North Clark St., Chicago 26, Illinois



EVERYTHING for ENAMELING

...for beginner or professional. Fires pieces up to $4\%e^{\prime\prime}$ diameter and $1/2^{\prime\prime}$ high. It reaches enameling temperature quickly and maintains it constantly. All parts are easily replaced at nominal cost.

New by Thompson ENAMEL GLAZE PAINTS

A superior decorating medium for painting designs over enamel base coats. Supplied in kits and bulk form.

Complete line of enamel colors including opal-escents.

METALS

All shapes and sizes in copper and the new silver plated steel which requires no pre-clean-

FINDINGS

For cuff links, ear rings, brooches, etc., and all types of chain in copper and brass.

ILLUSTRATED CATALOG

Write for your copy of our new catalog illustrating our complete line. Includes helpful hints and projects on enameling.

Dept. PH







If Your Child Is a Poor Reader

See how The Sound Way To Easy Reading can help him to read and spell better in a few weeks. New home-tutoring course drills your child in phonics with records and cards. Easy to use. University tests and parents' reports show children gain up to full year's grade in reading skill in 6 weeks. Write for free illustrated folder and low price. Bremner-Davis Phonics, Dept. U-95, Wilmette, Ill.

People 50 to 80 Tear Out This Ad

... and mail it today to find out how you can still apply for a \$1,000 life insurance policy to help take care of final expenses without burdening your family.

You handle the entire transaction by mail with OLD AMERI-CAN of KANSAS CITY. No obligation. No one will call on you!

Write today, simply giving your name, address and age. Mail to Old American Ins. Co., 1 West 9th, Dept. L106M, Kansas City, Mo.

This Might Help

Rubber Facing For Ordinary Hammer



When you use a steel hammer as a mallet and wish to avoid marring of the work surfaces, just slip two rubber jar rings in place as shown here and a perfect resilient surface is provided. Fit the pultabs of the rubber rings so they cover the hammer face, and catch the opposite sides of the rings over a small nail engaged in the hammer claw.—Ken Murray

Cure For A Troublesome Door Hinge

The pins of some door hinges have the troublesome habit of "creeping" out of the hinge. This can be prevented if a center punch is used to put five or six dents in the pin. This will cause a tighter fit, and hold the pin in place in the hinge.—C. C. Cooley



Wooden Hood For Saw's Motor



Motors that drive saws of any type usually collect more than their share of sawdust, some of it seeping into bearings and oil cups, shortening the motor's life. A simple box-like hood, fashioned of wood, to fit your particular motor, as shown, will keep the motor clean and free of dirt. The box need be lifted only when motor is oiled. —Grover Brinkman.


For Easy Nail Selection



If you find it inconvenient selecting nails from an assortment when working on a project, here is a handy solution: Use a plastic sponge as a "nail cushion" to hold the nails. If you keep various size and types of nails in the sponge, you can select the ones you need more readily than if they were in a box or other container. A small amount of linseed oil applied to the sponge every now and then will facilitate driving the nails into hard woods.—John A. Comstock

Handy Measuring Sticks

Hold two measuring sticks in place with your bare hands, or use small clamp.



Anyone who has needed to figure room widths when applying wallboards and has known the frustration of measuring distances overhead unaided, using a steel tape or wooden rule which twists and bends, making it hard to make an accurate measurement, will welcome this suggestion:

exact measure.

Take two sticks (one-by-one's or one-by-two's preferably) of lengths varying from 8 to 10 feet, and spread them the width to be measured, holding them at their ends, so that you grip the pieces together when the ends of each stick touch the walls. This will be the exact measurement at any given part of the room.

Once you have made your measurement, you may either hold the stick ends tightly with your hands, or better still, affix a small steel clamp and tighten securely. Then move the sticks to your wallboard and mark to cut.

Thomas P. Ramirez

Handy Car Accessory From Old Broom

When your kitchen broom has outlived its usefulness you can easily extend its life and provide yourself with an extremely handy accessory for your car or truck. Cut off several inches of the broom bristles to straighten and even them. Next, cut approximately a foot off the end of the broom handle so that you can use the broom inside the car. The broom bristles may be quickly cut with any type power saw or clipped with scissors. This short-handled broom will fit under the front seat of almost any car and it will be found useful in cleaning the car's upholstery and carpet. You will also find it handy to have in the event you have to make a roadside repair requiring work under the car. It's a useful lever and an extension handle.-Glen F. Stillwell



THE THE PARTY OF T



CHAIR CANE

SAVE YOUR VALUABLE CHAIRS

Easy to do yourself. Genuine Strand Cane. Woven Cane Web-bing for Chairs with Grove. Ash Splints. Flarg Rush. Catalog Dime. Instructions 25c. Complete Seat Weaving Book. 31.15. Raffa. Basket Reed. Basketry Book, 75c.

FOGARTY CANER, Dept. 3, Troy, N. Y.

Final victory over cancer will come from the research laboratory. But there are victories today. Many cancers can be cured when detected early and treated promptly. Vigilance is the key to this victory. There are seven signals

which might mean cancer. Vigilance in heeding them could mean victory over cancer for you.

1. Unusual bleeding or discharge. 2. A lump or thickening in the breast or elsewhere. 3. A sore that does not heal. 4. Change in bowel or bladder habits. 5. Hoarseness or cough. 6. Indigestion or difficulty in swallowing. 7. Change in a wart or mole. If your signal lasts longer than two weeks, go to your doctor to learn if it means cancer.

> **AMERICAN** CANCER & SOCIETY

"How to Go into **Business** for **YOURSELF**"

IT'S EASY TO START A NEW BUSINESS. It's stra LAST TO START A NIW BUSHMSS, It's easier than you think-once you learn the 9 easy steps of building a new business of your own. National Business Consultants has shown over \$900 others how to be successful—left us show YOU too. We guide you every step of the way with sound, proved simple business practices, LEPANO TOUR OWN BUSHMSS. Learn our tested, prott-making method with the provided of the provided provided the provided provided the provided provided the provided provided provided the provided provided

BOTH FREE!

RUSINESS

NESS. Learn our tested, profit-making methods for already own a business, let N.B.C. guide you too. FOR FREE BOOKLET TODAY! "How to Start a Busin start and make any kind of business profitable. Free for the asking! Sent to you in confidential plain envelope. Just write:

NATIONAL BUSINESS COMSULTANTS, Office H-1. Los Angeles 61. Calif.

NOW! EASY-TO-SEW

Factory Short Cuts give Custom Look to "Made-at-Home" Clothes

SAVE and EARN money while learning exciting NEW METHODS for Home Dressmaking. Write for FREE Booklet describing unique home study Sewing Course.

GOOD DRESSMAKING INSTITUTE

Dept. WB-18, 11826 San Vicente Blvd., Los Angeles 49, Cal.

Up to \$30 a day in wages . . . Up to \$75 a week in spare time ...

Learn TILE SETTING, the high-pay trade which needs ore men. Learn right in your home . . . in your spate me . . . in a few weeks. Complete course costs less than ou may earn in one day as a tile setter. Personal

instruction.

"... never expected so much for so little."

have several jobs." "Am working as tile layer (had been laborer). thank you." "You sent information about your course though I did not take advantage of it. Now I am sorry to the tune of \$380. We had our bathroom tilled. If I could receive for a few weeks what they received for a few days, I would give up my job in the steel mill."

AMERICAN INSTITUTE OF TILE SETTING P.O. Box 217, Oakland, California





JANUARY-FEBRUARY, 1958 » 63

SELL TO UNCLE SAM!

That's how I made \$20,000 a year —selling junk jewelry to the U. S. Government. Send me your name and I'll show you how I did it. LEARN AT HOME IN ONE EVENING

This is the most fantastic way of making money you ever heard of. That's because you do all your "selling" BY MAIL to one customer—the U. S. Government! Uncle Sam will buy all the old junk jewelry you send in at \$35.00 AN OUNCE for the gold it contains. Just follow my Plan and you can pick up gold on any street in your town. I show you where to find it, what to pay, how to test and how to mail to Uncle Sam for cash. I'll teach you the secrets by which I made \$20,000 a year. No charge for facts. No salesman will call. Send no money just your name, address on postcard. Leslie Patton, 335 W. Madison St., Dept. 20-A, Chicago 6, Illinois



MONEY in DONUTS



Make new greaseless donuts in kitchen. No smoke. Sell Stores. Half Profit. Cash Daily. No exp. nec. FREE RECIPES. No obligation.

A. RAY CO. MINNEAPOLIS 7. MINN.

ALMOST



that moves—LOCKS. CASTERS. FISH-ING REELS, ETC. SMALL BOTTLE 40c; LARGE ECONOMY BOTTLE 70c.

LARGE ECONOMY BOTTLE 70c.

If your dealer can't supply — order direct. Send coin mailed prepaid.

REARDON PRODUCTS, 307B Cass St., Peoria 2, III.



we PAID FOR OUR HOME

FOLEY SAW FILER


Here is Leslie Patrick's true story-as told by his wife. "I can truthfully say Mr. Patrick made a wonder-ful investment 10 years ago with his Foley Saw

Filer. He has done so well with his Foley and repair shop, we bought a house, built an addition, bought a new car, new shop machines—and it's all paid for."



FOLEY MFG. CO., 240-8, Foley Bldg., Minneapolis 18, Minn.

Simply Made Necktie Rack



Need a tie rack? Here's one that is very easily made from household items-a length of discarded belt and a broom handle. Cut four 5" pieces from the broom handle and tack a 25" piece of belt to the ends of the wood pieces as shown in the drawing. If you don't have an old belt handy, a length of clothesline rope will make a good substitute. After the rack has been assembled, paint it, and after it dries, hang it on a nail or hanger driven in the back of your closet door. The rack holds over a dozen ties for easy selection.


John A. Comstock

To Fill Scratches On Furniture

When finishing or refinishing furniture, gouges and scratches can be neatly hidden by using the sanding dust from the same piece, mixed with clear varnish, lacquer or nail polish. Make a paste as thick as possible (to prevent shrinking) force into crack or gouge, when dry sand smooth. Then finish piece.

H. B. Monroe

Improvised Polishing Brush



A useful polishing or light abrasive brush for use in the drill press or electric drill can be made from a fiber bristle scrub brush. Saw off a block of the brush to include about 16 tufts of bristles and round the corners with a band saw or coping saw. Then bore a hole through the center of the block and insert a 4" x 3" stove bolt from the under side, fixing it with a nut on the upper side. This furnishes a shank that can be held by the chuck of the drill press or electric drill .- M. W. Lowry

BIG SUPER-VALUE WHOLESALE TOOL CATALOG Tremendous. Discounts 0% and more

This catalog can put you in business. Buy Nation-ally Adver-tised Tools for resale.

NAME BRANDS that you and eve one else-want. \$1.00 Deposit Catalog. Re-fundable on

HAND & POWER TOOLS for HOME, FARM, WORKSHOP, BUSINESS WORKSHOP, BUSINESS
Before you buy—check
our big, clearly illustrated catalog. You can
save hundreds of dollars
a year. Over 14,000
a year, Over 14,000
tionally known makes.
Finest quality, lowest
cost, Every tool unconditionally guaranteed.
Your
question.
Make extra money selling to friends, neig
low workers. NO.

SEND TODAY for your TOOL CATALOG-Just pin \$1 to this ad-DO IT NOW!

U. S. GEN. SUPPLY, Dept. W-5 149 Church St., N. Y. C. 7

GROW HERBS FOR US! AT HOME- IN YOUR SPARE TIME Help fill our huge demand—used in expensive medicines. Easy to grow indoors or out—multiply rapidly. Year around Profitunity! You grow 'em-we buy 'em! We supply everything you need Amazing Facts and revealing plan is yours Free for the assing. Be one of the first to profit —rus name and address to: NATIONAL HERS EXCHANGE; Dept. F-1, Gardena. Calif. FREE EXCITING DETAILS

TO AUTHORS seeking a publisher

If you are looking for a publisher, send for our free, illustrated booklet titled "To the Author in Search of a Publisher." It tells how we can publish, promote and distribute your book, as we have done for hundreds of other writers. All subjects considered. New authors welcomed. Write today for Booklet HB. It's free.

VANTAGE PRESS, Inc., 120 W. 31 St., N. Y. 1 In Calif.: 6253 Hollywood Bird., Hollywood 28 Midwest Office: 220 S. Michigan Ave., Chicago, Ill.



.. Swiss or American

Unique Sweazey System starts you making repairs right away. Develops your skill step-by-step. Teaches modern methods professional short cuts. Learn by personal attendance or spare time home study. Free Sample Lesson. No obligation. Write today!

CHICAGO SCH. OF WATCHMAKING Dept. 718 2330 Milwaukee, Chicago 47, III

LEARN METALCRAFT and JEWELRY MAKING



Low Cost Home Training Now Available Make money. Learn profitable skills and arts of decorative metal and lewelry crafts. Course is complete. Professionally prepared. Easy to master. Special tools and materials furnished. Send for free literature.

WRITE REE INTERSTATE TRAINING SERVICE DEPT. K-7, PORTLAND 13, OREGON

116 SAW Patterns HAVE FUN - MARE MONEY selling these sensing NEW UNUSUAL Morelling, Gifts, Lauen Figures... Animals Das Implements, Door Markers, Dispuss, Mid Delegar etc. Easy... From, some out and cryon, Mid Delegar to these EXCITING and OFFERENT \$100 full size \$616 pakterns. ORDER NOW!

TRANS PLANS, Dept. P34

29 Holly St.

Yonkers, N. Y.

MAKE BIG MONEY

MAKING COSTUME JEWELRY AT HOME Thrilling, spare-time, MONEY-MAKING hobby! Make newest, beautiful jewel-ed earrings, necklaces, bracelets, pins, pendants, cuff links, tie clips! sell to friends, neighbors, stores, at big profit! Details FREE!

DON-BAR CO., Dept. A-27

3511 W. Armitage Ave., Chicago 47,
Illinois



Now You Can Earn Extra Money in Your Spare

. . In Your Own Home Workshop

New Liquid Plastic-Fiberglass Process Opens Up Fabulous Opportunities

The ideas on this page were developed for men and women with imagination. For the craftsmen who are searching for new materials with which to produce something different. To be profitable, it must be new, better, or out-of-the-ordinary. You can't make money on "dime-a-dozen" novelties—those days are over. How can Castoglas help you?

What Is the Castoglas Method? It is a casting, molding and laminating process which science and industry have used for 12 years for hundreds of different applications. The technique is simplicity itself. A catalyst (Hardener) is mixed with a liquid plastic which then hardens within 30 minutes at room temperature. Since neither heat nor pressure are required, no equipment is needed. ment is needed.

ment is needed.

CASTOLITER Project Manuals contain complete instructions for a wide variety of uses. Step-by-step illustrated directions show you how to cast colorful tiles and mosaics. How to embed real flowers, brilliant leaves, butterflies, sea shells and fragile minerals of exquisite beauty. How to mold these into unusual novelty items, table tiles, jewelry, wall panels. The fascinating art of laminating decorative glass panels is described in language any 12-year-old can follow. All other instructions are written in the same clear-cut style.

"How to Earn Extra Money in Your Spare Time" is just off the press. With words and pictures, it illustrates what others have done, how they got started, what they made, how it was sold, how much money they made and what new developments are going to mean to them in the years ahead. The price of this hand-book is 25c.



You can cast your own mosaics in an infinite variety of colors, shapes, sizes and you can do it without previous experience. Castoglas sets hard within 30 minutes at room temperature.



"How to Laminate Glass Panels with Castoglas" illustrates the fascinating art of creating decorative panels of your own design.



Embedding natural grasses, seahorses, star-fish and shells in this glass-clear paperweight continues to be as popular as ever.





Key tags make fine gift projects, inexpensive and easy to do. Brilliantly colored fall leaves are permanently embedded in Castoglas.



Seventh grade students are pouring colorful tile trays and coasters with liquid Castoglas.

Mosaic inlay in shades of blue-green adds dis-tinction to this walnut table.

ILLUSTRATED DIRECTIONS SHOW YOU HOW

The CASTOLITER Set gives complete directions for 30 tested projects, illustrated with 150 photographs plus many sketches. These projects are a major source of ideas. When you know the simple principle of casting various articles, you can apply the same or a modified technique to your own creative work. Herein lies the true value of the CASTOLITER projects. The price of \$1.00 for the set includes a copy of "How to Earn Extra Money in Your Spare Time."

No expense has been spared in the preparation of this comprehensive educational series. We therefore want to restrict distribution to those persons who are honestly interested in the possibilities we have outlined here. If you are one of these persons, fill out the coupon and mail it with your remittance to:

> Commercial Crafts Div., Dept. A-9 THE CASTOLITE COMPANY Woodstock, Illinois



The	Castelite	Co.,	Commercial	Crafts	Div.,	Dept.	A-9
Woo	dstock,	Illinois			-	91	

- Enclosed is 25c, \$1.00, for which send the following: "How to Earn Extra Money in Your Spare Time . . . in Your Own Home Workshop." Price, twenty-five cents, postpaid.
- The CASTOLITER Project Set as described above. This set includes one copy of "How to Earn Extra Money in Your Spare Time." Price, one dollar, postpaid.

Name

Address.

(Please print plainly) (No C.O.D.'s, please)

CLOSEOUT BUYS SUCH AS THESE! **IMAGINE GETTING**

- \$1 Chlorophyl Tablets, 7½c pkg.
- 15c Textile dyes, 3½c pkg.
- \$12.95 Name brand Kitchen set. \$3.25.
- \$49.95 Gold Bracelet, Boxed \$4.75.
- POSTAL SCALES, 7½c each!
- \$1.95 Men's silk ties, 121/2c each!
- PENCILS, 144 for 57½c!
- 69c Insect Repellent, 5c each!
- CHRISTMAS SEALS, 25c per 1000!
- ENVELOPES, 50c per 1000!
- 35c DRESS PATTERNS, 3c each!
- Calendar Wrist Watches, \$5.00 each!
- \$10 Men's Toiletry Sets, 60c each!

- New Bobby Pins, 70c per 700!
- \$5.50 Lucite Hairbrushes, 65c each!
- \$1.75 Rudolph kids toiletry sets, 35c.
- NEW HAIRNETS, ½c each!
- \$1 Automatic Card Shufflers. 9c each.
- \$2.98 Horserace game records, 30c ea.
 39c Under Arm Deodorant, 2c jar!
 - 25 card asst. Xmas cards, 11c box!
 - 50c Everday greeting cards, 7½c box!
 - \$200 Govt. Surplus Typewriters, \$23.
 - . \$1-\$3 Hard covered books, 20c each!
 - 49c Xmas window decorations. 10c per set.
 - Famous Brand \$18.75 Perfume, \$1.
 - 69c Insect Repellent, 5c each.

 New Phono Records, 45 & 78 RPM. 7c each.

BARGAINS

- BUTTONS, 144 for 25c.
- CIGARETTE HOLDERS, 1c each.
- \$1 Kiddies Handbags, 3c each.
- \$1 Val. Billfolds, 15c each.
- \$2.50 Wallets, 30c each.
- LADIES APRONS, 6½ c each.
- D.E. Razor Blades, \$1.50 per 1000
- \$1 Mufflers, Scarfs, 121/2c each.
- Plastic Toy Guns, 2c each.
- · 25c Rudolph Reindeer brooches, 2c each.
- \$15 Electric Percolators, \$5 each!

(Above bargain list merely illustrates type of Bargains usually found in this paper. Lists Naturally change from month to month.)

PLUS HUNDREDS OF OTHER SENSATIONAL BUYS!

ONLY IN "BARGAINS" WILL YOU Find Every Month Similar-

 BANKRUPT, CLOSEOUT, SURPLUS BARGAIN OFFERS
 BARGAINS AT WHOLESALE BELOW WHOLESALE
 RARE MONEY MAKING OFFERS
 New and Unusual Item Information

ONE issue of this SENSATIONAL Publication can make or save you MORE MONEY than the COST OF THE ENTIRE SUBSCRIPTION! This is the ONLY Big National paper of this type in circulation! You'll be AMAZED, FLABBERGASTED and DELIGHTED at the wonderful listings in every issue!

Look What Subscribers Are Saying!

Here's What Subscribers say about "Bargains" After Receiving Their first copies!

Here's What Subscribers say about "Bargains"

After Receiving Their first copies!

". Your book BARGAINS is just wonderful and I am very glad I subscribed to it."—H. K., Port Monmouth, N. J.

". As a resulted in extra profits of \$10.00 and upwards per month."—J. H. Alabarus.

". I. Saw your with a gaper and enjoyed every bit of its reading and arrey pleased with BARGAINS. I have never seen anything like it and an looking forward to my tuture copies especially the Christmas edition."—Mrs. D. M., Maine.

"a think BARGAINS is the best merchandise publication I have ever seen (And I have seen hundreds)."—S. P. C., Broeklyn, N. Y.

"a Received my list copy of BARGAINS the other day and an very pleased, the information you publish may be just the 'shot in the arm' my business needs."—D. S., St. Albans, N.Y.

"J. Have found your magezine very helpful."—W. A. P., Ogdensburg, N. Y.

"A Received your paper. Thank you very much, It is one of the finest we have ever seen."—F. D., lowa.

"J. I was the recipient of my list copy a few days ago. I am completely satisfied with the periodical. I also wish to express my appreciation to you for having made the magazine available to me. I shall be pleased to continue my subscription as long as the magazine of your "Bargains' magazine for learness my appreciation to you for having made the magazine as long as the magazine for your "Bargains' magazine for your subscribers."—Mrs. E. L., Richmond, Calif.

"THE ABOVE LETTERS WERE NOT SOLICITED IN ANY WAY OR MANNER—ALL ARE IN OUR OFFICE FILES! They care the enthusiastic reaction of subscribers offer seeing their first copies of BARGAINS!

Toys, Books, Jewelry, Greeting Cards, Cosmetics, Household Merchandise, Appliances, Industrial Materials, Machinery, Tools, etc.

MAKE FANTASTIC PROFITS! Bargains as low as 10°-25° on the Dollar!

out salesmen, store owners, jobbers, etc. buy this salesmen, store owners, jobbers, etc. buy this vir They know where to buy at CHEAPEST PRICES!
REASON why YOU can't DO THE SAME! Many cles, features every month show you HOW to self sains for big profite—if you don't know how! BUY CHEAP-SELL CHEAP! That's why th

SUBSCRIBERS SHOPPING SERVICE

Enables YOU to Buy Bir Name Merchandise At Tre-mendous Savbugst. "BARGAINS: Inexotiates bargain support of the Savbugst of the Savbugst of the Savbugst of the and then offers them to subscribers on HILLS. OFROPIT. Permits you to buy at dealers prices! This is but ONE feature of BARGAINS.

SAVE Up to \$1000-EARN Up to \$3000!

We HONESTLY think it's possible for you to do this within a year's time. For PROOF . . see testimonial letters . or better still. PROVE IT FOR YOURSELF BY SURSCRIBING.

It's HARD to believe, but IT'S THE TRUTH! Terrific Bargains can save you 40%-80% or more on every dollar you spend!

ONLY PAPER OF IT'S KIND AVAILABLE

Search your newsstand high and low. YOU WON'T FIND ANOTHER PAPER ANYWHERE LIKE IT! "Bar-gains" is available by SUBSCRIPTION ONLY. It's the only paper we know in existence that actually lists Bankrupt, Closeout, Surplus offers every month, Bar-gains so rare and terrific, you'll blink your eyes in amazement!

BIG 1957 CHRISTMAS ISSUES!

Your subscription will automatically include the BIG 1957 CHRISTMAS ISSUES—just in time for the big holiday season. Special issues jammed full of amazing holiday hargains. Imagine being able to buy \$1.00 worth of goods at 15e, 25c or 35e.

Reg. Price is \$3.00 per year, BUT YOU CAN STILL BUY 12 BIG ISSUES FOR \$2.00! Just 18c per month! Save yourself \$1.00 by subscribing now. AND SEE OUR AMAZING MONEY BACK IF NOT PLEASED OFFER BELOW! Act Fast, this offer is subject to withdrawal at ANY TIME!

Your Money Back IN FULL if the First Issue

Doesn't Please You!

WHAT CAN YOU LOSE? If you are not delighted with your 1st issue, you can have your money back IN FULL! No quibbling about it either! CAN WE MAKE A MORE STRAIGHT-FORWARD OFFER THAN THIS?

TOWER PRESS, Inc., Box 591, Lynn 870, Mass. Remember! Your Money Back IN FULL If the 1st ! that you receive doesn't please you!

	TOWER PRESS, INC. Box 591, Lynn 870, Mass.
1	O.K. Here's my \$2.00 for 12 BIG ISSUES. Rush me first copy!
	Name
	Address
1111	City